

July 2023

MTA - NEW YORK CITY TRANSIT
3 Stone Street
New YORK, N.Y. 10004
BID RECEPTION DESK
WWW.MTA.INFO/NYCT/PROCURE/NYCTPROC.HTM

THIS PACKAGE CONTAINS THE QUALIFIED PRODUCTS LIST (QPL) ITEMS FOR THE BELOW STATED PROCUREMENT UNIT WHICH INCLUDES THE NYCT STOCK NUMBER, ITEM DESCRIPTIONS, AND ESTIMATED USAGE.

QUALIFIED PRODUCTS LIST (QPL)

Track, Maintenance of Way, Building Supplies and Other Items

PROCUREMENT UNIT: 300

Track, Maintenance of Way, Building Supplies and Other Items: Items including, but are not limited to, the following:

Power generators & distribution, wire & cable, electrical circuit components, coil, contacts, electrical lighting, electrical fittings, signal communications, air conditioning, boilers, pipes and fittings, valves, hoses, plumbing supplies, building materials, metals insulation, paint, hardware (screws, bolts, fasteners), tools, shops equipment, forms & paper, abrasives, welding materials, track material, lumber, electrical measuring equip, pump compressor parts, fuses, electrical fittings & accessories, bearings, lubrication fittings/ machines parts.

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
01-58-3540	INSULATOR, PORCELAIN, FOR 150 LB. CONTACT RAIL; GREY COLOR GLAZE; NANO-COATED MANUFACTURED IN ACCORDANCE WITH THE LATEST NYCTA DRAWING AND NYCT STANDARD SPEC FOR THIRD RAIL OPERATIONS. MATERIAL TO BE SHIPPED 4 TO A CRATE IN WIRE REINFORCED CRATES. EACH INSULATOR TO BE SEPARATED AND WRAPPED IN A MATERIAL SUITABLE TO PREVENT CHIPPING. MATERIALS TO BE DELIVERED IN OPEN FLATBED TRUCK ON TUESDAYS, WEDNESDAYS AND THURSDAYS FROM 8 AM TO 3 PM.	VICTOR INSULATORS INC NYCTA NYCTA NYCTA	26858-9 T-2091-5 APPENDIX A, DATED 12/8/17 SEC 24, DATED 12/8/17	3145	158
01-63-1700	PAD, ANTI-ABRASION, FOR ROLLED STEEL TIE PLATE, FOR USE WITH 100-8 RAIL.	PANDROL USA PROGRESS RAIL SERVICES	PAD-11973 RPS-01-0253	6400	8400
01-63-1705	PAD, ANTI-ABRASION, FOR ROLLED STEEL TIE PLATE, FOR USE WITH 115 RE RAIL	PANDROL USA PROGRESS RAIL SERVICES	PAD-11974 RPS-01-1003	0	0
01-63-1710	PAD, RAILBASE, ANTI-ABRASION, FOR USE WITH 100-8 19-A & RF-A PLATES. SHALL CONFORM TO NYCT DRAWING MT-2734 BNR AND MTA-NYCT STANDARD SPECIFICATIONS FOR TRACK, INFRASTRUCTURE AND POWER DISTRIBUTION MATERIALS, SECTION 87. ALL PADS ARE TO BE STENCILED 100-8 19-A & RF-A ON THE TOP SURFACE FOR IDENTIFICATION. DELIVERY TO BE MADE ON OPEN FLATBED EQUIPMENT TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN THE HOURS OF 8:00 AM AND 2:00 PM ONLY	PROGRESS RAIL SERVICES PANDROL USA NYCTA NYCTA	RPS-01-5854 USK-1626 MT-2734 BNR SEC 87, 9/23/04	20600	8800
01-63-1715	PAD, RAILBASE, ANTI-ABRASION, FOR USE WITH 115 RE 19-A & RF-A PLATES. SHALL CONFORM TO NYCT DRAWING MT-2734 BNR AND MTA-NYCT STANDARD SPECIFICATIONS FOR TRACK, INFRASTRUCTURE AND POWER DISTRIBUTION MATERIALS, SECTION 87. ALL PADS ARE TO BE STENCILED 115 RE, 19-A AND RF-A ON THE TOP SURFACE FOR IDENTIFICATION. DELIVERY TO BE MADE ON OPEN FLATBED EQUIPMENT TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN THE HOURS OF 8:00 AM AND 2:00 PM ONLY	PROGRESS RAIL SERVICES PANDROL USA NYCTA NYCTA	RPS-01-0117 USK-1627 MT-2734 BNR SEC 87, 9/23/04	6820	7900

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
01-64-3331	FASTENER, RESILIENT RAIL "A" TYPE, FOR 100-8 RAIL, AS SHOWN ON NYCT DRAWING T2018A ISSUE DT-1. TO BE SUPPLIED STACKED ON SOLID WOOD PALLETS CONTAINING 60 PER PALLET, BANDED SECURELY BY NON METALLIC STRAPS AND SHRINK WRAPPED. DELIVERIES ARE TO BE MADE ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY	L.B. FOSTER PROGRESS RAIL SERVICES NYCTA NYCTA	00-041-043/MODEL F21 SW-24-4100B-1008 T-2018A ISSUE DT-1 SEC 20, 07/21/09	0	0
01-64-3332	FASTENER, RESILIENT RAIL "A" TYPE FOR 115 RE RAIL, AS SHOWN ON NYCT DRAWING T-5018A ISSUE DT-1. TO BE SUPPLIED STACKED FLAT ON SOLID WOOD PALLETS CONTAINING 60 PER PALLET, BANDED SECURELY BY NON-METALLIC STRAPS AND SHRINK WRAPPED. DELIVERIES TO BE MADE ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY	L.B. FOSTER PROGRESS RAIL SERVICES NYCTA NYCTA	00-041-269/MODEL F21R4-115RE SW-24-4100E T-5018A ISSUE DT-1 SEC 20, 07/29/09	8045	0
01-64-3333	FASTENER, RESILIENT RAIL "A" TYPE, 4 HOLE, FOR 100-8. TO BE SUPPLIED STACKED FLAT ON WOODEN PALLETS CONTAINING 60 PER PALLET, AND BANDED SECURELY WITH NON-METALLIC STRAPS. DELIVERIES TO BE MADE ON OPEN FLATBED EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY	LB FOSTER RAIL TECHNOLOGIES IN PROGRESS RAIL SERVICES NYCTA NYCTA NYCTA NYCTA	00-041-391/MODEL F21A-100-8 RPS-01-6269 REV. C, ASSEMBLY MT-2018A DT-2 SEC 1, 1/2/06 SEC 20, 7/21/09 SEC 57, 3/8/05 SEC 7, 2/20/01	29740	13673
01-64-3334	FASTENER, RESILIENT RAIL "A" TYPE, 4 HOLE, FOR 115 RE. TO BE SUPPLIED STACKED FLAT ON WOODEN PALLETS CONTAINING 60 PER PALLET, AND BANDED SECURELY WITH NON-METALLIC STRAPS. DELIVERIES TO BE MADE ON OPEN FLATBED EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY.	LB FOSTER RAIL TECHNOLOGIES IN PROGRESS RAIL SERVICES NYCTA NYCTA NYCTA NYCTA	00-041-392/MODEL F21R4A-115RE RPS-01-6266 REV. A, ASSEMBLY T-5018A DT-2 SEC 1, 1/12/06 SEC 20, 2/28/19 SEC 57, 3/8/05 SEC 7, 2/20/01	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
01-64-3340	PLATE, 100 RB, RESILIENT RAIL FASTENER, "A" TYPE, FOR 100 LB ARA TYPE "B" RAIL, AS SHOWN ON NYCT DRAWING MT-683 BNR (SKETCH). PLATES ARE TO BE DELIVERED STOCKED FLAT ON WOODEN PALLETS WITH A MAXIMUM OF (60) SIXTY PLATES PER PALLET AND SECURELY BANDED TO THE PALLETS BY NON-METALLIC MATERIAL. DELIVERIES ARE TO BE MADE IN OPEN TOP EQUIPMENT ON TUESDAYS, WEDNESDAYS OR THURSDAYS BETWEEN 8:00 AM & 3:00 PM ONLY	L.B. FOSTER NYCTA NYCTA	MODEL F21 MT-683 BNR (SKETCH) SEC 9, 1/07/08	0	0
01-64-3342	PLATE, 100-8 RESILIENT FASTENER, RF-A TYPE FOR 100-8 RAIL, AS SHOWN ON STANDARD DRAWINGS: T-2018B SHEET 1 DT-5, AND SHEET 2 DT-8. THE FASTENER SHALL BE ASSEMBLED WITH THE SPECIFIED PARTS LOCKED AND TORQUED AS SHOWN ON DRAWINGS. PLATES SHALL BE DELVIERED STACKED FLAT ON WOODEN PALLETS: A MAXIMUM OF (40) FORTY PLATES PER PALLET. PLATES SHALL BE SECURELY BANDED TO THE PALLETS BY METAL STRAPS. DELIVERIES TO BE MADE ON OPEN FLATBED EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY.	LB FOSTER RAIL TECHNOLOGIES IN CONSTRUCTION POLYMER PROGRESS RAIL SERVICES NYCTA NYCTA NYCTA	03-041-367 CPC-RFA-100 RPS-01-0105 T-2018B SHEET 1, DT-5 T-2018B SHEET 2, DT-8 SEC 86, 2/24/16	6974	2589
01-64-3343	PLATE, 100-8 RESILIENT FASTENER, RF-B TYPE FOR 2" & 2-1/4" FLANGWAYS FOR USE WITH 100-8 RAIL, AS SHOWN ON STANDARD DRAWINGS T-2018C SHEET 1 DT-4 AND SHEET 2 DT-5. THE TOP "B" PLATE SHALL CONFORM TO THE LATEST EDITION OF STANDARD DRAWING T-2016 EXCEPT FOR THE STEEL STUD HOLES SHOWN ON DRAWING T-2018C. THE RF-B ASSEMBLY SHALL INCLUDE ALL COMPONENTS SHOWN ON STANDARD DRAWINGS T-2018C SHEET 1 DT-4 AND SHEET 2 DT-5 EXCEPT THE HOOK-IN SHOULDER AND HD-10 INSERT. ALL OTHER COMPONENT PARTS ARE TO BE ASSEMBLED, LOCKED AND TORQUED AS SHOWN IN THE DRAWINGS. PLATES SHALL BE DELIVERED STACKED FLAT ON WOODEN PALLETS AND SECURELY BANDED TO THE PALLETS WITH METAL STRAPS; A	LB FOSTER RAIL TECHNOLOGIES IN CONSTRUCTION POLYMER AMSTED RAIL PRODUCTS SOLUTIONS PROGRESS RAIL SERVICES NYCTA NYCTA NYCTA NYCTA	03-041-379 CPC-RFB-100 RPS-01-0388 RPS-01-0388 T-2016 DT-6 T-2018C SHEET 1 ISSUE DT-4 T-2018C SHEET 2 ISSUE DT-5 SEC 86, 2/24/16	250	232

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
	MAXIMUM OF (30) THIRTY PLATES PER PALLET. DELIVERIES TO BE MADE ON OPEN FLATBED EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY				
01-64-3344	PLATE, 115# RESILIENT FASTENER, RF-A TYPE FOR 115RE RAIL, AS SHOWN ON STANDARD DRAWING: T-5018B SHEET 1 DT-2, SHEET 2 DT-2 EXCEPT THAT THE ELASTOMERIC PAD DIMENSIONS SHALL HAVE THE FOOTPRINT OF THE TOP STEEL "A" PLATE. THE RF-A ASSEMBLY SHALL INCLUDE THE TOP STEEL "A" PLATE, STEEL BASE PLATE, ELASTOMERIC PAD, PRESSED-IN STEEL STUDS, AND ALL OTHER HARDWARE, AS SHOWN ON THE DRAWING. THE FASTENER SHALL BE ASSEMBLED WITH THE SPECIFIED PARTS LOCKED AND TORQUED AS SHOWN ON DRAWINGS. PLATES SHALL BE DELVIERED STACKED FLAT ON WOODEN PALLETS, A MAXIMUM OF (40)FORTY PLATES PER PALLET. PLATES SHALL BE SECURELY BANDED TO THE PALLETS BY NON-METALLIC STRAPS. DELIVERIES TO BE MADE ON OPEN FLATBED EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS, BETWEEN 8:00 A.M. AND 2:00 P.M. ONLY.	CONSTRUCTION POLYMER PROGRESS RAIL SERVICES AMSTED RAIL PRODUCTS SOLUTIONS NYCTA NYCTA NYCTA	CPC-RFA-115 RPS-01-10117FF RPS-01-1017 T-5018B SHEET 1 ISSUE DT-2 T-5018B SHEET 2 ISSUE DT-2 SEC 86, 10/28/08	5971	4924
01-64-3345	PLATE, 115# RESILIENT FASTENER, RF-B TYPE FOR 2" & 2-1/4" FLANGWAY FOR USE WITH 115RE RAIL, AS SHOWN ON STANDARD DRAWING T-5018C SHEET 1 ISSUE DT-1 & SHEET 2 ISSUE DT-1 EXCEPT THAT THE ELASTOMERIC PAD DIMENSIONS SHALL HAVE THE FOOTPRINT OF THE TOP "B" STEEL PLATE. THE TOP "B" PLATE SHALL CONFORM TO THE LATEST ISSUE OF STANDARD DRAWING T-5016 EXCEPT FOR THE STEEL STUD HOLES WHICH SHALL BE AS PER DRAWING T-2018C. THE RF-8 ASSEMBLY SHALL INCLUDE THE TOP STEEL "B" PLATE, STEEL BASE PLATE WITH PRESSED-IN STEEL STUDS, ELASTOMERIC PAD AND ALL OTHER HARDWARE SHOWN ON STANDARD DRAWING T-5018C SHEET 1 ISSUE DT-1 & SHEET 2 ISSUE DT-1 EXCEPT THE HOOK-IN SHOULDER AND HD-10 INSERT. THE	CONSTRUCTION POLYMER AMSTED RAIL PRODUCTS SOLUTIONS PROGRESS RAIL SERVICES NYCTA NYCTA NYCTA NYCTA	CPC-RFB-115 RPS-01-0382 RPS-01-0382 T 5016 DT 4 T-2018C SHEET 1 ISSUE DT-1 T5018C SHT. 1 DT-1 T5018C SHT. 2 DT-1 SEC 86, 10/28/08	148	122

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
01-64-3346	FASTENER SHALL BE ASSEMBLED WITH THE SPECIFIED PARTS LOCKED AND TORQUED AS SHOWN IN THE DRAWINGS. THE PLATES SHALL BE DELIVERED STACKED FLAT ON WOODEN PALLETS WITH NON-METALLIC STRAPS. A MAXIMUM OF THIRTY (30) PLATES PER PALLET. DELIVERIES ARE TO BE MADE ON OPEN FLATBED EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 P.M. ONLY	LB FOSTER RAIL TECHNOLOGIES IN CONSTRUCTION POLYMER AMSTED RAIL PRODUCTS SOLUTIONS PROGRESS RAIL SERVICES NYCTA NYCTA NYCTA NYCTA	03-041-381 CPC-RFD-100 RPS-01-0384 RPS-01-0384 T-2017 DT-14 T-2018D SHEET 1 ISSUE DT-6 T-2018D SHEET 2 ISSUE DT-6 SEC 86, 2/24/16	922	1500
01-64-3347	PLATE, 115# RESILIENT FASTENER, RF-D TYPE FOR USE WITH 115RE RAIL, AS SHOWN ON STANDARD DRAWING T-5018D SHEET1, DT-7 & SHEET 2 DT-7. THE TOP "D" PLATE SHALL CONFORM TO THE LATEST EDITION OF STANDARD DRAWING T-5017 EXCEPT FOR THE STEEL STUD HOLES SHOWN ON DRAWING T-5018D. THE RF-D ASSEMBLY SHALL INCLUDE THE TOP STEEL "D" PLATE, ELASTOMERIC PAD, STEEL BASE PLATE WITH PRESSED-IN STEEL STUDS, CHROME SILCONE SPRINGS CONFORMING TO ASTM A-401 AND	LB FOSTER RAIL TECHNOLOGIES IN CONSTRUCTION POLYMER PROGRESS RAIL SERVICES NYCTA NYCTA NYCTA NYCTA	03-041-380 CPC-RFD-115 RPS-01-1016 T-5017 SHT. 1, ISSUE DT 13 T-5018D SHT. 1 DT-7 T-5018D SHT. 2 DT-7 SEC 86, 2/24/16	750	545

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
	ARMORGALV AS PER ASTM 1059 AND SEALED ELASTOMERIC PAD AND ALL OTHER SEALED WITH TRITOP SEALER AND SILIFLEX SEALER OR APPROVED EQUAL AND ALL OTHER HARDWARE SHOWN ON STANDARD DRAWINGS T-5018D SHEET 1 DT-7 AND SHEET 2 DT-7 EXCEPT THE ADJUSTABLE BRACE, SERRATED WASHER AND SEPARATOR BLOCK. THE FASTENER SHALL BE ASSEMBLED WITH THE SPECIFIED PARTS LOCKED AND TORQUED AS SHOWN IN THE DRAWING. PLATES SHALL BE STACKED FLAT ON WOODEN PALLETS; A MAXIMUM OF (30) THIRTY PLATES PER PALLET. PLATES SHALL BE BANDED TO THE PALLETS BY METAL STRAPS. DELIVERIES TO BE MADE ON OPEN FLATBED EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY				
01-84-0525	SCREW SPIKE, 1" DIA. X 5"-1/8" LONG, RECTANGULAR HEAD, HIGH STRENGTH, SHALL CONFORM TO NYCT DRAWING T-2011 SHEET 2, DT-5 AND STANDARD SPECIFICATION SECTION 15. TO BE SHIPPED IN PLASTIC PAILS WITH HANDLES CONTAINING 35 PER PAIL AND ON OPEN TOP EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY	TAICANG ZHONGBO RAILWAY FASTEN LEWIS NUT & BOLT YANGTZE RAILROAD MATERIALS NYCTA NYCTA	AX078164-A&K SSYR5100-0513P SWSP-10000-05125-NYCTA T-2011 SHEET 2 DT-5 SEC 15, 08/21/14	233771	157790
01-84-0527	SCREW SPIKE, 1" DIA. X 6" LONG, RECTANGULAR HEAD, HIGH STRENGTH, SHALL CONFORM TO NYCT DRAWING T-2011 SHEET 2, DT-5 AND STANDARD, SPECIFICATION SECTION 15. TO BE SHIPPED IN PLASTIC PAILS WITH HANDLES CONTAINING 30 PER PAIL AND ON OPEN TOP EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY	TAICANG ZHONGBO RAILWAY FASTEN LEWIS NUT & BOLT YANGTZE RAILROAD MATERIALS NYCTA NYCTA	AX078166-A&K SSYR5100-0600P SWSP-10000-06000-NYCTA T-2011 SHEET 2 DT-5 SEC 15, 08/21/14	109476	43846

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
01-84-0529	SCREW SPIKE, 1" DIA. X 7" LONG, RECTANGULAR HEAD, HIGH STRENGTH, SHALL CONFORM TO NYCT DRAWING T-2011 SHEET 2, DT-5 AND STANDARD SPECIFICATION SECTION 15. TO BE SHIPPED IN PLASTIC PAILS WITH HANDLES CONTAINING 30 PER PAIL AND ON OPEN TOP EQUIPMENT ON TUESDAYS, WEDNESDAYS AND THURSDAYS BETWEEN 8:00 AM AND 2:00 PM ONLY	TAICANG ZHONGBO RAILWAY FASTEN LEWIS NUT & BOLT YANGTZE RAILROAD FASTENERS INC NYCTA NYCTA	AX080820-A&K SSYR5100-0700P SWSP-10000-07000-NYCTA T-2011 SHEET 2 DT-5 SEC 15, 08/21/14	1655	1472
01-99-2400	VACUUM, MOBILE TRACK CLEANER TO BE USED IN SUBWAY AND OUTDOOR STATIONS; MANUFACTURED IN ACCORDANCE TO SCOPE OF WORK "MOBILE TRACK VACUUM CLEANER" TO BE USED IN SUBWAY AND OUTDOOR STATIONS DATED 4/4/17	VAC-U-MAX NEU RAILWAYS NYCTA	MDLTV200 NEUVKM50 MOBILE TRK VAC SPEC - 4/4/17	0	0
02-08-2549	RELAY, TRACK, PV 250, 110 VOLT, 60 HERTZ, 2F-2B, FOR USE WITH WABCO. TYPE CAPACITOR TYPE TRACK CIRCUITS.	HITACHI RAIL STS USA INC	N342555809	65	37
02-08-6300	RELAY, LP 100, 3 WAY	HITACHI RAIL STS USA INC	N451085-0217	0	0
02-08-7560	RELAY, PN-150 BM, 2F-2B MAGNETIC HEAVY DUTY	HITACHI RAIL STS USA INC	N322524001	0	0
02-10-1130	ARMATURE	HITACHI RAIL STS USA INC	N234255	0	0
02-10-1375	VANE, FOR PV250 RELAYS	HITACHI RAIL STS USA INC	N434594	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-10-3515	BLOCK, TRACK COIL CONTROL, FOR PV-250 RELAY	HITACHI RAIL STS USA INC	M433457			0	0
02-10-3915	BLOCK, CONTACT, RELAY ITSELF	HITACHI RAIL STS USA INC	N2763110001			0	0
02-10-3945	BLOCK, CONTACT #3 FOR PTV 42 RELAY W/SPRINGS	HITACHI RAIL STS USA INC	N2778350001			0	0
02-10-3970	BLOCK, CONTACT, FOR RELAY #150 BM	HITACHI RAIL STS USA INC	N2997040001			0	0
02-10-4681	POST, TERMINAL, MODEL 15 IND RELAY	HITACHI RAIL STS USA INC	N072667			0	0
02-10-4720	BRACKET, FOR UPPER-ROLLER, USED WITH S.L.V. 13 RELAY	HITACHI RAIL STS USA INC	M090714			0	0
02-10-9522	BLOCK, CONTGACT, FOR PV250 RELAY	HITACHI RAIL STS USA INC	N4334820001			0	0
02-11-0680	COVER, MOULDED, CLEAR LEXAN, FOR PTV-42 RELAY	HITACHI RAIL STS USA INC	J780017			0	0
02-11-0850	COVER, FRONT, PLASTIC, FOR RD RELAY	HITACHI RAIL STS USA INC	M344744			0	0
02-11-0855	COVER, TOP, FOR PV250 RELAY	HITACHI RAIL STS USA INC	J776598			50	50
02-11-0856	COVER, BOTTOM, FOR PV250 RELAYS	HITACHI RAIL STS USA INC	J776597			50	50

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-11-3670	GASKET, FOR PV250 RELAYS	HITACHI RAIL STS USA INC	J047081			0	0
02-11-3672	GASKET, FOR COVER PTV-42	PENNSYLVANIA RAIL CAR CO. HITACHI RAIL STS USA INC	D-912330 UJ-047445			0	0
02-11-3760	GASKET, RUBBER, FOR SLV13 RELAYS	SH RUBBER PRODUCTS CO LTD PENNSYLVANIA RAIL CAR CO. HITACHI RAIL STS USA INC	000757 02113760 J047298			400	100
02-11-3880	GASKET, FOR PN50, PT55, RELAY COVERS	PENNSYLVANIA RAIL CAR CO. HITACHI RAIL STS USA INC	D-912331 J047396			50	50
02-11-4950	TERMINAL, POST, COMPLETE WITH GRAPHITE CONTACT	HITACHI RAIL STS USA INC	N112419			0	0
02-12-3260	PINION, FOR 10 TO 120 SECONDS AND 0.	HITACHI RAIL STS USA INC	M160844			0	0
02-12-3280	PINION, FOR 2.5 TO 25 SECONDS TIME RANGE	HITACHI RAIL STS USA INC	M162000			0	0
02-12-8350	ROLLER, STOP, USED WITH MODEL-15-RELAY	HITACHI RAIL STS USA INC	M069693			1035	500
02-14-0670	SPRING, CONTACT, HEEL, SINGLE, USED WITH RD RELAY PARTS	HITACHI RAIL STS USA INC	N307873			0	0
02-14-0671	SPRING, HEEL CONTACT, DOUBLE	HITACHI RAIL STS USA INC	N307995			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-14-4500	RECEPTACLE, CONTACT	HITACHI RAIL STS USA INC	J680165		0		0
02-14-5050	TRUNNION, SCREW, USED WITH SV-12-4-15 MODEL RELAY	HITACHI RAIL STS USA INC	MO51924		1060		200
02-14-5090	TRUNNION, SCREW	HITACHI RAIL STS USA INC	N094597		280		100
02-14-5130	TRUNNION, WITH NUT STEEL BEARING FOR PV250 RELAYS.	HITACHI RAIL STS USA INC	N124889		1060		200
02-14-5900	VANE, ARMATURE-COMPLETE WITH-1/4"RADIUS- CRANK AND SHAFT-(2-POSITION-RELAY) UW MODEL 15 RELAY	HITACHI RAIL STS USA INC	N071775		0		0
02-14-7045	WASHER, .562 (9/16") OUTSIDE DIA., .250 (1/4") INSIDE DIA., MADE OF COPPER, CHROME PLATED AND CHAMFERED ON BOTH OUTSIDE EDGES.	HITACHI RAIL STS USA INC	J047818		0		0
02-17-0390	ARM, ROCKER	HITACHI RAIL STS USA INC	HI62408		20		0
02-17-0735	ARMATURE	HITACHI RAIL STS USA INC	N073519		50		48
02-17-1501	BAR, LOWER LOCK	HITACHI RAIL STS USA INC	N163680001		20		0
02-17-1550	BAR, TOP LOCKING LH	HITACHI RAIL STS USA INC	N215506		20		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
02-17-2900	BLOCK, CONTACT SPRING, WITH CONTACT SPRINGS	HITACHI RAIL STS USA INC	N191894	50	0
02-17-3367	BOARD, TERM NUMBERED, 13 TO 18, FOR CO-A10 MV MT	HITACHI RAIL STS USA INC	M186284	0	0
02-17-7300	BOLT, SWITCH MOVEMENT, FOR ROCKER ARM SWIVEL	HITACHI RAIL STS USA INC	M162414	0	25
02-17-9100	BOLT, 3/4"-10 X 2-3/8", HEX HEAD, WITH NO. UO-163304 NUT AND NO. UO-47773 WASHER, FOR SWITCH MACHINES	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	990235-075X X4520370003	0	0
02-18-1680	CAM, FOR CRANK SHAFT A10 MOVEMENT	HITACHI RAIL STS USA INC	M155805	0	0
02-18-3940	CONNECTOR, TERMINAL, COMPLETE, FOR CC, CP, SWITCH VALVE,	HITACHI RAIL STS USA INC	N167538	70	0
02-18-4360	CONTROLLER, CIRCUIT, COMPLETE A10 SEL MOVEMENT, REF. A.	HITACHI RAIL STS USA INC	UN-158422	16	16
02-18-4905	COVER	HITACHI RAIL STS USA INC	UN-158078	25	0
02-18-5005	COVER, FOR CIRCUIT CONTROLLER	HITACHI RAIL STS USA INC	N165903	20	0
02-18-6025	COVER, AND GUIDE, FOR LOCK ROD USED WITH A10 MOVEMENT.	HITACHI RAIL STS USA INC	N437536	0	30

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-18-6045	COVER, FOR OPERATING BAR GUIDE, BRONZE	HITACHI RAIL STS USA INC	M263263			0	0
02-18-6065	COVER, FOR A10 OPERATION ROD	HITACHI RAIL STS USA INC	R289285			0	0
02-18-6510	CRANK, CIRCUIT CONTROLLER SWITCH MACHINE.	HITACHI RAIL STS USA INC	N163055			20	0
02-18-6530	CRANK, HAND FOR A10 MOVEMENT	HITACHI RAIL STS USA INC	N165246			6	0
02-19-1970	GUIDE, FOR OPERATING BAR A10 MOVEMENT	HITACHI RAIL STS USA INC	M289282			20	24
02-19-4520	NUT, LOCK, F-ADJUSTING PIECE BOLT, CC-A10 MVMT.	HITACHI RAIL STS USA INC	M095300			150	50
02-19-4900	LOCK, COMPLETE, AIR VALVE, WITH COVER, BOX SPRING AND LOCK	HITACHI RAIL STS USA INC	UN-300338			18	12
02-19-4920	LOCK, AIR VALVE	HITACHI RAIL STS USA INC	N300605			50	0
02-19-6400	LUG, SWITCH, L/H WITH 4-1/2" DROP FOR 100LB RAIL	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	807150X N395124			0	20
02-19-6401	LUG, SWITCH, R/H WITH 4-1/2" DROP FOR 100 LB. RAIL	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	807151X N395125			0	0
02-19-9599	NUT, SPECIAL, FOR SWIVEL PIN	HITACHI RAIL STS USA INC	M162415			50	25

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-20-0800	NUT, STRAP, FOR TIE PLATE A10 MOVEMENT	HITACHI RAIL STS USA INC	M163304			0	0
02-20-2600	PACKING, CYLINDER, SWITCH MACHINE	HITACHI RAIL STS USA INC	M158097			50	0
02-20-3160	PIECE, ADJUSTING, FOR CIRCULAR CONTROLLER A10 MOVEMENT	HITACHI RAIL STS USA INC	J26015			0	0
02-20-3720	PIECE, LOCKING, FOR SHAFT CP SWITCH VALVE	HITACHI RAIL STS USA INC	M153471			0	0
02-20-5600	PISTON, COMP. FOR CP SWITCH VALVE	HITACHI RAIL STS USA INC	N156432			18	18
02-20-6155	PLATE, SHIFTER, WITH JAW STAMPED L, USED WITH CC-A10 SWITCH MOVEMENT	HITACHI RAIL STS USA INC	N162697			0	0
02-20-6165	PLATE, BENT TIE, FOR S&L MOVEMENT HAVING 4-5/8" THROW REF. OA, FOR STYLE A10 SWITCH AND LOCK MOVEMENT.	HITACHI RAIL STS USA INC	N163277			56	36
02-20-8535	RACK, WITH PISTON, DOG AND PIN, COMPLETE FOR A-10 SWITCH MOVEMENT	HITACHI RAIL STS USA INC	N158128			5	48
02-21-0210	ROD, OPERATING IN A10 SWITCH MOVEMENT	HITACHI RAIL STS USA INC	M61052			11	9
02-21-0230	ROD, SWITCH OPERATING, UNIVERSAL, VERTICAL ABEX M-3 SWITCH MACHINE	HITACHI RAIL STS USA INC	N438680002			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-21-1360	ROD, LOCK, 39-3/4", FOR A10 MOVEMENT, 22" FROM GAUGE ROD CONNECTION	HITACHI RAIL STS USA INC	M4514190201			0	0
02-21-1880	ROD, SWITCH OPERATING, 46-3/4" COMPLETE, FOR RIGHT HAND A10 MOVEMENT	HITACHI RAIL STS USA INC	N4514220101			0	0
02-21-1882	ROD, SWITCH OPERATING, FOR A-10 LEFT HAND, S&L MOVEMENT, 22" FROM GAUGE OF RAIL	HITACHI RAIL STS USA INC	N451422-0102			0	0
02-21-2219	ROD, SWITCH, CIR CONTROLLER OPERATING, WITH EYE NUT IN A10 SWITCH MOVEMENT	HITACHI RAIL STS USA INC	N179765			0	0
02-21-2650	ROLLER, FOR CRANK SHAFT A10 MOVEMENT	HITACHI RAIL STS USA INC	M061066			25	30
02-21-9300	SCREW, ADJUSTABLE, FOR SWITCH MACHINE	HITACHI RAIL STS USA INC	M162411			0	0
02-22-0800	SHAFT, FOR A10 SWITCH MOVEMENT	ANSALDO STS USA, INC	M188098			25	0
02-22-1120	SHIFTER, A-10 SWITCH MOVEMENT	HITACHI RAIL STS USA INC	J078049			0	0
02-22-1800	SPRING, PIN VALVE, USED WITH C CP SWITCH VALVE.	HITACHI RAIL STS USA INC	J068203			300	300
02-22-1850	SPRING, CRANK, SWITCH MACHINE	HITACHI RAIL STS USA INC	UJ-68536			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
02-22-2961	SPRING, CONTACT, LEFT HAND OR RIGHT HAND, FOR BLOCK CP SWITCH VALVE	HITACHI RAIL STS USA INC	N156367	100	0
02-22-2975	SPRING, CONTACT, RIGHT HAND, COMPLETE, USED WITH CP SWITCH VALVE	HITACHI RAIL STS USA INC	N156377	100	0
02-22-2990	SPRING, CONTACT, SHORT, COMPLETE, LEFT HAND OR RIGHT HAND, FOR CIR CONTROLLER A-10 MOVEMENT	TWINCO MANUFACTURING CO. HITACHI RAIL STS USA INC	069-1223-1-0 N179246	0	0
02-22-3035	SPRING, CONTACT, LONG, COMPLETE, LEFT HAND OR RIGHT HAND FOR CIR CONTROLLER A10 MOVEMENT	TWINCO MANUFACTURING CO. HITACHI RAIL STS USA INC	069-1223-2-0 N236209	0	0
02-22-3655	STEM, EP SWITCH VALVE	HITACHI RAIL STS USA INC	N156363	70	0
02-22-5964	MACHINE, SWITCH, A-10, RIGHT HAND MECHANISM, WITHOUT LAYOUT	HITACHI RAIL STS USA INC	N159020	0	0
02-22-5969	MACHINE, SWITCH, A-10, LEFT HAND, WITHOUT LAYOUT	HITACHI RAIL STS USA INC	N163419	6	0
02-22-5994	LAYOUT, M-3 ELECTRIC SWITCH MACHINE, RIGHT HAND, LESS SWITCH MACHINE.	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	899280RX X4515674804	0	0
02-22-5995	LAYOUT, M-3 ELECTRIC SWITCH MACHINE, LEFT HAND, LESS SWITCH MACHINE.	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	899280LX X4515674803	0	0
02-22-8200	VALVE, SWITCH, ELECTRO-PNEUMATIC STYLE C-P, TO BE USED IN THE SIGNAL SYSTEM.	HITACHI RAIL STS USA INC	UN297368	0	15

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-24-1000	BAR, POINT DETECTOR, FOR M-3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N387566001		0		0
02-24-1010	BAR, LOCK, ROD BEARING, FOR M-3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M4511613607		0		0
02-24-1020	BAR, OPERATING, L/H FOR M-3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M4511613001		0		0
02-24-1030	BAR, OPERATING, R.H. FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M4511613002		0		0
02-24-1040	BAR, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M4511600802		0		0
02-24-1050	BEARING, TOP, GEAR BOX, ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N146606001		0		0
02-24-1060	BEARING, BALL, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	JO66032		0		0
02-24-1070	BEARING, BALL, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	JO66246		0		0
02-24-1080	BOARD, TERMINAL, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N184425		0		0
02-24-1090	BOLT, 7/8, 9 X 3 HEX HEAD FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J460113		0		0
02-24-1100	BRUSH, MOTOR, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J0642050004		100		12

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-24-1110	BOX, LOCK, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N178100		0		0
02-24-1130	BUSHING, OILTITE, GEAR BOX ASSEMBLY, M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J079694		0		0
02-24-1140	BUSHING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J790007		0		0
02-24-1150	BUSHING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J790004		0		0
02-24-1160	BUSHING, FOR CRANK, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M4513930501		10		5
02-24-1170	BUSHING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J790291		0		0
02-24-1180	BUSHING, GEAR BOX ASSEMBLY, M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J790290		0		0
02-24-1190	BUSHING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J790328		0		0
02-24-1200	CAM, BAR, SLIDE, CAM FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	R146444		0		0
02-24-1210	CAP, BEARING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M274596		0		0
02-24-1230	CONTROLLER, INDICATION, CIRCUIT, WITH SELECTIVE POINT DETECTOR FOR SINGLE SWITCH COMPLETE FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N4511612801		0		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
02-24-1240	COVER, CIRCUIT, CONTROLLER, COMPARTMENT FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N4511612701	0	0
02-24-1250	COVER, GEAR BOX, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N4511612411	116	93
02-24-1260	COVER, MOTOR, COMPARTMENT FOR M3 ELECTRIC MACHINE	HITACHI RAIL STS USA INC	N4511613801	0	0
02-24-1270	CONTROLLER, INDICATION, CIRCUIT, R.H. CRANK (INCLUDES ROLLER & PIN) FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N284649	0	0
02-24-1280	CRANK, L.H., CONTROLLER, INDICATION CIRCUIT, (INCLUDES ROLLER & PIN)	HITACHI RAIL STS USA INC	N284650	0	0
02-24-1290	CRANK, OPERATING, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M071158	12	0
02-24-1300	OUTLET, CONDUIT, COMPLETE, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N238223	0	3
02-24-1310	DISK, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M146650	0	0
02-24-1320	GASKET, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M245192	10	320
02-24-1330	GASKET, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M147410	50	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-24-1340	GEAR BOX ASSEMBLY, COMPLETE WITH CLUTCH FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N4511617701			0	0
02-24-1350	GEAR, WORM, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M074805			0	0
02-24-1360	GEAR, MOTOR ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M4511611601			0	0
02-24-1370	GEAR, FIRST REDUCTION, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M286576			0	0
02-24-1380	GEAR, BEVEL, HAND CRANK, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M286995			0	0
02-24-1390	GEAR, CLUTCH, COMPLETE, GEAR BOX ASSEMBLY (INCLUDES BUSHING, REF 51 FIG A-3) FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N286583			0	0
02-24-1400	HOUSING, CLUTCH, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N172752			0	0
02-24-1410	KEY PIECE, MOTOR, ASSEMBLY, FOR M3 M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M4511611305			50	26
02-24-1420	MOTOR, ASSEMBLY (W/O CONTACTOR ASSEMBLY N451161-5303) FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N4511611706			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-24-1430	MOTOR, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M4511615701			0	0
02-24-1440	NUT, CLUTCH ADJUSTING, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N286615			0	0
02-24-1450	NUT, 3/8-16 UNC-2B, JAM, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J048010			0	0
02-24-1460	NUT, 7/8-9 UNC 2B HYV M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	JO48136			0	0
02-24-1480	PINION, HAND CRANK, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M146377001			0	0
02-24-1490	PLATE, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M147400			0	0
02-24-1500	PLATE, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M146573			25	12
02-24-1510	PLATE, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M146574			25	12
02-24-1520	PLATE, CLUTCH END, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M146575			0	0
02-24-1530	RING, RING SNAP EXT., MOTOR ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J792852			25	100
02-24-1540	ROLLER FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M108315			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-24-1560	ROD, LOCK, LEFT HAND SET FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N4514191403			0	0
02-24-1570	ROD, LOCK, RIGHT HAND SET FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N4514191303			0	0
02-24-1580	ROLLER, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M074737			0	0
02-24-1590	ROLLER, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M061066			0	0
02-24-1600	SCREW, 10-32 X 1/4", ALLEN HEAD, MOTOR ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J507363			0	0
02-24-1610	SCREW, 5/16-18 X 1/2", HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J050014			0	0
02-24-1620	SCREW, 5/16-18 X 1, HEX HEAD, FOR ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J050038			0	0
02-24-1630	SCREW, 3/8-16 X 1, HEX HEAD, FOR ME ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J050053			0	0
02-24-1640	SCREW, 3/8-16 X 8, HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J507369			0	0
02-24-1650	SCREW 1/2-13 X 1, HEX HEAD, FOR ME ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J050088			0	0
02-24-1660	SCREW, 1/2 X 1-1/2, SCH FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J050236			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-24-1670	SCREW, 1/2-13 X 1-1/2, HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	JO50092			0	0
02-24-1680	SCREW, 1/2 13 X 2, HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J050098			0	0
02-24-1690	SEAL, OIL, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J790261			0	13
02-24-1700	SHAFT, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M292426			0	0
02-24-1710	SPRING, STOP, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M251940001			0	0
02-24-1720	SPRING, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M239322			0	0
02-24-1730	SPRING, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M181001			0	0
02-24-1740	WIRE, #12, C, SPRING STEEL, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J680204			0	0
02-24-1750	SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M172380001			0	0
02-24-1760	SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M074783001			0	0
02-24-1770	SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M138718001			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-24-1790	SPRING, CONTRACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M251938001			0	0
02-24-1800	SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	N284721001			0	0
02-24-1810	SPRING, BRUSH HOLDING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	J680206			0	0
02-24-1820	SPRING, REINFORCING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M045269			0	0
02-24-1830	SPRING, REINFORCING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M074777001			0	0
02-24-1840	SPRING, REINFORCING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M138696001			0	0
02-24-1850	SPRING, STOP, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M251939001			0	0
02-24-1860	STRAP, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M162242			0	0
02-24-1870	SUPPORT, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M172662			0	0
02-24-1880	WORM & SHAFT, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	M286612			0	0
02-24-1890	WASHER, FELT, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	HITACHI RAIL STS USA INC	JO47335			50	40

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-30-0260	ARM, ROCKER, WITH ROLLERS & PINS, USED WITH S STOP	HITACHI RAIL STS USA INC	N161617			0	0
02-30-0543	ARM, TRIPPER, FOR RIGHT HAND SPRING STOP	HITACHI RAIL STS USA INC	N343876001			0	0
02-30-2800	BOLT, 5/16-18 HEX. HD. PC. UJ-46368, WITH NUT UJ-48162	TWINCO MANUFACTURING CO. HITACHI RAIL STS USA INC	069-1231-0-0 X250303			0	0
02-30-5700	BRACKET ONLY, F-S STOP U/W STOP MECHINISM #269495	HITACHI RAIL STS USA INC	M268863			0	0
02-30-6385	CAM, FOR SHAFT-L.H. STYLE UW CAM. STOP	HITACHI RAIL STS USA INC	M269040			0	0
02-30-6985	CAP, CYLINDER OF TRAIN STOP	HITACHI RAIL STS USA INC	M159646			0	0
02-30-7660	CLAMP, W-BOLT-&-NUT-L.H.STYLE-"S" U/W E.P .STOP	HITACHI RAIL STS USA INC	N178502			0	0
02-31-0600	COVER, COMPL-W-HASP-SPRING-AND-GASKET L.H. STYLE-"S" U/W STOP	HITACHI RAIL STS USA INC	N186205			0	0
02-31-1220	CYLINDER	HITACHI RAIL STS USA INC	N329511			10	10
02-31-3460	FLANGE, SPRING STOP	HITACHI RAIL STS USA INC	M161986			0	0
02-31-3650	OUTLET, CABLE, U/W SPG. STOP.	HITACHI RAIL STS USA INC	M388563			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-31-8990	MAGNET, 400 OHMS DC, FOR STOP VALVE	HITACHI RAIL STS USA INC	N126905		20		0
02-31-9305	MECHANISM, TRAIN STOP L.H. 14" W, FLOATING POSITION	HITACHI RAIL STS USA INC	N330549		2		0
02-31-9325	MECHANISM, STOP, RIGHT HAND, SPRING, WITHOUT LAYOUT.	HITACHI RAIL STS USA INC	N3305490001		0		0
02-32-5310	STOP, FOR SPRING, FLOATING, TYPE	HITACHI RAIL STS USA INC	M387688		5		6
02-32-5620	RAMP, LONG, USED WITH 14" SPRING STOP LAYOUT REF. A & B	HITACHI RAIL STS USA INC	M186190-002		0		0
02-33-2906	SHAFT, 18-3/4" LONG FOR 14" TRAIN STOP	HITACHI RAIL STS USA INC	M330541		0		0
02-33-2909	SHAFT, U.S.& S. ROCKER, FOR AUTOMATIC STOP	HITACHI RAIL STS USA INC	M3306310		0		0
02-33-2934	ROCKER SHAFT, 17-1/2" LONG O/A FOR STOP ARM SPRING STOP	HITACHI RAIL STS USA INC	M375500		0		0
02-33-4210	SPRING, COIL	HITACHI RAIL STS USA INC	J068527		20		0
02-33-4255	SPRING, HOUSING FOR L.H. STYLE EP TRAIN STOP MECHANISM	HITACHI RAIL STS USA INC	R269066		5		6
02-33-4800	SPRING, PLUNGER, U/W CAPACITY TRAIN STOP DWG-80161 SH. 1	HITACHI RAIL STS USA INC	J680159		0		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
02-33-5365	STAPLE, U/W S-STOP ONLY-L.H. STYLE-"S"	HITACHI RAIL STS USA INC	M000903			0	0
02-33-5684	VALVE, STEM	HITACHI RAIL STS USA INC	M112793			30	30
02-33-7120	STRAP BEARING SUPPORT U/W AUTO-STOP OPEN HEARTH STEEL	HITACHI RAIL STS USA INC	M382005			0	0
02-36-2000	BASE, MOUNTING	HITACHI RAIL STS USA INC	N399689			0	0
02-36-2080	BASE, RELAY, F/MOUTING OF LP100 RELAY	HITACHI RAIL STS USA INC	N4514130102			0	0
02-40-5980	ASSEMBLY, 2 MF COND W RCS-2 RECT U/W DC GD DET	HITACHI RAIL STS USA INC	N287477			0	0
02-43-7130	RESISTOR, 80 WATT, 25 CYCLE, 1.6,1.6, 4.8 OHMS- SR 32A7	HITACHI RAIL STS USA INC	J073644			0	0
02-43-7170	RESISTOR, OHMS 2.5 TAP .84-1.24 .42 8 AMP, 160 WATT, COMPLETE, FOR TK CTR	HITACHI RAIL STS USA INC	J073730			0	0
02-43-7480	RESISTOR, OHMS 40,000 MTD-W-COV-F-Z-CASE	HITACHI RAIL STS USA INC	N283143			0	0
02-47-1080	TRANSFORMER, W-20 SPEC. 4039, 550 VOLTS, 25 CYCLES, 300 VA W/ ONE LIGHTING SECONDARY 55.3 -4.9-48 2.3- VOLTS, 4.2 AMPS AND TWO TRACK SECONDARIES 12.2 -4.61-2.1- VOLTS, 3 AMPS	HITACHI RAIL STS USA INC	N286462			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
02-47-3700	TRANSFORMER, MATCHING, 1-1 RATIO	HITACHI RAIL STS USA INC	N393992	0	0
03-04-0158	SWITCH COMPLETE, 2 POS. L.H. 45 DEG. & R.H. SIGNAL U/W CONTROL MACH.	ALSTOM SIGNALING, INC.	55330-012-22	0	0
03-04-0255	SWITCH, PUSH-PULL, ROTARY, SPRING RETURN TO CENTER POSITION, PLUG-IN TYPE, FOR GRS TYPE "C" CONTROL MACHINE AND MAINTAINERS PANEL	ALSTOM SIGNALING, INC.	30731-000-01	0	0
03-04-0280	SWITCH PUSH-PULL, ARROW RIGHT 90 DEG. RH ROTATION SIG ENT LEV. W/JOCKET 54603-10-GR8 & KNOB #54722-4-GR1, & INDICATOR #54605-3-GR1, & SCREW #55854 & WASHER #53029-27, & INSULATOR #37412-222 U/W NX CONTROL MACH.	ALSTOM SIGNALING, INC.	55330-030-03	0	0
03-04-0285	SWITCH, PUSH-PULL, ARROW LEFT 90 DEG. LEFT HAND ROTATION SIG, ENT.LEV, USE WITH NX CONTROL MACH	ALSTOM SIGNALING, INC.	55330-030-04	0	0
03-05-0100	RELAY, "J", 180/180 OHMS, 6FB NEUTRAL FOR NX & CODING NETWORKS	ALSTOM SIGNALING, INC.	31500-000-01	0	0
03-05-3000	RELAY, AC 60 CYCLE TYPE B2V TRACK RELAY 4F-4B WITH SHOCK SENSOR	ALSTOM SIGNALING, INC.	56005-100-22	5	3
03-05-3020	RELAY, B2V, 110V, 60 CYCLE, 2F-2B HIGH IMPEDANCE TRACK COIL, FOR A.C. TRACK CIRCUIT WITH SHOCK SENSOR	SIEMENS INDUSTRY INC ALSTOM SIGNALING, INC.	450994-N 56005-100-23	6	60

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-05-5100	RELAY, DC TYPE B1, 2 POS POLAR STICK 520 OHM 12V 2NR DC GRD DET	ALSTOM SIGNALING, INC.	56001-675-01	0	0
03-05-5150	RELAY, DC TYPE B1 2 POS NON-BIASED .068-230 OHM 10V 2FB-M-B-B SW CONT. OL OVER-LOAD	ALSTOM SIGNALING, INC.	56001-785-01	0	0
03-05-5160	RELAY, DC TYPE B1 2 POS. ORDINARY BIASED 1000 OHM 12V 2FB-4F-2B CONTACTS, LINE NEUTRAL	SIEMENS INDUSTRY INC ALSTOM SIGNALING, INC.	400503 56001-927-02	0	0
03-05-5180	RELAY, DC TYPE B1, 2 POSITION ORDINARY BIASED 500 OHM 12V 2F-2B EXTRA HEAVY MAG BLOW OUT, FOR SWITCH MOTOR CONT.	SIEMENS INDUSTRY INC ALSTOM SIGNALING, INC.	400520 56001-926-01	0	0
03-05-5190	RELAY, DC TYPE B1 2 POS ORD. BIASED 330 OHM 12 V 6FB-S-S-M-D PANEL LTS DIM OFF	ALSTOM SIGNALING, INC.	56001-785-GR33	0	0
03-05-5200	RELAY, D.C., TYPE B1, 2 POS.	ALSTOM SIGNALING, INC.	56001-785-91	0	0
03-05-5250	RELAY, DC TYPE B1 2 POS COUNT WEIGHT BIASED NUT 1 OHM 12V 6FB RECT CHG.	ALSTOM SIGNALING, INC.	56001-922-10	2	0
03-05-5260	RELAY, B1 SPU	ALSTOM SIGNALING, INC.	56001-911-01	0	0
03-05-5400	RELAY, DC TYPE B2 POSITION, 75 CYCLE CODER, 150 OHM 12V 2F-2B SILVER DC GRADE DETECTOR	ALSTOM SIGNALING, INC.	31750-101-05	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
03-06-1910	BEARING, JEWELLED, COMPLETE, FOR TYPE "B2" AC RELAY	ALSTOM SIGNALING, INC.	51527-001-03		150		100
03-06-6435	CONTACT, ELECTRICAL UNIV. FOR CONTACT GR, USED WITH L OR 2A RELAY	ALSTOM SIGNALING, INC.	42799-007-08		485		500
03-06-6450	CONTACT, CARBON, UNIV, FOR CONTACT GR 2A-B RELAY	ALSTOM SIGNALING, INC.	42799-007-10		0		500
03-06-7025	CONTACT, GROUP, COMPLETE, 2F 1B USED WITH B1-B2 RELAYS	ALSTOM SIGNALING, INC.	56012-108-02		0		0
03-06-7260	CONTACT, GROUP, COMPLETE, FOR SPARE SPACE 2-3-4-5 RELAYS	ALSTOM SIGNALING, INC.	56012-108-11		0		0
03-06-7290	CONTACT, GROUP, COMPLETE, 1FB EXTRA HEAVY DUTY, USE WITH B RELAY WITH MAGNETS #57157-1,	SIEMENS INDUSTRY INC ALSTOM SIGNALING, INC.	420052-7X 56012-108-12		0		0
03-06-8440	COVER, F B2 POLAR NEUT. RLY.	ALSTOM SIGNALING, INC.	56029-102-00		50		0
03-06-8450	COVER, COMPLETE, FOR B2 TIME RELAYS	ALSTOM SIGNALING, INC.	57287-002-09		0		0
03-06-8460	COVER, COMPL F B2 TK RLY	ALSTOM SIGNALING, INC.	57287-002-12		0		0
03-07-3350	MOTOR COMP. F B2 TIME RLY 2 TO 45 SEC.	ALSTOM SIGNALING, INC.	56108-191-01		0		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-08-5540	SHAFT, FOR B2 TRACK RELAY	ALSTOM SIGNALING, INC.	43317-012-00	0	0
03-09-0600	VANE, COMPLETE, FOR B2 TRACK RELAY	ALSTOM SIGNALING, INC.	17550-129-01	0	0
03-09-0695	VANE, COMPLETE, USED WITH B2 TRACK RELAY	ALSTOM SIGNALING, INC.	17550-129-02	0	0
03-12-0340	ARM, CONTACT, COMPLETE, FOR M-5 SWITCH 7B CIRCUIT CONTROLLER (LONG)	ALSTOM SIGNALING, INC.	35466-011-02	0	100
03-12-0350	ARM, CONTACT COMPLETE FOR M5 SWITCH 7B CIRCUIT CONTROLLER (SHORT)	ALSTOM SIGNALING, INC. ALSTOM SIGNALING, INC.	35467-010-02 35467-10GR2	0	246
03-12-0500	ARM, USED WITH 5 SWITCH MACHINE OPERATING YOKE OF POLE CHANGER	ALSTOM SIGNALING, INC.	45579-000-00	25	22
03-12-0560	ARM, COMPLETE, USED WITH 5 SWITCH MACHINE FOR OPERATING POLE CHANGER	ALSTOM SIGNALING, INC.	45680-003-01	15	0
03-12-0580	ARM, USED WITH 5 SWITCH MACHINE, COMPLETE, OPERATES CONT BLOCK POLE CHANGER.	ALSTOM SIGNALING, INC.	51106-000-01	25	0
03-12-0960	PIN, BALL, FOR CRANK ON CIRCUIT COMPTROLLER.	ALSTOM SIGNALING, INC.	43206-003-00	0	0
03-12-1125	BAR, CAM, COMPLETE, WELDED, USED WITH 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	45523-001-01	13	10

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-12-1195	BAR, THROW, LEFT HAND, USED WITH 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	45670-000-00	0	0
03-12-1215	BAR, THROW, RIGHT HAND, USED WITH 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	45671-000-00	0	0
03-12-1430	BASE, FOR CONTACT BLOCK, M-5 SWITCH POLE CHANGER	ALSTOM SIGNALING, INC.	56524-001-02	25	0
03-12-1612	BASE, GRS FOR #5 SWITCH MACHINE R OR LH WITH TAPPED HOLES IN MOUNTING LUGS ON BOTH SIDES OF BASE, T.A. ELECTRIC SWITCH MACHINE STANDARD BASE, GRS SKETCH #7502-1	ALSTOM SIGNALING, INC.	49413-013-00	10	0
03-12-2970	BOLT, EYE, 3/8"-16 X 2-1/2" LONG, WITH A 1/4" X 1-3/8" LONG PIN FOR COVER ON COMMUTATOR OF M5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	45654-001-00	4	8
03-12-5350	BRUSH, 1-7/32" WIDE X 3/8" THICK X 2" LONG, FOR SWITCH MOTOR MODEL 5 SWITCH	ALSTOM SIGNALING, INC.	00566-006-00	100	50
03-12-5465	HOLDER, BRUSH, COMPLETE, FOR MOTOR M-5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	01550-002-01	0	9
03-12-5960	BUTTON, COMPLETE, FOR ALL MODEL 5 SWITCH MACHINES	ALSTOM SIGNALING, INC.	51142-006-01	10	0
03-12-6895	CASE, F. FRICTION CLUTCH UW.5, SW MACH	ALSTOM SIGNALING, INC.	45556-000-00	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-12-7145	CLAMP, & BAR, COMPLETE, FOR CLAMPING MODEL 5 SWITCH MACHINES TO 6" X 8" TIES, CONSISTING OF: STRAP #51432-166, CLAMP #52929-10, NUT #53432-30, BOLT #894-38, NUT #0272-9, WASHER #493-269, BUSHING ,7350-283, WASHER #35703-3, WASHER #1273-13-ON	ALSTOM SIGNALING, INC.	42849-002-05	0	0
03-12-7510	CLUTCH, FRICTION COMPLETE U/W M-5 SW MACHINE WITH GEARS AND WOODRUFF KEY	ALSTOM SIGNALING, INC.	59649-091-01	0	5
03-12-8000	CONDUIT, BETWEEN FRAME-MOTOR UW 5 SW MACHINE	ALSTOM SIGNALING, INC.	42087-005-00	0	0
03-12-8020	CONDUIT, F LEAD UW 5 SW MACH.,	ALSTOM SIGNALING, INC.	45540-000-00	5	5
03-12-8410	BLOCK, CONTACT, COMPLETE, FOR CAM ACTUATED CIRCUIT BREAKER AUTOMATIC TRAIN STOP	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC. HITACHI RAIL STS USA INC	06909420B 54027-005-01 N436606	0	0
03-12-8415	CONTACT, COMPLETE FOR M-15 SW POLE CHANGER.	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	069-1055-0-0 54027-006-01	0	0
03-12-8798	CONTROLLER, SWITCH 4 WAY	ALSTOM SIGNALING, INC.	53530-033-01	0	0
03-12-9000	CORE, COMPLETE, FOR PC COILS UW 5 SW MACH	ALSTOM SIGNALING, INC.	50598-000-02	0	0
03-12-9010	CORE, FOR PC COILS UW 5 SW MACH	ALSTOM SIGNALING, INC.	50598-002-01	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-12-9250	COUPLING, FOR CONDUIT	ALSTOM SIGNALING, INC.	45685-001-00	5	5
03-12-9285	COUPLING, COMPLETE FOR CONDUIT UW 5 SW MACHINE	ALSTOM SIGNALING, INC.	45687-003-00	0	0
03-12-9695	COVER, COMPLETE WO GUARDS UW 5 SW MACHINE	ALSTOM SIGNALING, INC.	45520-018-01	5	0
03-12-9850	COVER, COMPLETE WITH GASKET FIG. 17 AND HINGE STUDS FIG. 77 FOR MOTOR, FOR SWITCH MACH. PL. J-2114, FIG. 8	ALSTOM SIGNALING, INC.	52318-009-03	1	0
03-12-9875	COVER, COMP. F BRAKE U/W 5. SW MACH.	ALSTOM SIGNALING, INC.	52318-044-01	2	1
03-13-0293	CRANK, ARM, COMPLETE ASSEMBLY WITH INSULATED FIBRE BUSHING BALL PIN #43206-006-00 AND GREASE FITTING #34232-024-00 FOR M5 SWITCH CIRCUIT CONTROLLER	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	130-293 857020-001-01	80	0
03-13-0295	CRANK ONLY UW 7B SWITCH CIRCUIT CONTROLLER	ALSTOM SIGNALING, INC.	38661-015-00	0	0
03-13-0355	CRANK, FOR HAND OPERATION UW 5 SW MACHINE	ALSTOM SIGNALING, INC.	54477-000-01	56	0
03-13-0575	DETENT, COMPLETE, WITH ELKONITE CONTACTS, USED WITH 5 SWITCH MACHINE SWITCH MOTOR,	ALSTOM SIGNALING, INC.	09040-002-01	0	5

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
03-13-0700	DISC, STEEL REVOLVING F CLUTCH, UW 5 SW MACH.,	ALSTOM SIGNALING, INC.	45557-000-00			0	0
03-13-0750	DISC, STEEL F CLUTCH UW 5 SW MACHINE	ALSTOM SIGNALING, INC.	45558-000-00			0	0
03-13-0765	DISC, FOR FRICTION CLUTCH, M-5 SWITCH MACHINE, HARD BLACK VULCANIZED FIBRE.	ALSTOM SIGNALING, INC.	45562-001-00			0	0
03-13-0775	DISC, STEEL BACKING F CLUTCH UW 5 SW MACH INE	ALSTOM SIGNALING, INC.	45563-000-00			0	0
03-13-1360	FINGER, "E" FASTELL, COMPLETE, FOR MODEL 5 SWITCH MACHINE POLE CHANGERS	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	069-1056-0-0 51195-009-06			0	0
03-13-1380	FINGER, J FASTELL, COMPLETE, (SHORT) FOR M-5 SWITCH MACHINE POLE CHANGER	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	069-1057-0-0 51195-010-04			0	0
03-13-1805	FRAME, LOCKING, STRIPPED, USED WITH 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	49415-000-00			6	15
03-13-2420	MAIN GEAR, ONLY, FIG. F, PLATE J-2106, FIG. 18	ALSTOM SIGNALING, INC.	45532-000-00			0	0
03-13-2450	GEAR, BEVEL, USED WITH 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	45535-000-00			0	0
03-13-2480	GEAR, MAIN, COMPLETE, USED WITH 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	51140-010-01			0	0
03-13-2500	GEAR, AND FRAME, COMPLETE ASSEMBLY, USED WITH 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	57932-000-01			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-13-2670	GIB, R.H. FOR MODEL 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	11072-005-00	100	5
03-13-2675	GIB, LEFT HAND, FOR GUIDE ON THROW BAR, USED WITH 5 SWITCH MACHINE BRONZE	ALSTOM SIGNALING, INC.	11072-006-00	100	5
03-13-3200	GUIDE, COMPLETE, FOR THROW BAR CUT ON SIDE FOR GIBS, USED WITH 5 SWITCH MACHINE, WITH BRONZE GIB	ALSTOM SIGNALING, INC.	58918-000-01	0	25
03-13-3395	HASP, FOR BRAKE COVER 5 SW MACHINE	ALSTOM SIGNALING, INC.	16110-12	0	0
03-13-3955	JAW, FOR SWITCH BOX ROD - COMPLETE WITH BOLT	ALSTOM SIGNALING, INC.	43054-001-00	0	0
03-13-4245	KIT, MODIFICATION, WITH FASTELL CONTACTS AND INSULATED NUT COVERTS PC45514-2GR2 TO 4 5514-5 USED WITH 5 SWITCH MACHINE, FOR POLE CHANGER	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	069-1251-0-0 45514-006-04	70	0
03-13-4302	LAYOUT, SWITCH, RIGHT HAND M5 FOR VERTICAL ROD APPLICATION 100LB RE RAIL LAYOUT INCLUDED ALL MOUNTING HARDWARE, RODS AND CIRCUIT CONTROLLER BOX LESS SWITCH MACHINE	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	134-302 999078RX	12	10
03-13-4303	LAYOUT, SWITCH LEFT HAND M5 FOR VERTICAL ROD APPLICATION 100LB RE RAIL. LAYOUT INCLUDED ALL MOUNTING HARDWARE, RODS AND CIRCUIT CONTROLLER BOX LESS SWITCH MACHINE	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	134-303 999078LX	18	6

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-13-4304	SWITCH, MACHINE, M-5, LEFT HAND, WITHOUT LAYOUT	ALSTOM SIGNALING, INC.	45506-011-01	6	0
03-13-4305	SWITCH, MACHINE, M-5, RIGHT HAND WITHOUT LAYOUT	ALSTOM SIGNALING, INC.	45506-011-02	10	0
03-13-4425	LEAD, M5 WIRE HARNESS COMPLETE FOR MOTOR TO POLE CHANGER	ALSTOM SIGNALING, INC.	45621-007-01	0	0
03-13-5785	LUG, HINGE FOR MOTOR COVER, USED WITH 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	45650-003-00	0	0
03-13-5987	LUG, SWITCH, R.H. W 5-3/16" DROP, HINGED, COMPLETE FOR INSULATED FRONT ROD AND 115 LB RAIL	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	17294-037-02 911294-372X	0	14
03-13-5989	LUG, SWITCH, L.H. WITH 5-3/16" DROP, HINGED, COMPLETE FOR INSULATED FRONT ROD AND 115 LB. RAIL	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	17294-036-02 911294-362X	0	20
03-13-5997	LUG, SWITCH, R.H. WITH 4-1/2" DROP HINGED, COMPLETE, FOR INSULATED FRONT ROD AND 100 LB. RAIL	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	17294-037-01 911294-371X	50	0
03-13-5999	LUG, SWITCH, L.H. WITH 4-1/2" DROP, HINGED, COMPLETE, FOR INSULATED FRONT ROD AND 100 LB. RAIL	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	17294-036-01 911294-361X	0	0
03-13-7050	NUT, ADJUSTING F CLUTCH UW5 SW MACH.	ALSTOM SIGNALING, INC.	45559-002-00	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
03-13-9370	PIN, 7/8" X 2-1/4", COMPLETE, W/FITTINGS NO. 34232-30, COTTER NO. 044, FOR /ILOCK ROD ON MODEL 5 SWITCH MACHINE, GRS	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC. G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	069-1133-0-0 139-370 890590-005X X438755		200		150
03-13-9390	PIN, COMPLETE, W/OILER FITTING NO. 34232-17 AND COTTER NO. 44, FOR LOCK ROD ON MODEL 5 SWITCH MACHINE,	ALSTOM SIGNALING, INC.	730-111-00		0		0
03-13-9430	BALL STUD, KIT COMPLETE WITH GREASE FITTING, WASHER, NUT AND COTTER PIN	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	139-430 857867-005-01		0		0
03-14-0790	PLATE, FOR MOUNTING 7B 4 WAY SW CIR CONTLLR	ALSTOM SIGNALING, INC.	00559-017-00		0		0
03-14-1030	PLATE, WEARING CAMBAR, USED WITH 5 SWITCH MACHINE	ALSTOM SIGNALING, INC.	54920-010-01		10		10
03-14-3279	ROD, CONNECTING ASSEMBLED COMPLETE CONSISTING OF ONE ROD 1"-8 X 21" LONG, WITH TWO HEX NUTS, TWO 1" LOCK WASHERS AND TWO #333-7 SOCKETS, USED HINGED TYPE FRONT RODS AND MODEL 7B SWITCH C/C.	SIEMENS INDUSTRY INC	110633-122X		0		0
03-14-3310	ROD, CONNECTING, U/W MODEL 5 SW MACH.	ALSTOM SIGNALING, INC.	31064-001-07		0		0
03-14-3367	ROD, LOCK ROD CONNECTING, COMPLETE, W/NUT NO. 545 AND NUT NO. 2813 FOR MODEL 5 SWITCH W/SWIVEL FRONT ROD	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	00120-249-00 940120-249		0		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-14-3815	ROD, LOCK, USED WITH 5 SWITCH MACHINE LAYOUT, COMPLETE LEFT HAND	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	45512-028-01 916005-13X	0	0
03-14-3820	LOCK, ROD, COMPLETE, RIGHT HAND	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	45512-029-01 916005-15X	0	12
03-14-4395	ROD, GRS DWG. NO. 120-16, WITH NUT NO. 5 ROD THROW U/W 5 SW MACH LAYOUT SOLID JANCOMP 4FT	ALSTOM SIGNALING, INC.	00120-016-00	0	0
03-14-4430	ROD, THROW, SOLID JAW, COMPLETE, 3 FT. 11 INCHES, WITH 2 NUTS NO. 44921 & 2 NUTS NO. 545, FOR MODEL 5 SWITCH MACHINE LAYOUT	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	00153-055-00 940153-055-01	0	0
03-14-7335	SCREW, CAP, 3/4-10 X 1-1/2 INCH HEX. HD. WITH LOCK WASHER,	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	069-1213-0-0 6013-017-00	10	10
03-14-7910	SHAFT, F FRICTION CLUTCH U/W 5 SW MACH	ALSTOM SIGNALING, INC.	45560-000-00	0	0
03-14-8770	SOCKET, SELF ADJUSTING, COMPLETE, RACO SWITCH BOX CONNECTING ROD	SIEMENS INDUSTRY INC	110633-192X	0	0
03-14-9050	SPRING, BRUSHHOLDER, U/W 5 SW MACH	ALSTOM SIGNALING, INC.	01581-000-00	0	0
03-14-9840	STAPLE, ONLY F/7B SW CIR CONTLLR.	ALSTOM SIGNALING, INC.	16914-016-00	0	0
03-15-0750	STUD, 5/8-11 HOLDS MOTOR TO 5 SW MACH	ALSTOM SIGNALING, INC.	00980-019-00	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
03-15-0755	STUD, 1/2 IN. - 13, FOR FASTENING ADAPTER TO BASE,	ALSTOM SIGNALING, INC.	00980-020-00			0	0
03-15-0835	STUD, F/ MAIN GEAR U/W 5 SW MACH	ALSTOM SIGNALING, INC.	45542-004-00			0	0
03-15-1445	TUBE, FIBRE, ONLY FOR COIL FIG. 12, FOR POLE CHANGER, J-2116, FIG. 59	ALSTOM SIGNALING, INC.	43131-004-00			0	0
03-15-1465	TUBE, FOR PLUNGER, MACH	ALSTOM SIGNALING, INC.	45574-001-00			10	0
03-17-0700	BASE, COMP. F/AT BUMPER POST, SIG.,	ALSTOM SIGNALING, INC.	43951-003-02			0	0
03-17-3650	CONTACTOR, COMP F/ STOP REL U/W SIG LAYOUT	ALSTOM SIGNALING, INC.	04987-004-01			0	0
03-17-7660	LENS, 5" DIA 3 IF2 FOCUS OPTICAL GREEN UW A-AT SIGS, INTERIOR RIBBING	ALSTOM SIGNALING, INC.	31624-008-00			0	0
03-17-7850	LENS, 5 1/2 DIA 1/2 FOCUS INNER DOUBLET LUNAR WHITE F/ TYPE AW SIGNAL	ALSTOM SIGNALING, INC.	43988-029-00			0	0
03-17-8040	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5" DIA., 3-1/2" FOCUS, CLEAR,	ALSTOM SIGNALING, INC. ALSTOM SIGNALING, INC.	31624-041-00 64-3-C-GD			0	0
03-17-8045	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5-1/2" DIA, 1/2" FOCUS, GREEN, INNER DOUBLE TYPE	ALSTOM SIGNALING, INC. ALSTOM SIGNALING, INC.	43988-025-00 P73-948			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-17-8050	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5-1/2" DIA. 1/2" FOCUS, YELLOW, INNER DOUBLE T TYPE	ALSTOM SIGNALING, INC.	6690	0	0
03-18-3303	SIGNAL, "AT" SUBWAY WALL MOUNTED AUTOMATIC GYR-AT200-002-02 WITH LUNAR ASPECT-AT200-001-03 COMPLETED WITH DIALIGHT LED MODULES PER ALSTOM SIGNALING LATEST DWG #AT100-00-00 REV A.	ALSTOM SIGNALING, INC.	AT100-009-01	0	0
03-21-0395	ARM, ADJUSTING, COMPLETE WITH ROLLER FOR OPERATION OF CAM TYPE, STOP CIRCUIT BREAKERS ON IMPEDANCE TYPE TRAIN STOPS	ALSTOM SIGNALING, INC.	53980-007-02	0	0
03-21-0455	ARM, TRIPPER, COMPLETE FOR ROCKER SHAFT, USED WITH STOP	ALSTOM SIGNALING, INC.	48626-003-01	0	0
03-21-0460	TRIPPER ARM, COMP., F ROCKER SHAFT UW STOP.	ALSTOM SIGNALING, INC.	48626-004-01	0	0
03-21-0490	ARM, TRIPPER, COMPLETE, LEFT HAND, CAP STOP	ALSTOM SIGNALING, INC.	48626-010-01	0	0
03-21-0495	TRIPPER ARM, COMPLETE, R.H. CAP STOP.	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	069-1034-2-0 48626-014-01	0	0
03-21-0500	ARM, TRIPPER, COMPLETE, LEFT HAND, CAP STOP	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	069-1034-1-0 48626-17-GR1	0	0
03-21-1095	BEARING, ONLY FOR ROCKER SHAFT, USED WITH STOP LAYOUT, FOR BEARING A WITH FITTING "34232-17"	ALSTOM SIGNALING, INC.	54181-001-01	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-21-1200	BEARING, COMP. WITH PLATE DRAWING NO. 40627-78, BEARING, COMP. DWG. #29790-4 NUT-1"-12 HEX X 1/2" THICK DWG.#50164-1 & WASHER-1" DWG.#01273-15 FOR ROCKER SHAFT BEARING U/W TRAIN STOP LAYOUT DWG.#48637KN	ALSTOM SIGNALING, INC.	48628-051-01	0	0
03-21-1378	BEARING, COMPLETE, WITH STRAP CAP STOP	ALSTOM SIGNALING, INC.	48628-051-05	0	0
03-21-1390	BEARING, COMPLETE, WITH NUT 1"-12 HEX, 1/2" THK. DWG. #50164-1 & WASHER-1" DWG.#0127 3-15, PART OF ROCKER SHAFT BEARING COMPLETE, FOR TRAIN STOP LAYOUT	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	069-1043-0-0 29790-004-01	40	0
03-21-4095	CIRCUIT BREAKER, STOP, COMPLETE, FOR CAPACITOR TYPE TRAIN STOPS TO CONTROL STOP OPERATING & AUXILIARY CIRCUITS	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC. HITACHI RAIL STS USA INC	069-0941-2-0 50101-011-09 N387657	280	0
03-21-4640	CAM, FOR STOP WITH CAM ACTUATED CIR. BREAKER	TWINCO MANUFACTURING CO.	069-1307-0-0	0	0
03-21-7080	KIT, CONTACT WITH NUT, FOR #42839-8 POST STOP HOLD CLEAR COMPLETE WITH CONTACT P/N #42799-016-01 AND NUT #14-24 X .125" P/N #42839-008-00	ALSTOM SIGNALING, INC.	217-080	0	0
03-21-7170	CONTACT, ONLY F STOP HOLD CLEAR ARM.	ALSTOM SIGNALING, INC.	54683-006-00	0	0
03-21-8200	CRANK, COMP F/ ROCKER SHAFT U/W STOP	ALSTOM SIGNALING, INC.	48624-000-01	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
03-21-9060	DRIVER, COMPLETE, FOR ROCKER SHAFT, USED WITH STOP	ALSTOM SIGNALING, INC.	48625-001-01			0	0
03-21-9675	FINGER, COMP F/ STOP CIRCUIT BREAKER W/ FASTELL CONTACTS GRS STAMPED D	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	06909420L 51195-009-04			0	0
03-21-9685	FINGER, COMP F/ STOP CIRCUIT BREAKER W/ FASTELL CONTACTS GRS STAMPED G	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC. HITACHI RAIL STS USA INC	0690942IN 51195-009-07 R387648			0	0
03-21-9690	FINGER, COMPLETE, FOR STOP CIRCUIT BREAKER, WITH FASTELL CONTACTS GRS STAMPED B	TWINCO MANUFACTURING CO.	069-1073-0-0			0	0
03-21-9695	FINGER, COMP F/ STOP CIRCUIT BREAKER W/ FASTELL CONTACTS GRS STAMPED F	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC. HITACHI RAIL STS USA INC	06909420N 51195-010-02 R432462			0	0
03-21-9700	FINGER, COMP F/ STOP CIRCUIT BREAKER W/ FASTELL CONTACTS GRS STAMPED H	TWINCO MANUFACTURING CO. HITACHI RAIL STS USA INC	06909420M R387652			0	0
03-22-1105	HASP, COMPLETE, FOR STOP CASE COVER TO INCLUDE NUT, PIN, BRACKET RIVET AND SCREW	TWINCO MANUFACTURING CO.	06909370M			0	0
03-22-1400	HOOK, COMPLETE, RIGHT HAND (R/H) FOR CAPACITOR TRAIN STOP	ALSTOM SIGNALING, INC.	54185-013-01			0	0
03-22-1401	HOOK, COMPLETE R.H. F/CAPACITOR TRAIN STOP	ALSTOM SIGNALING, INC.	54185-013-02			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
03-22-1402	HOOK, LEFT HAND, FOR CAPACITOR TRAIN STOP	ALSTOM SIGNALING, INC.	54185-010-02	0	0
03-22-1403	HOOK, L.H. CAP STOP	ALSTOM SIGNALING, INC.	54185-010-01	0	0
03-22-1410	HOOK, LEFT HAND, CAP STOP	ALSTOM SIGNALING, INC.	54185-015-01	0	0
03-22-2413	SHAFT ASSEMBLY, FOR CAPACITOR STOP ON SUPER ELEVATED LAYOUT	ALSTOM SIGNALING, INC.	20664-2	0	0
03-22-2710	KIT, FOR REBUILDING INDUCTION STOP CIRCUIT BREAKERS	TWINCO MANUFACTURING CO.	069-1310-0-0	0	0
03-22-2811	LAYOUT, STOP, LESS STOP, W/ SCREW 68, WASHER #72-2, SHIMS #304-136, WASHER #1273-7, SHIMS #41673-54, SHIMS #41673-55, PLATE #41885-119, COUPLING #45689-185, BOLT & NUT #48058-1, ARM #48262-10GR1 BRG #48628-43GR1, SHAFT #48630-52, SCREW #51580-1, HOOK #54185-10GR2, CON. 56353-9 LAYOUT, STOP, LESS STOP, W/ SCREW 68, WASHER #72-2, SHIMS #304-136, WASHER #1273-7, SHIMS #41673-54, SHIMS #41673-55, PLATE #41885-119, COUPLING #45689-185, BOLT & NUT #48058-1, ARM #48262-10GR1 BRG #48628-43GR1, SHAFT #48630-52, SCREW #51580-1, HOOK #54185-10GR2, CON. 56353-9	ALSTOM SIGNALING, INC.	222-811	0	0
03-22-6676	PINION GEAR, FOR CAPACITOR STOPS	HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	**** PART NO. NOT AVAILABLE ** 06909380G 45533-006-00	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
03-22-7435	POST COMP F/ HOLD CLEAR CONTACT ASSY W/ CONTACT U/W STOP MOTOR	ALSTOM SIGNALING, INC.	48817 GR1			0	0
03-23-2295	SHAFT, ROCKER, F/TRIPPER ARM, U/W STOP LAYOUT 15 7F8 LG. REF. 4 OF DWG. 48637-38	ALSTOM SIGNALING, INC.	48630-040-00			0	0
03-23-2296	SHAFT, ROCKER USED WITH GRS CAPACITOR TYPE TRAIN STOP	ALSTOM SIGNALING, INC.	48630-052-00			0	0
03-23-3430	SPRING, FOR MOUNTING MECHANISM ON STRUCTURE	ALSTOM SIGNALING, INC.	00786-059-00			0	0
03-23-4400	STRAP, FOR STOP CASE CAP STOP	TWINCO MANUFACTURING CO. ALSTOM SIGNALING, INC.	069-2245-1-0 52077-011-01			160	60
03-23-4675	STUD, COMPLETE, CAP STOP.	ALSTOM SIGNALING, INC.	43106-012-01			0	0
03-23-5446	WASHER, FOR SPRING CAP STOP	ALSTOM SIGNALING, INC.	00626-219-00			0	0
03-23-5460	WASHER, SPECIAL, F VIBRATION SPRING U/W STOP CASE	ALSTOM SIGNALING, INC.	4333-16			0	0
03-23-5465	WASHER, FOR SPRING MOUNTED STOP	ALSTOM SIGNALING, INC.	04333-022-00			0	0
03-27-2690	KIT, PLUG BOARD, COMPLETE WITH TERMINAL CLIPS AND INSULATORS	ALSTOM SIGNALING, INC.	A62-0506			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
03-27-8300	PLUG, BOARD, ONLY, FOR "J" RELAY	ALSTOM SIGNALING, INC.	01099-000-ON			0	0
03-27-8730	PLUG BOARD, F B2 RLYS ON RACKS, WITH KIT	SIEMENS INDUSTRY INC ALSTOM SIGNALING, INC.	452000-42X 59686-007-01			0	0
03-31-4820	IMPEDANCE, BALANCING, USED WITH 2A TK RELAY.	ALSTOM SIGNALING, INC.	42960-001-01			10	0
03-31-7095	RECTIFIER, 25 CYCLES, SQ. 1/2, 110 VOLT SAC, 12 VOLTS DC., .2A SELINIUM	ALSTOM SIGNALING, INC.	59847-002-10			10	0
03-31-8719	RESISTOR, BLACK, WITH GLOBAR A, 30000 OHM RES, FOR POWER OFF INDICATOR	ALSTOM SIGNALING, INC.	26665-019-01			0	0
03-31-8782	RESISTOR, 5 OHMS, 77 WATTS	ALSTOM SIGNALING, INC.	56105-012-00			100	0
03-31-9130	RESISTOR, ONLY 30000 OHM FOR 3 RAIL IND	ALSTOM SIGNALING, INC.	55593-000-00			0	0
03-31-9205	RESISTOR, 1.5 OHM, 133 WATT FOR TRACK CIRCUIT	ALSTOM SIGNALING, INC.	56951-008-00			100	0
03-33-0715	TRANSFORMER, 25 CYCLE, 145 KVA, 110V PR1 2 SEC 110V 55-55 14V-TAP-4-3-5, 1-7-F, LGTST K-CIR	ALSTOM SIGNALING, INC.	38270-100-05			0	0
03-33-5090	TRANSFORMER, TYPE U, SIZE 1, CLASS B, 60 CYCLE, 330 KVA, PRIMARY 110V, SECONDARIES 115-15, 15 VOLTS, SPEC. AMUS-TR13 AU-207	ALSTOM SIGNALING, INC.	54940-007-01			20	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
03-33-5115	TRANSFORMER, U1, PRI. 110V., SEC. 15 V. 20 AMP., FOR TRACK CIRCUITS	ALSTOM SIGNALING, INC.	54940-005-04		20		0
03-33-6600	UNIT, TEST B1-FOR DC-GRD-DET-12-26V	ALSTOM SIGNALING, INC. NYCTA	58521-003-01 733-44-1-B		0		0
05-30-1000	METROCARD, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL. APPROVED METROCARD GRAPHICS AND 2750 OERSTED-1/2 INCH MAGNETIC STRIPE ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** MC ART GRAPH #1A REV 11/14 #9600, REVISION K		20499		1850
05-30-1002	METROCARD, "TEMPORARY REDUCED FARE PASSES" MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION 2.125" X 3.375", 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2 INCH MAGNETIC STRIP ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C M.C. ARTWORK GRAPHIC #9600, REVISION K		2450000		0
05-30-1004	METROCARD, "POLICE PASS,"MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS: 2.125 INCHES X 3.375 INCHES, 10 MIL THICKNESS, APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2 INCH MAGNETIC STRIP ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C M.C. ARTWORK GRAPHIC #9600, REVISION K		0		25000
05-30-1005	METROCARD, PHOTORECEPTIVE, STOCK FOR USE IN NISCA PIC SYSTEM, NYCT DIVISION OF SECURITY SYSTEM ACCESS PASS, NON-TRANSPORTATION, MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125" X 3.375", 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED, 1/2" MAGNETIC STRIPE ON FRONT. PACK OF FARE MEDIA HAS SIGNATURE PANEL AND TEXT AS SPECIFIED.	DAI NIPPON PRINTING CO NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** PHOTO M.C. ARTWORK GRAPHIC #1 #9600, REVISION K		0		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
05-30-1007	METROCARD, PHOTORECEPTIVE STOCK FOR USE IN NISCA PIC SYSTEM, NYCT DIVISION OF SECURITY BUILDING ACCESS PASS NON-TRANSPORTATION MAGNETIC FARE MEDIA POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125" X 3.375", 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED, 1/2" MAGNETIC STRIPE ON FRONT. BACK OF FARE MEDIA HAS SIGNATURE PANEL AND TEXT AS SPECIFIED.	DAI NIPPON PRINTING CO NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** PHOTO M.C. ARTWORK GRAPHIC #2 #9600, REVISION K		0		0
05-30-1009	METROCARD, POLICE, PATH, AIR TRAIN, MAGNETIC POLYESTER MATERIAL, PHYSICAL DIMENSIONS: 2.125 IN X 3.375 IN, 10 MIL THICKNESS, APPROVED METROCARD GRAPHICS, 2750 OERSTED, BACK OF METROCARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C M.C. ARTWORK GRAPHIC #9600, REVISION K		0		0
05-30-1010	METROCARD, EMPLOYEE, PHOTO RECEPTIVE STOCK, MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375", 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2" MAGNETIC STRIPE ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED. FOR USE IN NISCA PIC SYSTEM	DAI NIPPON PRINTING CO NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** PHOTO M.C. ARTWORK GRAPHIC #3 #9600, REVISION K		0		0
05-30-1011	METROCARD, "FDNY", MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS: 2.125 INCHES X 3.375 INCHES, 10 MIL THICKNESS, APPROVED METROCARD GRAPHICS AND 2750 OERSTED, 1/2 INCH MAGNETIC STRIP ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C M.C. ARTWORK GRAPHIC #9600, REVISION K		0		5000

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
05-30-1012	METROCARD, PASS TYPE: A, ELEMENTARY STUDENT PASS," # OF RIDES: 3; MAGNETIC FARE MEDIA; POLYESTER MATERIAL; COLOR: A; PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2" MAGNETIC STRIP ON FRONT. BACK OF FARECARD HAS A SIGNATURE PANEL AND TEXT AS SPECIFIED.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C M.C. ARTWORK GRAPHIC #9600, REVISION K	700000	400000
05-30-1014	METROCARD, PASS TYPE: 1; "HIGH SCHOOL STUDENT PASS," # OF RIDES: 3; MAGNETIC FARE MEDIA; POLYESTER MATERIAL; COLOR: B; PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2" MAGNETIC STRIP ON FRONT. BACK OF FARECARD HAS A SIGNATURE PANEL AND TEXT AS SPECIFIED.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C M.C. ARTWORK GRAPHIC #9600, REVISION K	1714000	900000
05-30-1018	METROCARD, MAGNETIC FARE MEDIA, POLYESTER MATERIAL, STUDENT PASSES, VOS PASS TYPE: PA, DESCRIPTION: ELEMENTARY, # OF RIDES: 4, COLOR: ORANGE, PHYSICAL DIMENSIONS: 2.125" X 3.375", 10 MIL. THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED, 1/2" MAGNETIC STRIPE ON FRONT. BACK OF FARE CARD HAS A SIGNATURE PANEL AND TEXT AS SPECIFIED. VALID HOURS: SUNDAY - FRIDAY, 5:30 AM TO 10:30 P.M.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C M.C. ARTWORK GRAPHIC #9600, REVISION K	0	0
05-30-1022	METROCARD, MAGNETIC FARE MEDIA, POLYESTER MATERIAL STUDENT PASSES, VOS PASS TYPE: PA, DESCRIPTION: ELEMENTARY, # OF RIDES: 3, COLOR: ORANGE, PHYSICAL DIMENSIONS: 2.125" X 3.375", 10 MIL. THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED, 1/2" MAGNETIC STRIPE ON FRONT. BACK OF FARE CARD HAS A SIGNATURE PANEL AND TEXT AS SPECIFIED. VALID HOURS: SUNDAY - FRIDAY, 5:30 A.M. TO 10:30 P.M.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE M.C. ARTWORK GRAPHIC #1 #9600, REVISION K	10000	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
05-30-1024	METROCARD, MAGNETIC FARE MEDIA, POLYESTER MATERIAL STUDENT PASSES; PASS TYPE: P1, DESCRIPTION: HS VOS, # OF RIDES: 3, COLOR: GREEN, PHYSICAL DIMENSIONS: 2.125" X 3.375", 10MIL. THICKNESS, APPROVED METROCARD GRAPHICS AND 2750 OERSTED, 1/2" MAGNETIC STRIPE ON FRONT. BACK OF FARE CARD HAS A SIGNATURE PANEL AND TEXT AS SPECIFIED. VALID HOURS: SUNDAY - FRIDAY, 5:30 A.M. TO 10:30 P.M.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE SINGLE C MC ARTWORK GRAPHIC #1 #9600, REVISION K	**	20000		30000
05-30-1026	METROCARD, MAGNETIC FARE MEDIA, POLYESTER MATERIAL STUDENT PASSES, PASS TYPE: P1, DESCRIPTION: HS VOS, # OF RIDE: 4, COLOR: GREEN, PHYSICAL DIMENSIONS: 2.125" X 3.375", 10 MIL. THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED, 1/2" MAGNETIC STRIPE ON FRONT. BACK OF FARE CARD HAS A SIGNATURE PANEL AND TEXT AS SPECIFIED. VALID HOURS: SUNDAY - FRIDAY, 5:30 A.M. TO 10:30 P.M.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE SINGLE C MC ARTWORK GRAPHIC #1 #9600, REVISION K	**	10000		0
05-30-1100	METROCARD, PASS TYPE: A "ELEMENTARY STUDENT PASS," # OF RIDES: 4; MAGNETIC FARE MEDIA; POLYESTER MATERIAL; COLOR: A; PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2" MAGNETIC STRIP ON FRONT. BACK OF FARECARD HAS A SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE SINGLE C MC ARTWORK GRAPHIC #1 #9600, REVISION K	**	10000		0
05-30-1118	METROCARD, PASS TYPE: 1; "HIGH SCHOOL STUDENT PASS;" # OF RIDES: 4; MAGNETIC FARE MEDIA; POLYESTER MATERIAL; COLOR: B, PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2" STRIP ON FRONT. BACK OF FARECARD HAS A SIGNATURE PANEL AND TEXT AS SPECIFIED.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE SINGLE C MC ARTWORK GRAPHIC #1 #9600, REVISION K	**	0		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
05-30-1128	METROCARD, PASS TYPE: N; "NIGHT HIGH SCHOOL STUDENT PASS;" # OF RIDES: 3; MAGNETIC FARE MEDIA; POLYESTER MATERIAL; COLOR: B; PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2" MAGNETIC STRIP ON FRONT. BACK OF FARECARD HAS A SIGNATURE PANEL AND TEXT AS SPECIFIED.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE SINGLE C MC ARTWORK GRAPHIC #1 #9600, REVISION K	**	10000		0
05-30-1134	METROCARD, STUDENT PASS, PASS TYPE N, MAGNETIC FARE MEDIA, POLYESTER MATERIAL STUDENT PASSES, NIGHT HIGH SCHOOL (FALL & SPRING), # OF RIDES = 3, COLOR = B, PHYSICAL DIMENSION 2.125 INCHES X 3.375 INCHES 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED- 1/2 MAGNETIC STRIPE ON FRONT. BACK OF FARE CARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE SINGLE C MC ARTWORK GRAPHIC #1 #9600, REVISION K	**		0	0
05-30-1136	METROCARD, STUDENT, NICE, TWO(2) RIDE FREE, MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125 INCHES X 3.375 INCHES, 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2 INCH MAGANETIC STRIPE ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE SINGLE C MC ARTWORK GRAPHIC #2 #9600, REVISION K	**		0	0
05-30-1138	METROCARD, STUDENT, NICE, REDUCED, TWO(2) RIDE, MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125 INCHES X 3.375 INCHES X 10 MIL. THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED 1/2 INCH MAGNETIC STRIPE ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE SINGLE C MC ARTWORK GRAPHIC #2 #9600, REVISION K	**		0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
05-30-1160	METROCARD, SPECIAL PROGRAM PASS, MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125 INCHES X 3.375 INCHES, 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2 INCH MAGNETIC STRIPE ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE SINGLE C MC ARTWORK GRAPHIC #2 #9600, REVISION K	**1441000		400000	
05-30-1162	METROCARD, STUDENT CONTINGENCY, K-12 MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125 INCHES X 3.375 INCHES, 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2 INCH MAGNETIC STRIPE ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C MC ARTWORK GRAPHIC #3 #9600, REVISION K	**	0		0
05-30-1165	METROCARD, NEW YORK STATE POLICE, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE COLOR MC GRAPHIC #36 9600, REVISION K	**	0		0
05-30-1300	METROCARD, EASYPAY XPRESS, MAGNETIC FAREMEDIA, POLYESTER MATERIAL PHYSICAL DIMENSIONS: 2.125 IN X 3.375 IN., 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS, 2750 OERSTEAD. BACK OF METROCARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C MC ARTWORK GRAPHIC #2 #9600, REVISION K	**	150		0
05-30-1302	METROCARD, DISTRICT ATTORNEY OFFICE, MAGNETIC FAREMEDIA POLYESTER MATERIAL PHYSICAL DIMENSIONS: 2.125 X 3.375 IN; 10 MIL THICKNESS APPROVED METROCARD GRAPHICS, 2750 OERSTEAD. BACK OF METROCARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C MC ARTWORK GRAPHIC #2 #9600, REVISION K	**	0		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
05-30-1303	METROCARD, TEMPORARY AUTOGATE REDUCED FARE, MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375", 10 MIL THICKNESS. APPROVED GRAPHICS, 2750 OERSTED, BACK OF METROCARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C MC ARTWORK GRAPHIC #2 #9600, REVISION K	**	0		0
05-30-1305	METROCARD, "REDUCED FARE, ROUND TRIP PASSES" MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL THICKNESS APPROVED METROCARD GRAPHICS AND 2750 OERSTED - 1/2" MAGNETIC STRIPE ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED.	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C M.C. ARTWORK GRAPHIC #9600, REVISION K	**	0		0
05-30-1312	METROCARD, MNR, EMPLOYEE NYCT PASS, MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED 1/2" MAGNETIC STRIPE ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE COLOR MC GRAPHIC #39 #9600 REVISION K	**	0		0
05-30-1313	METROCARD, LIRR, EMPLOYEE NYCT PASS, MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL THICKNESS. APPROVED METROCARD GRAPHICS AND 2750 OERSTED 1/2" MAGNETIC STRIP ON FRONT. BACK OF FARECARD HAS SIGNATURE PANEL AND TEXT AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE COLOR MC GRAPHIC # 40 #9600 REVISION K	**	10000		15000
05-30-4000	METROCARD, TRIPLEX, MAGNETIC FARE MEDIA, DIMENSIONS: 2.125" AX 3.375" X 10 MIL. THICKNESS	PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** TRIPLEX MC ARTWORK GRAPHIC #1 TRIPLEX M.C. TECH. SPEC. REV.	**	450000		300000

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
05-30-4011	METROCARD, TRIPLEX, ATLANTIC WEEK MAGNETIC FARE MEDIA, DIMENSIONS 2.125 INCHES X 3.375 INCHES X 10 MIL THICKNESS	PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** TRIPLEX MC ARTWORK GRAPHIC #5 TRIPLEX M.C. TECH. SPEC. REV.		0		0
05-30-4012	METROCARD, TRIPLEX, MONTHLY, MAGNETIC FARE MEDIA, DIMENSIONS 2.125 INCHES X 3.375 INCHES X 10 MIL. THICKNESS, HOLOGRAM	PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** TPLX MC ART GRAPHIC#3 4/8/15 TRIPLEX M.C. TECH. SPEC. REV.		3660000	3420000	
05-30-4015	METROCARD, TRIPLEX, ROUND TRIP, MAGNETIC FARE MEDIA, DIMENSIONS 2.125 INCHES X 3.375 INCHES X 10 MIL THICKNESS	PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** TPLX MC ART GRAPHIC#4 4/8/15 TRIPLEX M.C. TECH. SPEC. REV.		0	900000	
05-30-4017	METROCARD, WHITE TEST CARD, 10 MIL THICKNESS, POLYESTER, "FOR TEST ONLY - NO FREE ACCESS" ARTWORK ON FRONT SIDE APPROVED ARTWORK ON BACK	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE C MC ARTWORK GRAPHIC #2 #9600, REVISION K		0		0
05-30-4020	METROCARD, ONE COLOR TEST CARD, 10 MIL THICKNESS, POLYESTER, "FOR TEST ONLY - NO FREE ACCES" ARTWORK ON FRONT SIDE, APPROVED ARTWORK ON BACK	PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** #9600, REVISION K ONE COLOR TEST CARD GRAPHIC		0		0
05-30-4021	METROCARD, BLUE TEST CARD, 10 MIL THICKNESS, POLYESTER, "FOR TEST ONLY - NO FREE ACCESS" ARTWORK ON FRONT SIDE. APPROVED ARTWORK ON BACK	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** SINGLE COLOR MC GRAPHIC #41 #9600 REVISION K		0	10000	
05-30-5002	METROCARD, MAGNETIC TRANSFERS USED ON NYC BUSES (AFC SYSTEM). THE TRANSFER MATERIAL SHALL BE PAPER OR CARD STOCK WITH A BASE COLOR OF WHITE. THE FRONT SIDE SHALL CARRY A MAGNETIC STRIPE EITHER OR BOTH SIDES MAY CARRY PREPRINTED DATA. SEE SPEC #952-9011, SECTION # 7.1. PACKAGING UNIT OF MEASURE CHANGED FROM CTN TO ROL. 36 ROLLS PER CTN. 500 TICKETS PER ROLL	MAGNETIC TICKET & LABEL CORP. PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** NYCT TRANSFER TECH SPEC REV. E PALLET SPEC		78431	43511	

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
05-30-5015	METROCARD, MAGNETIC, SINGLE RIDE TICKET, THE MATERIAL SHALL BE PAPER OR CARD STOCK WITH A BASE COLOR OF WHITE, THE FRONT SHALL CARRY A MAGNETIC STRIPE. EITHER OR BOTH SIDES MAY CARRY PREPRINTED DATA. 750 PER ROLL, 18,000 PER CARTON	MAGNETIC TICKET & LABEL CORP. PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE PALLET SPEC SRT TECHNICAL SPEC. REV. F	**	657		461
05-30-5016	METROCARD, AIRTRAIN, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE MC ART GRAPH #2, REV 11/14 #9600, REVISION K	**	1900		2000
05-30-5017	METROCARD, PATH, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE MC ART GRAPH #4, REV 11/14 #9600, REVISION K	**	0		200
05-30-5018	METROCARD, TWO TRIP, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE METROCARD ARTWORK GRAPHIC #6 #9600, REVISION K	**	2000		3000
05-30-5019	METROCARD, ONE TRIP, CITY AGENCY PROGRAM, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE METROCARD ARTWORK GRAPHIC #7 #9600, REVISION K	**	0		0
05-30-5020	METROCARD, NICE 2 TRIPS, MAGNETIC FAREMEDIA, DIMENSIONS 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE METROCARD ARTWORK #9 9600 REV K	**	0		0
05-30-5021	METROCARD, CUNY ASAP, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE **** PART NO. NOT AVAILABLE METROCARD ARTWORK GRAPHIC #10 #9600, REVISION K	**	60		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
05-30-5022	METROCARD, 7 DAY, AGENCY PROGRAM, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** METROCARD ARTWORK GRAPHIC #11 9600, REVISION K	**	0		0
05-30-5023	METROCARD, 30 DAY, AGENCY PROGRAM, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** METROCARD ARTWORK GRAPHIC #12 9600, REVISION K	**	0		0
05-30-5024	METROCARD, FAIR FARES, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** 9601 REV B 9602 METROCARD ARTWORK GRAPHIC #14 9600 REV K	**	100		400
05-30-7000	METROCARD, COLLECTOR/PROMOTIONAL, LITHOGRAPHIC QUALITY, MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375", 10 MIL THICKNESS, APPROVED METROCARD GRAPHICS AND 2750 OERSTED 1/2" MAGNETIC STRIPE ON FRONT, BACK OF FARECARD HAS SIGNATURE PANEL, TEXT AND SPECIAL, LITHOGRAPHIC QUALITY, 5-COLOR PROCESS ARTWORK. PACKAGED IN BUNDLES OF 1000 EA. FRONT ARTWORK (MAGSTRIPE SIDE): METROCARD GOLD LOGO OR UP TO 4 COLOR PROCESS DESIGN. BACK ARTWORK: UP TO 4 COLOR PROCESS DESIGN ARTWORK TO BE PROVIDED WITH P/O	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** #9601, REVISION B #9602 #9600, REVISION K	**	200		350
05-30-8101	METROCARD, ONE COLOR SPACER, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL, NO GRAPHICS, NO SIGNATURE PANEL, NO CHAMFER, NO MAGNETIC STRIPE, NO HOLE, AND UN-VARNISH. SOLID COLOR FRONT AND BACK AS SPECIFIED	ELECTRONIC DATA MAGNETICS PARAGON MAGNADATA INC NYCTA NYCTA	**** PART NO. NOT AVAILABLE ** **** PART NO. NOT AVAILABLE ** MC ARTWORK 9600, REVISION K	**	0		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
05-42-1510	CAPACITOR, ELECTROLYTIC ALUMINUM, SCREW TERMINALS, 10000UF, 450 VOLTS, 90 MILLIMETER DIAMETER, 170 MILLIMETER HIGH, PART OF THE R143 AND R160 MELCO HVAC INVERTER	EPCOS NICHICON NICHICON	B43456-S5109-M009 LNx2W103MSMAML LNxZW103MSMAML	623	0
17-42-4093	CONTACTOR ASSY. USED FOR R142 "B" CAR: SCHALTBAU 193, MOUNTING PLATE, HARDWARE	SCHALTBAU N.A.	005047	0	0
17-42-4094	CONTACTOR ASSY, USED FOR R 142 "A" CAR. 2 SCHALTBAU 193, MOUNTING PLATE, HARDWARE. NOTE: INITIALLY WHEN USING NEW ASSY, BOTH CONTACTORS MUST BE REPLACED	SCHALTBAU N.A.	005048	0	1
17-42-4095	CONTACTOR SCHALTBAU C 193 TYPE MODIFIED, INSULATION ON COIL, US THREADS, RED MARK FOR POSITIVE, CAUTION TAG, U/W R142 FLOOR AND OVERHEAT HEATING SYSTEM. NOTE: WHEN USED WITH 17-42-4094, REPLACE BOTH CONTACTORS	SCHALTBAU N.A.	6193136A	1	0
20-92-4457	CABLE, SINGLE CONDUCTOR, 1/0 AWG 275 STRANDS 601-2000 VOLTS, IRRADIATED CROSSLINKED POLYOLEFIN INSULATION GRAY, TO THE LATEST REVISION OF NYCT SPEC TGN-TX TABLE B, 1000 FEET REEL. THE SPECIFICATION CRITERIA FOR 20-90-4007 SHALL APPLY. TO BE SPECIFICALLY USED ON TRACTION MOTOR OVERHAUL PROCESS-320 DEGREES F. VPI PROCESS.	ROCKBESTOS-SURPRENANT CABLE CO	**** PART NO. NOT AVAILABLE **	900	0
20-92-4657	CABLE, SINGLE CONDUCTOR, 2/0 AWG 275 STRANDS 601-2000 VOLTS, IRRADIATED CROSSLINKED POLYOLEFIN INSULATION, GRAY, TO THE LATEST REVISION OF NYCT SPEC TGN-TX TABLE B, 1000 FEET REEL. THE SPECIFICATION CRITERIA FOR 20-90-4207 SHALL APPLY. TO BE SPECIFICALLY USED ON TRACTION MOTOR OVERHAUL PROCESS-320 DEGREES F., VPI PROCESS	ROCKBESTOS-SURPRENANT CABLE CO	**** PART NO. NOT AVAILABLE **	827	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
23-45-1017	ELEMENT, OIL FILTER FOR GA-15/22/30/45 "ATLAS COPCO" MODEL AIR COMPRESSOR. FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED. (GA-15 SERIAL API-290851, GA-22 SERIAL #API-290853, GA-30 SERIAL #API-502925 AND GA-45 SERIAL #API-502930)	ATLAS COPCO	1613-6105-90	35	12
23-45-1018	ELEMENT, AIR FILTER FOR GA-15/22 "ATLAS COPCO" MODEL AIR COMPRESSOR, FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED. (GA-15 SERIAL #API-290851 AND GA-22 SERIAL # API-290853)	ATLAS COPCO	1613-8720-00	197	92
23-45-1019	ELEMENT, AIR FILTER FOR GA-30 "ATLAS COOPCO" MODEL AIR COMPRESSOR SERIAL #API-1502925. FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	ATLAS COPCO	2903-7407-00	36	18
23-45-1021	ELEMENT, AIR FILTER FOR GA-45 "ATLAS COPCO" MODEL AIR COMPRESSOR SERIAL #API-1502930. FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	ATLAS COPCO	1613-7408-00	61	12
23-45-1022	KIT, OIL SEPERATOR FOR GA-15/22 "ATLAS COPCO" MODEL AIR COMPRESSOR. KIT INCLUDES SEPERATOR ELEMENT #1622-0516-00 AND O-RING. SEPERATOR ELEMENT MUST BE "OEM" PRODUCT. NO SUBSTITUTION WILL BE ACCEPTED.	ATLAS COPCO	2901-0779-01	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
23-45-1023	KIT, OIL SEPERATOR FOR GA-30/45 "ATLAS COPCO" MODEL AIR COMPRESSOR. KIT INCLUDES SEPERATOR ELEMENT #1613-8397-02 AND O-RING. SEPERATOR ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2901-0566-02	12	0
23-45-1024	ELEMENT, FILTER KIT DD130 FOR ICD-65 DRYER SERIAL #ALL-801629 USED WITH "ATLAS COPCO" GA-15 MODEL AIR COMPRESSOR. ELEMENT MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2901-3000-06	84	36
23-45-1025	ELEMENT, PD120 FILTER KIT FOR ICD-65 DRYER SERIAL #ALL-801629 USED WITH "ATLAS COPCO" GA-15 MODEL AIR COMPRESSOR ELEMENT MUST BE OF "OEM"PRODUCT	ATLAS COPCO	2901-3001-06	48	18
23-45-1026	SILENCER, FOR ICD-65 MODEL DRYER SERIAL #ALL-801629 USED WITH "ATLAS COPCO" GA-1522 MODEL AIR COMPRESSOR			184	268
23-45-1027	ELEMENT, DD175 FILTER KIT FOR ICD-140 DRYER SERIAL #ALL-801534 USED WITH "ATLAS COPCO" GA-30/45 MODEL AIR COMPRESSOR. ELEMENT IS MUST BE "OEM" PRODUCT. NO SUBSTITUTION WILL BE ACCEPTED.	ATLAS COPCO	2901-3000-08	0	0
23-45-1028	ELEMENT, PD175 FILTER KIT FOR ICD-140 DRYER SERIAL # ALL-801534 USED WITH "ATLAS COPCO" GA-30/45 MODEL AIR COMPRESSOR. ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	ATLAS COPCO	2901-3001-08	24	12

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
23-45-1029	SILENCER, FOR ICD-140 MODEL DRYER SERIAL # ALL-801534 USED WITH "ATLAS COPCO" GA-30/45 MODEL AIR COMPRESSOR			32	36
23-45-1031	ELEMENT, OSD-22 FILTER FOR GA-5FF/12/22 "ATLAS COPCO" MODEL AIR COMPRESSOR ELEMENT MUST BE OF "OEM" PRODUCT. NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	1613-7602-00	108	24
23-45-1033	ELEMENT, OSD-90 FILTER FOR GA-30/45 "ATLAS COPCO" MODEL AIR COMPRESSOR SERIAL # API-1502925. ELEMENT MUST BE OF "OEM" PRODUCT, NO SUBSTITIION WILL BE ACCEPTED.	ATLAS COPCO	2903-1011-00	12	0
23-45-1038	ELEMENT, CONTROL FILTER ONLY FOR ICD-65 DRYER SERIAL #ALL-801629 USED WITH "ATLAS COPCO" GA-15 MODEL AIR COMPRESSOR. ELEMENT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	9093-0032-11	12	0
23-45-1039	ELEMENT, CONTROL FILTER AND O-RINGS FOR ICD-140 DRYER SERIAL # ALL 801534. ONE FILTER AND 2 O-RINGS TO BE USED WITH "ATLAS COPCO" GA-30/45 MODEL AIR COMPRESSOR. ELEMENTS MUST BE "OEM" PRODUCT. NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	9090-2038-80	0	0
23-45-1041	VALVE, CHECK FOR "ATLAS COPCO" OSD-90 USE ON AIR COMPRESSOR MODEL GA-30 AND GA-45. VALVE IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	1613-7297-00	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
23-45-1042	ELEMENT, AIR FILTER FOR GA-5FF "ATLAS COPCO" FOR MODEL AIR COMPRESSOR. FILTER ELEMENT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	1613-9001-00	8	0
23-45-1043	ELEMENT, OIL FILTER FOR GA-5FF "ATLAS COPCO" MODEL AIR COMPRESSOR, FILTER ELEMENT IS MUST BE OF "OEM" PRODUCT, NOT SUBSTITUTION WILL BE ACCEPTED.	ATLAS COPCO	2903-0337-01	4	0
23-45-1044	KIT, OIL SEPERATOR ELEMENT FOR GA-5FF "ATLAS COPCO" MODEL AIR COMPRESSOR KIT INCLUDES SEPERATOR ELEMENT AND O-RING. SEPERATOR ELEMENT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	ATLAS COPCO	2903-0871-00	3	0
23-45-1045	VALVE, CHECK FOR "ATLAS COPCO" OSD-22 USE ON AIR COMPRESSOR MODEL GA-5FF, GA-15, AND GA-22. VALVE IS MUST BE OF "OEM" PRODUCT. NO SUBSTITUTION WILL BE ACCEPTED.	ATLAS COPCO	1613-7601-00	36	12
23-45-1046	ELEMENT, FILTER KIT DD32 (G) DRYER USED WITH "ATLAS COPCO" GA-5FF MODEL AIR COMPRESSOR. ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	ATLAS COPCO	2901-3000-03	6	0
23-45-1047	ELEMENT, FILTER KIT PD32 (G) DRYER USED WITH "ATLAS COPCO" GA-5FF MODEL AIR COMPRESSOR. ELEMENT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2901-3001-03	4	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
23-45-1048	ELEMENT, OIL FILTER FOR GA-15+ "ATLAS COPCO" MODEL AIR COMPRESSOR SERIAL NUMBER API-310878. FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2903-7836-00	12	20
23-45-1049	KIT, OIL SEPARATOR FOR GA-15+ "ATLAS COPCO" MODEL AIR COMPRESSOR. KIT INCLUDES SEPARATOR ELEMENT AND O-RING. SEPARATOR ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2901-1963-00	51	22
23-45-1050	ELEMENT, FILTER KIT DD60 FOR ICD-50 DRYER USED WITH "ATLAS COPCO" GA-15+ MODEL AIR COMPRESSOR SERIAL #API-310874 THRU API-310882. ELEMENT IS MUST BE "OEM" PRODUCT. NOT SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2901-3000-05	127	71
23-45-1051	ELEMENT, PD60 FILTER KIT FOR ICD-50 DRYER USED WITH "ATLAS COPCO GA-15+ MODEL AIR COMPRESSOR SERIAL #API-310882. ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2901-3001-05	48	45
23-45-1052	SILENCER, FOR ICD-50 MODEL DRYER USE WITH "ATLAS COPCO" GA-15+ MODEL AIR COMPRESSOR SERIAL #API-310874 THRU API-310882	ATLAS COPCO	1617-6173-00	155	185
23-45-1053	KIT, GA-15+ DRYER SERVICE PLAN "A" TO INCLUDE: (4) SILENCERS, (1) EACH FILTER KIT DD60, FILTER KIT PD60. FILTER ELEMENT WITH O-RING FOR DD60 AND PD60. ALL COMPONENTS IN THE KITS ARE MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	3001-5006-52	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
23-45-1054	KIT, GA-15+ DRYER SERVICE PLAN "C" TO INCLUDE: DESICCANT CORE, SHUTTLE VALVE, O-RINGS, SEALS AND NYLON WASHER: ALL COMPONENTS IN THE KITS ARE MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2904-0198-00	4	4
23-45-1055	KIT, GA-15+ MAINTENANCE KIT TO INCLUDE: AIR FILTER, OIL FILTER, SEPARATOR ELEMENT, MPV AND UNLOADER VALVE SERVICE KIT, SCAVENGER LINE KIT AND CABINET FILTERS. ALL COMPONENTS IN THE KITS AE MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2901-1972-00	10	4
23-45-1056	SCREEN FILTER FOR OSD-22 & 90 IN ALL "ATLAS COPCO" AIR COMPRESSOR MODEL GA-5, GA-15, GA-15+, GA-22, GA-30 AND GA-45	ATLAS COPCO	1613-7299-00	0	0
23-45-1057	STRAINER, FOR OSD-22 & 90 IN ALL "ATLAS COPCO" AIR COMPRESSOR MODEL GA-5, GA-15, GA-15+, GA-22, GA-30 AND GA-45	ATLAS COPCO	1613-7378-00	0	0
23-45-1058	PRE-FILTER, FOR OSD-22 AND OSD-90 USE IN GA 15+, 30/45 "ATLAS COPCO" MODEL AIR COMPRESSOR. FILTER ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	ATLAS COPCO	2901-0413-00	72	0
23-45-1059	BELT, KIT FOR GA-5FF "ATLAS COPCO" MODEL AIR COMPRESSOR. BELT KIT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPT	ATLAS COPCO	2903-1024-03	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
27-07-0795	CAPACITOR, ELECTRONIC, COMPUTER GRADE, SPECIFICATIONS: CAPACITANCE: 8200 MFD, TOLERANCE:-10% + 75%, WORKING VOLTAGE: 450VDC, SURGE VOLTS; 500VDC, LEAKAGE CURRENT @ 25C: 400MFD, ESR @ 120HZ @ 25C:0.021 OHM MAX, RIPPLE CURRENT @ 120HZ, 85C: 20.4A, DIA: 3,000 +/-0.031 INCHES, LENGTH: .625 +/-0.062 INCHES, TOTAL LENGTH, W/INSUL: 8.890 +/-0.062 INCHES, TERMINAL THREAD:10-32 UNF, INSUL: POLYESTER. TEMP:40C TO +95C. USED ON R142A SUBWAY CAR, ASSEMBLY: AIR COMPRESSOR INVERTER	CORNELL DUBILIER ELECTRONICS	500X822U450DG1B			200	105
32-26-0720	LAMP, PORTABLE BANK, 600 VOLTS DC, NOMINAL, WITH HANDLE GRIP COVERED WIRE CHANNEL, AND CUSHIONED WIRE HOLDERS. LAMPHOLDER SHALL BE THERMOSET ELASTOMER WITH 1000 VDC INSULATED BLACK AND WHITE PIGTAIL ENDS.	TWINCO MANUFACTURING CO. MOLEX INC NYCTA NYCTA	069-2678-1-0 1047-5HCA142 MW 650-15 REV 10 SHEET (2 OF 2) MW 650-15 REV 10 (SHEET 1 OF 2)			0	8
41-33-2915	KEY, CAR DOOR, DET. NO. 3, MATERIAL: STEEL, AS PER SAE SPEC. 1020. ACCEPTANCE GAUGE AVAILABLE AT ENG. DEPT 207TH ST., SHOP FOR LOAN TO MFG. UPON REQUEST, KEY MUST BE INSPECTED 100 %	HORNE NYCTA	2915 303-6001 REV. A DET. 3			7	1
41-33-2945	KEY, LOCK, STEEL, CUT SAE SPEC 1020, DROP FORGED, CASE HARDENED, WITH ZINC PLATED FINISH, (R1 TO 4 CARS) FOR SUBWAY CAR EQUIPMENT, STD, PASSENGER CAR KEY, NOTE: ACCEPTANCE GAUGE AT ENGINEERS DEPT. AT 207TH STREET SHOP AVAILABLE FOR LOAN TO MFGR. UPON REQUEST *** KEY MUST BE INSPECTED 100%***	JAMES L. HOWARD & CO.,INC. HORNE VAPOR CORP. NYCTA	2382 2945 56010794 303-6001 REV. A DET. 4			2902	1772

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
41-33-2946	KEY, CAB DOOR LOCK, HARDENED STEEL, WITH ENDURION FINISH, FOR IRT PELHAM CARS MODIFIED	JAMES L. HOWARD & CO., INC. HORNE	2667 2946	3	0
41-33-3005	KEY, LOCK, STEEL, SOFT, COPPER PLATED CUT, FOR SUBWAY CAR OVERHEAD, SWITCH TYPE MUDC #C-3432	JAMES L. HOWARD & CO., INC. HORNE NYCTA	2396 33-3005 303-6001 REV. A DET. 2	14	9
48-36-1000	PAD, ABRASIVE, BLENDING, MINERAL IMPREGNATED NYLON; TO BE 6" X 9" X 3/8"; TO HAVE AN ABRASIVENESS INDEX OF 17.65 +/- 1.77 AS MEASURED BY ASTM F1015-86 (REAPPROVED 1991) AS MODIFIED BY NOTE 1 BELOW: PACKAGED 20 PADS PER BOX; NOTE 1: ASTM F1015-86 (REAPPROVED 1991) MODIFIED TO USE 5-16 WEIGHT, NORTH BROS. "TRYMER 190" ISOCYANURATE FOAM, AND RESULTS ARE NOT TO BE ROUNDED TO THE NEAREST INTERGER; 24" X 24" SPECIMENS ARE TO BE CONSTRUCTED BY TAPING TOGETHER THE BACK SIDES OF A SUFFICIENT # OF PADS + THEN ATTACHING THEM TO PLYWOOD SUBSTRATE USING CONTACT ADHESIVE 20 PADS/BX	MINNESOTA, MINING & MANUFACTUR	SCOTCH-BRITE 7446	411	147
48-36-1100	PAD, ABRASIVE, CLEANING, HEAVY DUTY; MINERAL-IMPREGNATED NYLON; TO BE 6" X 9" X 1/8"; TO HAVE AN ABRASIVENESS INDEX OF 15.43 +/- 1.54 AS MEASURED BY ASTM F1015-86 (REAPPROVED 1991) AS MODIFIED BY NOTE: 1 BELOW; PACKAGED 20 PADS PER BOX; NOTE 1: ASTM F1015-86 (REAPPROVED 1991) MODIFIED TO USE 5 LB. WEIGHT, NORTH BROS. "TRYMER 190" ISOCYANURATE FOAM, AND RESULTS ARE NOT TO BE ROUNDED TO NEAREST INTERGER; 24" X 24" SPECIMENS ARE TO BE CONSTRUCTED BY TAPING TOGETHER THE BACK SIDES OF A SUFFICIENT # OF PADS AND THEN ATTACHING THEM TO A PLYWOOD SUBSTRATE USING CONTACT ADHESIVE	MINNESOTA, MINING & MANUFACTUR ASTM NYCTA	SCOTCHBRITE 7440 F1015-86 (REAPPROVED 1991) PALLET SPEC.	5887	2348

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
48-38-1660	PAD, ABRASIVE, GENERAL PURPOSE (FOR CLEANING, FINISHING, BLENDING, DEBURRING); TO BE 6" X 9" X 3/8"; TO HAVE AN ABRASIVENESS INDEX OF 10.47+/- 1.05 AS MEASURED BY ASTM F1015-86 (REAPPROVED 1991) AS MODIFIED BY NOTE 1 BELOW; MADE OF MINERAL IMPREGNATED NYLON; PACKAGED 60 PADS PER CASE; NOTE 1: ASTM F1015-86(REAPPROVED 1991) MODIFIED TO USE 5 LB WEIGHT, NORTH BROS. "TRYMER 190" ISOCYANURATE FOAM, AND RESULTS ARE NOT TO BE ROUNDED TO NEAREST INTERGER; 24" X 24" SPECIMENS ARE TO BE CONSTRUCTED BY TAPING TOGETHER THE BACK SIDES OF SUFFICIENT # OF PADS AND THEN ATTACHING THEM TO PLYWOOD SUBSTRATE USING CONTACT ADHESIVE	MINNESOTA, MINING & MANUFACTUR ASTM	SCOTCH-BRITE #7447B F1015-86 (REAPPROVED 1991)	16662	9127
50-62-1080	REGULATOR, OXYGEN, TWO STAGE, CHROME PLATED WITH STAINLESS STEEL DIAPHRAGM, METRIC AND AVOIRDUPOIS READINGS.	EUTECTIC CORP	6250000	26	31
56-05-6955	HOSE, ASSEMBLY, 3/8" I.D. HIGH PRESSURE, 150' HOT WATER, REINFORCED WITH TWO BRAIDS OF HIGH TENSILE STEEL WIRE, BLACK HIGH OIL RESISTANCE SYNTHETIC RUBBER COVER, -20 TO 250 DEGREES FAHRENHEIT, 4500 PSI WORKING PRESSURE, WEIGHT 0.27 LBS. PER FT WITH 3/8" MALE THREAD CRIMPED ON BOTH ENDS. ASSEMBLY TO CONSIST OF CONTINENTAL/CONTITECH #20023741 AND COUPLING 3/8 MALE STRAIGHT #20190045. EACH UNIT MUST BE FULLY ASSEMBLED	CONTINENTAL CONTITECH	20473771	230	230
56-08-3605	HOSE, ASSEMBLY, DIAMETER SIZE 7/8", LENGTH 25-3/4" LONG, (NO GASKET), FOR TRIPCOCK. NOTE: ALL HOSES MUST HAVE ID BAND WITH TA STOCK NUMBER, VENDOR NUMBER AND DATE OF MANUFACTURE. NOTE: FOR USE ON R143 CARS ONLY.	STRATO NYCTA NYCTA NYCTA	S275032-13 104-1001 REV. M, ITEM 9 2086-PROD-96 REV.B PALLET SPEC.	1208	743

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-05-0150	PANEL, FIRE ALARM, INCLUDES HYDROGEN DETECTION, POWER SUPPLY 31057, UDACT-602 DIGITAL ALARM, COMMUNICATOR DIALER WITH CONFIGURATION TOOL. EACH PANEL MUST BE PACKAGED INDIVIDUALLY.	GAMEWELL	IF-602-NYCT	0	0
60-05-0154	PANEL, FIRE ALARM, USED IN SIGNAL RELAY ROOM	SIMPLEX GRINNELL	4100-NEMA	0	0
60-05-0500	DETECTOR, BEAM SMOKE, 24V PROJECTED, USED FOR SIGNAL RELAY ROOM, FOR FIRE ALARM SYSTEM	SIMPLEX GRINNELL	4100-D-297	0	0
60-05-4500	PANEL CONTROL, USED FOR SIGNAL RELAY ROOM FOR FIRE ALARM	SOFTWARE HOUSE	C/CURE NEMA-ISTAR-NYCT	0	0
60-05-4510	PANEL, CONTROL, ADVANCED PROCESSING CONTROLLER TO BE USED FOR EMERGENCY EXITS. INCLUDES NEMA 4X SS ENCLOSURE, ADVANCED PROCESSING CONTROLLER, BATTERY, COMMUNICATIONS DEVICES AND POWER SUPPLIES AS DESCRIBED IN SPEC 19LX-SECURITY SYSTEM- EMERGENCY EXIT FIELD EQUIPMENT	SOFTWARE HOUSE	C/CURE NEMA-APC/8X-NYCT	2	1
60-05-6000	READER, MULTI-TECHNOLOGY FLEX, USED FOR SIGNAL RELAY ROOM FOR FIRE ALARM	SOFTWARE HOUSE	SWH-4200	0	0
60-05-7005	STATION, DOUBLE ACTION, ADDRESSABLE, PUSH OPERATION	SIMPLEX GRINNELL	4099-9003	0	0
60-05-7010	STATION, ADDRESSABLE MANUAL PULL STATION, DUAL ACTION, WITH KEY	GAMEWELL	MS95-SD	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
60-05-7102	CENTRAL COMPUTER SYSTEM, SYSTEM ACCESS AND INTRUSION, USED FOR SIGNAL RELAY ROOM FOR FIRE ALARM	SOFTWARE HOUSE	C/CURE 8000 PLUS ENTERPRISE		0		0
60-40-0570	HORN, AUDIBLE NOTIFICATION DEVICE, WITH A LOUD AND PENETRATING HARMONICALLY RICH SOUND, 24 VDC POWERED, FLEXIBLE MOUNTING	SIMPLEX GRINNELL	4901-9820		0		0
60-40-7002	HORN, WHEELLOCK, USED ON FIRE CONTROL SYSTEMS	GAMEWELL	NH-12/24-R		0		0
60-50-3410	DISPLAY, LED, 176 X 16, SIGN-1, SIDE/1 LINE-INDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1716 SUK1 AC FGB176.16.06.MC.ID.SS.AC.K		0		0
60-50-3411	DISPLAY, LED, 176 X 16, SIGN-1 SIDE/1 LINE-OUTDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR (P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1716 SEK2 AC FGB176.16.06.MC.OD.SS.AC.K		0		0
60-50-3412	DISPLAY, LED, 176 X 16, SIGN-1 SIDE/1 LINE-INDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR (P/N 807663/01)	SOLARI DAKTRONICS HOLBROOK	CIS1716 SUK1 DC FGB176.16.06.MC.ID.SS.DC.K		0		0
60-50-3413	DISPLAY, LED, 176 X 16, SIGN-1 SIDE/1 LINE-OUTDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR (P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1716 SEK2 DC FGB176.16.06.MC.OD.SS.DC.K		0		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-50-3414	DISPLAY, LED, 176 X 32, SIGN-1 SIDE/2 LINE-OUTDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1732 SEK4 DC FGB176.32.06.MC.OD.SS.DC.K	0	0
60-50-3415	DISPLAY, LED, 176 X 32, SIGN-1 SIDE/2 LINE-INDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS. NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1732 SUK3 AC FGB176.32.06.MC.ID.SS.AC.K	0	0
60-50-3416	DISPLAY, LED, 176 X 32, SIGN-1 SIDE/2 LINE-INDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1732 SUK3 DC FGB176.32.06.MC.ID.SS.DC.K	0	0
60-50-3417	DISPLAY, LED, 176 X 32, SIGN-1 SIDE/2 LINE-OUTDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1732 SEK4 AC FGB176.32.06.MC.OD.SS.AC.K	0	0
60-50-3418	DISPLAY, LED, 176 X 32, SIGN-2 SIDE/2 LINE-INDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE, 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1732 DUK5 AC FGB176.32.06.MC.ID.DS.AC.K	0	0
60-50-3419	DISPLAY, LED, 176 X 32, SIGN-2 SIDE/2 LINE-OUTDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1732 DUK5 DC FGB176.32.06.MC.ID.DS.DC.K	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-50-3420	DISPLAY, LED, 176 X 32, SIGN-2 SIDE/2 LINE-OUTDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1732 DEK6 AC FGB176.32.06.MC.OD.DS.AC.K	0	0
60-50-3421	DISPLAY, LED, 176 X 32, SIGN-2 SIDE/2 LINE-OUTDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS. NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 1732 DEK6 DC FGB176.32.06.MC.OD.DS.DC.K	0	0
60-50-3430	DISPLAY, LED, 256 X 32, SIGN-1 SIDE/2 LINE EXTRA WIDE-OUTDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTEFACE 10" WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 2532 SEK8 AC FGB256.32.06.MC.OD.SS.AC.K	0	0
60-50-3431	DISPLAY, LED, 256 X 32, SIGN-1 SIDE/2, LINE EXTRA WIDE-INDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR (P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 2532 SUK7 AC FGB256.32.06.MC.ID.SS.AC.K	0	0
60-50-3432	DISPLAY, LED, 256 X 32, SIGN-1 SIDE/2 LINE EXTRA-WIDE-INDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N8076630/1).	SOLARI DAKTRONICS HOLBROOK	CIS 2532 SUK7 DC FGB256.32.06.MC.ID.SS.DC.K	0	0
60-50-3433	DISPLAY, LED, 256 X 32, SIGN-1 SIDE/2 LINE EXTRA WIDE-OUTDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 2532 SEK8 DC FGB256.32.06.MC.OD.SS.DC.K	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-50-3434	DISPLAY, LED, 256 X 32, SIGN-2 SIDE/2, LINE EXTRA WIDE-OUTDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR (P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 2532 DEK10 AC FGB256.32.06.MC.OD.DS.AC.K	0	0
60-50-3435	DISPLAY, LED, 256 X 32, SIGN-2 SIDE/2 LINE EXTRA WIDE-OUTDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS, NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR (P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 2532 DEK10 DC FGB256.32.06.MC.OD.DS.DC.K	0	0
60-50-3436	DISPLAY, LED, 256 X 32, SIGN-2 SIDE/2 LINE EXTRA WIDE-INDOOR-AC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS. NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1)	SOLARI DAKTRONICS HOLBROOK	CIS 2532 DUK9 AC FGB256.32.06.MC.ID.DS.AC.K	0	0
60-50-3437	DISPLAY, LED, 256 X 32, SIGN-2 SIDE/2 LINE EXTRA WIDE-INDOOR-DC, LOWER MOUNT BRACKETS, SECURITY MOUNTING BOLTS. NYCT STANDARD INTERFACE 10' WHIP WITH HARDING CONNECTOR(P/N 8076630/1).	SOLARI DAKTRONICS HOLBROOK	CIS 2532 DUK9 DC FGB256.32.06.MC.ID.DS.DC.K	0	0
60-50-3463	PLATE MOUNTING, ANTENNA ENLOSURE, USED FOR EMERGENCY EXITS	HOFFMAN	A18P16C	0	0
60-50-7500	RADIO, STARLINK, USED ON EMERGENCY EXIT SUBWAY TUNNEL	NAPCO SECURITY INC.	SL/1	0	0
60-50-7805	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, SINGLE SIDED QUARTER HEIGHT(SSQH), 120 VAC, WITH HEAVY DUTY SCREW MOUNT ANTENNA DUAL-BAND 2.4-5.2 GHZ(PART NO. WS.01.B.305151)AND MOUNTING KIT CONSISTING OF: BRACKET, LOWER MOUNTING (PART # 803E178), QNTY(2); WHIP, INTERFACE, 120 VAC(PART #8076630), QNTY(1); SECURITY BOLTS, MOUNTING	SOLARI NYCTA	LCIS-4715-SE-AC-K MTA CIS DELIVERY SPECIFICATION	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
	(PART # 80427SB), QNTY(10); FOR ABOVE GROUND (ELEVATED) INSTALLATION				
60-50-7806	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, SINGLE SIDED QUARTER HEIGHT (SSQH) 48 VDC, WITH HEAVY DUTY SCREW MOUNT ANTENNA DUAL BAND 2.4-5.2 GHZ(PART NO. WS.01.B.305151) AND MOUNTING KIT CONSISTING OF: BRACKET, LOWER MOUNTING (PART #803E178), QNTY(2); WHIP, INTERFACE, 48 VDC (PART #8076631), QNTY(1); SECURITY BOLTS, MOUNTING (PART #80427SB), QNTY(10); FOR ABOVE GROUND (ELEVATED) INSTALLATION	SOLARI NYCTA	LCIS 4715 SE DC K MTA CIS DELIVERY SPECIFICATION	0	0
60-50-7808	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, DOUBLE SIDED HALF HEIGHT (DSHH), 120 VAC WITH HEAVY DUTY SCREW MOUNT ANTENNA DUAL-BAND 2.4-5.2 GHZ(PART NO. WS.01.B.305151) AND MOUNTING KIT CONSISTING OF: BRACKET, LOWER MOUNTING (PART # 803E178), QNTY(2); WHIP, INTERFACE, 120 VAC(PART #8076630), QNTY(1); SECURITY BOLTS, MOUNTING (PART # 80427SB), QNTY(10); FOR ABOVE GROUND (ELEVATED) INSTALLATION	SOLARI NYCTA	LCIS 4725 DE AC K MTA CIS DELIVERY SPECIFICATION	0	0
60-50-7812	CUSTOMER INFORMATION SIGN, LCD STRETCHED, STANDARD WIDTH, DOUBLE SIDED HALF HEIGHT(DSHH) 120 VAC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR UNDERGROUND INSTALLATIONS	SOLARI	LCIS 4725 DU AC K	0	0
60-50-7814	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, DOUBLE SIDED HALF HEIGHT(DSHH) 48 VDC, WITH HEAVY DUTY SCREW MOUNT ANTENNA DUAL-BAND 2.4-5.2 GHZ(PART NO. WS.01.B.305151)AND MOUNTING KIT CONSISTING OF: BRACKET, LOWER MOUNTING(PART # 803E178), QNTY (2); WHIP, INTERFACE, 48 VDC (PART #8076631), QNTY(1)SECURITY BOLTS, MOUNTING(PART # 80427SB), QNTY(10);	SOLARI NYCTA	LCIS 4725 DE DC K MTA CIS DELIVERY SPECIFICATION	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
	FOR ABOVE GROUND (ELEVATED) INSTALLATION				
60-50-7816	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED STANDARD WIDTH, SINGLE SIDED HALF HEIGHT(SSHH) 120 VAC, WITH HEAVY DUTY SCREW MOUNT ANTENNA DUAL-BAND 2.4-5.2 GHZ(PART NO. WS.01.B.305151) AND MOUNTING KIT CONSISTING OF: BRACKET, LOWER MOUNTING (PART # #803E178), QNTY(2); WHIP, INTERFACE, 120 VAC(PART #8076630), QNTY(1); SECURITY BOLTS, MOUNTING (PART #80427SB), QNTY(10); FOR ABOVE GROUND (ELEVATED) INSTALLATION	SOLARI NYCTA	LCIS 4725 SE AC K MTA CIS DELIVERY SPECIFICATION	0	0
60-50-7820	CUSTOMER INFORMATION SIGN, LCD STRETCHED, STANDARD WIDTH, SINGLE SIDED HALF HEIGHT(SSHH) 120 VAC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR UNDERGROUND INSTALLATIONS	SOLARI	LCIS 4725 SU AC K	0	0
60-50-7822	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, SINGLE SIDED HALF HEIGHT(SSHH) 48 VDC, WITH HEAVY DUTY SCREW MOUNT ANTENNA DUAL-BAND 2.4-5.2 GHZ(PART NO. WS.01.B.305151) AND MOUNT KIT CONSISTING OF; BRACKET, LOWER MOUNTING (PART # 803E178), QNTY (2), WHIP, INTERFACE 48 VDC (PART # 8076631), QNTY(1); SECURITY BOLTS, MOUNTING (PART # 80427SB), QNTY(10); FOR ABOVE GROUND (ELEVATED) INSTALLATION	SOLARI NYCTA	LCIS 4725 SE DC K MTA CIS DELIVERY SPECIFICATION	0	0
60-50-7824	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, DOUBLE SIDED HALF HEIGHT(DSHH) 120 VAC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR ELEVATED INSTALLATIONS	SOLARI	LCIS 6013 DE AC K	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-50-7826	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, DOUBLE SIDED HALF HEIGHT(DSHH) 48 VDC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR ELEVATED INSTALLATIONS	SOLARI	LCIS 6013 DE DC K	0	0
60-50-7828	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, DOUBLE SIDED HALF HEIGHT(DSHH)120 VAC WITH STANDARD HARTING INTERFACE WHIOP AND MOUNTING KIT FOR UNDERGROUND INSTALLATIONS	SOLARI	LCIS 6013 DU AC K	0	0
60-50-7830	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, DOUBLE SIDED HALF HEIGHT(DSHH) 48 VDC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR UNDERGROUND INSTALLATIONS	SOLARI	LCIS 6013 DU DC K	0	0
60-50-7832	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, SINGLE SIDED HALF HEIGHT(SSHH)120 VAC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR ELEVATED INSTALLATIONS.	SOLARI	LCIS 6013 SE AC K	0	0
60-50-7834	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, SINGLE SIDED HALF HEIGHT(SSHH)48 VDC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR ELEVATED INSTALLATIONS	SOLARI	LCIS 6013 SE DC K	0	0
60-50-7836	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE SINGLE SIDED, 120 VAC, WITH STANDARD HARTING WHIP AND MOUNTING KIT	SOLARI	LCIS 6013 SU AC K	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-50-7838	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE SINGLE SIDED, 48 VOLTS, WITH STANDARD HARTING WHIP AND MOUNTING KIT	SOLARI	LCIS 6013 SU DC K	0	0
60-56-1200	PANEL, FIRE ALARM, NEMA 4X SS BOX W/WINDOW, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCT	HEFTI	HEF-FACP-363610	0	0
60-56-1205	BACKBOX, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA, USED IN THE COMMUNICATION & SIGNAL ROOMS AND SUBWAY EMERGENCY EXITS.	GE SECURITY	3-CAB7B	0	0
60-56-1210	BASE, STANDARD DETECTOR, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	GE SECURITY	SIGA-SB	50	0
60-56-1230	BOARD, SURFACE MOUNT DACT CONNECTOR BLOCK, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA, USED IN COMMUNICATION & SIGNAL ROOMS AND SUBWAY EMERGENCY EXITS	SUTTLE APPARATUS	625A28NK-2-52	180	285
60-56-1315	CHASSIS ASSEMBLY, FOR 7 LRMS, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA, USED IN COMMUNICATION & SIGNAL ROOMS AND SUBWAY EMERGENCY EXITS.	GE SECURITY	3-CHAS7	0	0
60-56-1410	DETECTOR, PHOTOELECTRIC SMOKE DETECTOR, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA	GE SECURITY	SIGA-PD	0	0
60-56-1412	DETECTOR, REFLECTIVE BEAM SMOKE , SINGLE ASSEMBLY, 15 TO 160 FEET, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA	FIRERAY	EC-50R	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-56-1415	DOOR, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA, USED IN SIGNAL & COMMUNICATION ROOM & SUBWAY EMERGENCY EXITS	GE SECURITY	3-CAB7D	0	0
60-56-1610	HORN, 1575 TEMPORAL HORN, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA	GE SECURITY	G1RF-HDV	0	0
60-56-1815	MODEM COMMUNICATOR AND DIALER, FOR FIRE ALARM CONTROL PANEL, EST3-NYCT	GE SECURITY	3-MODCOM	0	0
60-56-1817	MODULE, LIQUID CRYSTAL DISPLAY, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA	GE SECURITY	3-LCD	0	0
60-56-1830	MODULE, CENTRAL PROCESSOR MODULE, FOR FACP, EST3-NYCTA	GE SECURITY	3-CPU3	0	0
60-56-1832	MODULE, DIALER CAPTURE, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA	BOSCH	C900V2	0	0
60-56-1843	MODULE, RISER MONITOR MODULE-U/O MOUNT, MONITORS ONE RISER, FOR FIRE ALARM CONTROL PANEL (FACP)	GE SECURITY	SIGA-MRM1	0	0
60-56-1844	MODULE, SIGNAL MODULE U/W 1 RISER IN, 1 OUTPUT CKT, CI 'B', FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	GE SECURITY	SIGA-CC1	12	24
60-56-1845	MODULE, SIGNAL MODULE/W 1 RISER IN, 1 OUTPUT CKT, CI 'B'-U/O MOUNT, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA	GE SECURITY	SIGA-MCC1	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-56-1847	MODULE, SIGNATURE SINGLE DRIVER CONTROLLER, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA	GE SECURITY	3-SDDC1	0	0
60-56-1849	MDOULE, SINGLE INPUT, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	GE SECURITY	SIGA-CT1	18	24
60-56-1854	MODULE, SYNCHRONIZED SIGNAL MODULE/WQ1 RISER, 1 OUTPUT CKT, CI 'B', FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA	GE SECURITY	SIGA-MCC1S	0	0
60-56-1860	MODULE, 6 POSITION, RISER SELECTION U/O MODULE MOTHERBOARD, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	GE SECURITY	SIGA-UIO6R	0	0
60-56-1862	MODULE, 12 SWITCH, 12 RED, 12 YELLOW CONTROL DISPLAY MODULE, FOR FIRE ALARM CONTROL PANEL (FACP) EST3-NYCTA	GE SECURITY	3-12/S1RY	0	0
60-56-2015	POWER SUPPLY, BOOSTER POWER SUPPLY, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	GE SECURITY	3-BPS/M	0	0
60-56-2017	POWER SUPPLY, PRIMARY POWER SUPPLY, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	GE SECURITY	3-PPS/M	0	0
60-56-2040	RELAY, DPDT RELAY, 24 VDC /W ENCLOSURE, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	AIR PRODUCTS	MR11/C	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-56-2052	SIGN, LABEL FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	ASE MFG., INC.	FACP LABEL	0	0
60-56-2054	STATION, DOUBLE ACTION FIRE ALARM STATION, FOR FIRE ALARM CONTROL PANEL (FACP) EST3-NYCTA	GE SECURITY	SIGA-278	0	4
60-56-2056	SWITCH, TAMPER, FOR FIRE ALARM CONTROL PANEL (FACP), ISTAR ENCLOSURE TAMPER SWITCH ASSEMBLY	SOFTWARE HOUSE	0650-1340-01	0	0
60-56-2060	TESTER, GROUND LEVEL TEST STATION, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	FIRERAY	EC-LLT	0	0
60-60-0060	BOARD ASSEMBLY, FOUR CHARACTER LED DISPLAY PCB, USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	PNC INC	02-0189-E01-02	0	0
60-60-0061	BOARD ASSEMBLY POWER SUPPLY PCB, USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	PNC INC	02-0189-E03-02	0	0
60-60-0062	BOARD ASSEMBLY,CONTROLLER LON INTERFACE PCB, USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	PNC INC	02-0189-E07-01	0	0
60-60-0063	BOARD ASSEMBLY, CIRCLE-DIAMOND AND ROUTE NUMBER DISPLAY. USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	PNC INC	02-0189-E05-02	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-0064	CABLE PS TO CIRCLE-DIAMOND POWER	PNC INC	02-0189-W05-02	250	210
60-60-0065	CABLE PS TO CONTROLLER LON INTERFACE BOARD POWER	PNC INC	02-0189-W04-02	250	375
60-60-0066	CABLE PS TO ALL LED CHARACTER BOARDS POWER	PNC INC	02-0189-W-03-02	250	0
60-60-0067	CABLE, CONTROLLER LON INTERFACEBOARD TO LED BOARD SIGNAL,USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	PNC INC	02-0189-W06-02	250	375
60-60-3875	HPU PEDESTAL MOUNT 62" DC - NO BPLT-KT (NO BASE PLATE KIT INCLUDED) (1)MSA HPU PEDESTAL MOUNT 62": BTI-PM62-RISER-SA1 (QNTY=1); (2)MSA HPU JUNCTION BOX 48V DC: BTI-PM-JB-DC-SA(QNTY=1); (3)MSA JUNCTION BOX COVER PLATE: BTI-JB-CVR-01-SA (QNTY=1); (4)SCREW TFSP 4-20 5/8"L ZINC: 90380A115 (QNTY=4); (5)PLUG THREADED 1"D RED POLY: 5481K19 (QNTY=3); (6)ADH URETHANE OFF-WHITE 48.5M: DP605NS (QNTY=0.1)	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-1	0	0
60-60-3876	HPU PEDESTAL MOUNT, 62" AC, NO BPLT-KT (1)MSA HPU PEDESTAL MOUNT 62": BTI-PM62-RISER-SA1 (QTY =1); (2)MSA HPU JUNCTION BOX 110V AC: BTI-PM-JB-AC-SA (QTY=1); (3)MSA JUNCTION BOX COVER PLATE: BTI-JB-CVR-01-SA (QTY=1); (4)SCREW TFSP 4-20 5/8"L ZINC: 90380A115 (QTY=4); (5)PLUG THREADED 1" D RED POLY: 5481K19 (QTY=3); (6)ADH URETHANE OFF-WHITE 48.5M: DP605NS (QTY=0.1)	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-AC-1	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-3880	PSLAN PEDESTAL MOUNT 65" AG/AN 8P NO BASE PLATE-KT.(1)MPA ACCESS NODE PEDESTAL 65":BTI-MTOS-65-SA (QNTY=1); (2)MSA PSLAN FIBER MGMT SLIDE TRA: BTI-MTOS-ST(QNTY=1)(3)MPR CONDUIT HUB 8-HOLETHREAD: BTI-HDWR-CH8-01(QNTY=1); (4)PLUG THREADED 1"D RED POLY: 5481K19 (QNTY=8);(5)MSA POWER TERMINATION BLOCK:BTI-AN-BB-PW-TERM1 (QNTY=1) 6)CLAMP TOP/BOT .3" X 3/4" X 2.61": BTI-AN-CLAMP-001 (QNTY=2); (7)MPA PLATE 2.61" X 3/4" X .120T: BTI-AN-CLAMP-002 (QNTY=1); (8)SPACER ABS 3/4": BTI-AN-FBR-TRY-010 (QNTY=4) 9)MPA AL CAP FIBER MGMT TRAY: BTI-AN-FBR-TRY-020 (QNTY=4); (10)SCREW PHPM 8-32 1/2" L SS:91772A194; (QNTY=3); (11)SCREW PHTMS 4-40 3/4"L ZINC:318741; (QNTY=8) (12)SCREW FHPMS 10-32 1/2"L 316SS: 91500A829 (QNTY=4); (13)ADH DYMAX 160ML CARTRIDGE:3069-VT (QNTY=0.01)	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-MT18-65	15	1
60-60-3882	PSLAN PEDESTAL MOUNTING BASE PLATE KIT. (1)MPA PEDESTAL MNT BOT BASE PLT: BTI-AN-PM-BBP(QNTY=1) (2)MPA PEDESTAL MNT TOP BASE PLT: BTI-AN-PM-TBP (QNTY=1); (3)SCREW FSHCS 3/8-24 1-1/2L B.0: 91253A359 (QNTY=2); (4)SCREW SHS 1/2"-20 2"L ZINC: 90128A852 (QNTY=4); (5)SCREW CPSS 5/8-11 1-1/4" L SS: 92311A795 (QNTY=4)	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-PMBP-KT	15	1
60-60-3886	MSA HPU BASE PLATE PED MNT KIT. (1)MPA PEDESTAL UPPER FLANGE: BTI-PM-UP-FLNG: (QNTY=1); (2)MPA PEDESTAL LOWER FLANGE: BTI-PM-LOW-FLNG(QNTY=1); (3)SCREW SHCS 1/2-20 2-1/4"L SS: 92196A772;(QNTY=3); (4)WASHER SP-LK 1/2 0.869" OD ZNC: 91104A033;(QNTY=3); (5)SCREW CPSS 5/8-11 1-1/4"LSS: 92311A795 (QNTY=4)	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PMBPLT-KT	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-3902	EXTENDER, BTI 4808 ACCESS NODE BACK BOX IS AN EXTENSION UNIT THAT MOUNTS BETWEEN THE 48 INCH ACCESS NODE BACK BOX AND FRONT CHASSIS INCREASING THE NUMBER OF ENTRY PORTS FROM 3 TO 6 AND DOUBLES THE INTERIOR VOLUME FOR CABLE STORAGE AND CABLE MANAGEMENT	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB-48EXT	0	0
60-60-9000	HELPOINT, TALL, FRONT CHASSIS, 68" METAL FRONT CHASSIS W/BLEU BEACON (LEDS), 2 PUSHBUTTONS - RED & GREEN, SPEAKER, MICROPHONE & SIP VOIP INTERCOM INDUCTION LOOP DRIVER & COIL AND CYBER LOCK ASSEMBLY	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6800-INTC	0	0
60-60-9001	BACKBOX, TALL, FOR HELPOINT UNIT, 68" MOUNTING, 68" HEIGHT(TALL)	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB68	0	0
60-60-9002	HELPOINT, TALL, WIRELESS, FRONT CHASSIS 68" HEIGHT(TALL) METAL FRONT CHASSIS W/ BLEU BEACON (LEDS), 2 PUSHBUTTONS - RED & GREEN, SPEAKER, MICROPHONE, SIP VOIP INTERCOM, INDUCTION LOOP DRIVER & COIL, CYBER LOCK ASSEMBLY INTERNAL MESH RADIO MODULE W/ANTENNA	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6860	0	0
60-60-9003	BACKBOX, TALL, W/UPS, 68" MOUNTING, W/INTEGRATED POWER SYSTEM INCLUDING 48VDC UPS AND BATTERIES, 68" HEIGHT (TALL)	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB68-PS	0	0
60-60-9004	HPU BRACKETS, ROUND COLUMN, R=COLUMN RADIUS, (2 PER HPU NEEDED)	BOYCE TECHNOLOGIES, INC.	BTI-HPU-MT01-R	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9005	HPU BRACKETS, SQUARE COLUMN, CLAMP AROUND STYLE, D=COLUMN DEPTH, W=COLUMN WIDTH (2 PER HPU NEEDED)	BOYCE TECHNOLOGIES, INC.	BTI-HPU-MT02	0	0
60-60-9006	HPU BRACKETS, COLUMN WEDGE MOUNT FOR WEB > 8.25" WIDE, D=WEB DEPTH, W=WEB WIDTH, (2 PER HPU NEEDED) OB	BOYCE TECHNOLOGIES, INC.	BTI-HPU-MT03	0	0
60-60-9007	HPU BRACKETS, FLAT MOUNT, WALL ANCHORS (4 PER HPU NEEDED)	BOYCE TECHNOLOGIES, INC.	BTI-HPU-MT04	0	0
60-60-9008	HELPPPOINT, MEDIUM, FRONT CHASSIS, 62" METAL FRONT CHASSIS, WITH BLUE BEACON, 2 PUSH BUTTONS, RED & GREEN, SPEAKER, MICROPHONE & SIP VOIP INTERCOM INDUCTION LOOP DRIVER & COIL AND CYBER LOCK ASSEMBLY WALL AND COLUMN MOUNT	POWER RESOURCES INC	PRI-1172-HP-62-00-000	4	0
60-60-9009	BACKBOX, MEDIUM, MOUNTING FOR HELPPPOINT UNIT MOUNTING, 62" HEIGHT	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB62	0	0
60-60-9010	HELPPPOINT, MEDIUM, WIRELESS, FRONT CHASSIS 62" ENHANCED WIRELESS, METAL FRONT CHASSIS, WITH BLUE BEACON (LEDS), 2 PUSHBUTTONS, RED & GREEN, SPEAKER, MICROPHONE, SIP VOIP INTERCOM, INDUCTION LOOP DRIVER & COIL, CYBER LOCK ASSEMBLY INTERNAL MESH RADIO MODULE WITH AN ANTENNA	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6260	5	5
60-60-9011	BACKBOX, MEDIUM, W/UPS, 62" MOUNTING, WITH INTEGRATED POWER SYSTEM INCLUDING 48VDC UPS AND BATTERIES	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB62-PS	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9012	HELPPPOINT, SHORT, FRONT CHASSIS, 56" METAL FRONT CHASSIS W/BLEUE BEACON (LEDS), 2 PUSHBUTTONS - RED & GREEN, SPEAKER, MICROPHONE & SIP VOIP INTERCOM, INDUCTION LOOP DRIVER & COIL AND CYBER LOCK ASSEMBLY	BOYCE TECHNOLOGIES, INC.	BTI-HPU-5600-INTC	0	0
60-60-9013	BACKBOX, SHORT, MOUNTING, FOR HELPPPOINT UNIT 56"	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB56	0	0
60-60-9014	HELPPPOINT, SHORT, WIRELESS, FRONT CHASSIS 56" ENHANCED WIRELESS, METAL FRONT CHASSIS W/BLEUE BEACON (LEDS), 2 PUSHBUTTONS - RED & GREEN, SPEAKER, MICROPHONE, SIP VOIP INTERCOM, INDUCTION LOOP DRIVER & COIL, CYBERLOCK ASSEMBLY & INTERNAL MESH RADIO MODULE W/ANTENNA	BOYCE TECHNOLOGIES, INC.	BTI-HPU-5660	0	0
60-60-9015	BACKBOX, SHORT W/UPS, 56" MOUNTING, W/INTEGRATED POWER SYSTEM INCLUDING 48VDC UPS AND BATTERIES	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB56-PS	0	0
60-60-9016	BACKBOX, MEDIUM, FIBER-FED, 62" MOUNTING, W/MEDIA CONVERTER & POE INJECTOR MODULE	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB62-FF	0	0
60-60-9017	BACKBOX, SHORT, FIBER-FED, 56" MOUNTING, W/MEDIA CONVERTER & POE INJECTOR MODULE	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB56-FF	0	0
60-60-9018	BACKBOX, MEDIUM, PEDESTAL, (FLOOR STANDING) MOUNTING FOR 62" HELPPPOINT UNIT	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62	0	1

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9019	BACKBOX, SHORT, PEDESTAL (FLOOR STANDING) MOUNTING 56" FOR HELPPPOINT UNIT	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM56	0	0
60-60-9020	BACKBOX, MEDIUM, FIBER, PEDESTAL(FLOOR STANDING MOUNT FOR 62" HELPPPOINT UNIT), FIBER-FED MOUNTING, W/MEDIA CONVERTER & POE INJECTOR MODULE	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-FF	0	0
60-60-9021	BACKBOX, SHORT, FIBER, PEDESTAL (FLOOR STANDING MOUNTING FOR 56" HELP POINT UNIT), FIBER-FED MOUNTING, W/MEDIA CONVERTER AND POE INJECTOR MODULE	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM56-FF	0	0
60-60-9022	BACKBOX, MEDIUM, UPS, PEDESTAL (FLOOR STANDING MOUNTING FOR 62" HELP POINT UNIT), W/POWER SYSTEM INCLUDING 48VDC UPS AND BATTERIES	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-PS	0	0
60-60-9023	BACKBOX, SHORT, UPS, PEDESTAL (FLOOR STANDING MOUNTING FOR 56" HELP POINT UNIT), W/POWER SYSTEM, INCLUDING 48VDC UPS AND BATTERIES	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM56-PS	0	0
60-60-9024	ACCESS NODE, 8-PORT (COPPER), W/48" ENCLOSURE, 8-PORT L2 ETHERNET SWITCH, 16-FIBER BULKHEADS, POWER SUPPLY, 4X DC OUTPUT DISTRIBUTION(POLYFUESES), DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AN-4808-1	0	0
60-60-9025	ACCESS NODE, 16 PORT (COPPER), W/65" ENCLOSURE, COPPER PATCH PANEL, (2) 8-PORT L2 ETHERNET SWITCHES, 16-FIBER BULKHEADS, POWER WUPPLY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516-1	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9026	ACCESS NODE, 16 PORT HYBRID, W/65" ENCLOSURE, COPPER/FIBER PATCH PANEL, 8-PORT (COPPER) L2 ETHERNET SWITCH & 4-PORT (COPPER) 4-PORT (FIBER) L2 ETHERNET SWITCH, 16-FIBER BULKHEADS, POWER SUPPLY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), DUAL FAN ASSEMBLY, ENVIORNMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H-1	0	0
60-60-9027	ACCESS POINT, AC-FED, (CEILING MOUNT), W/METAL ENCLOSURE, TRI-BAND RADIO, POWER SUPPLY, EXTERNAL MIMO DOME ANTENNA, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-2-1	0	0
60-60-9028	ACCESS POINT, DC-FED(CEILING-MOUNT), W/METAL ENCLOSURE, TRI-BAND RADIO, DC-TO-DC CONVERTER, EXTERNAL MIMO DOME ANTENNA, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-1-1	0	0
60-60-9029	ACCESS POINT, POE-FED (CEILING-MOUNT), W/METAL ENCLOSURE, TRI-BAND RADIO, EXTERNAL MIMO DOME ANTENNA, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-3-1	0	0
60-60-9030	AGGREGATOR, VERTICAL MOUNT, 65" W/METAL ENCLOSURE, TRI-BAND RADIO, EXTERNAL MIMO ANTENNA, COPPER PATHC PANEL, 8-PORT L2 ETHERNET SWITCH, FIBER BULKHEAD, 48VDC UPS/BATTERIES, DUAL FAN ASSEMBLY,ENVIORNMENTAL SENSOR AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AG-7161-L-0000-1-4	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9031	BACKBOX, MEDIUM, AC TO 48VDC, 62" W/PROTECTED DC POWER INCLUDING MANAGED POWER SUPPLY	BOYCE TECHNOLOGIES, INC.	BTI-HPU-2002-PA62	0	0
60-60-9032	BACKBOX, SHORT, AC TO 48 VDC, 56" W/PROTECTED DC POWER INCLUDING MANAGED POWER SUPPLY	BOYCE TECHNOLOGIES, INC.	BTI-HPU-2002-PA56	0	0
60-60-9033	ACCESS NODE, 8-PORT (COPPER), COLUMN, 4/48" ENCLOSURE & COLUMN WEB MOUNT, PORT L2 ETHERNET SWITCH, 16-FIBER BULKHEADS, POWER SUPPLY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), DUAL FAN ASSEMBLY, ENDIRONMENTAL SENSOR, UTILITY RECEPTACLS AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AN-4808-L-0000-2N-1-M4	0	0
60-60-9034	ACCESS NODE, 16-PORT (COPPER), COLUMN W/65" ENCLOSURE & COLUMN WEB MOUNT, COPPER PATCH PANEL, (2) 8-PORT L2 ETHERNET SWITCHES, 16-FIBER BUCKHEADS, POWER SUPPLY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516-L-0000-2N-4-M4	0	0
60-60-9035	ACCESS NODE, 16-PORT HYBRID, COLUMN W/65" ENCLOSURE & COLUMN WEB MOUNT, COPPER/FIBER PATCH PANEL, 8-PORT (COPPER) L2 ETHERNET SWITCH & 4-PORT (COPPER)/4-PORT (FIBER) L2 ETHERNET SWITCH, 16-FIBER BULKHEADS, POWER SUPPLY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H-L-0000-2N-4-M4	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9036	AGGREGATOR, COLUMN, (VERTICAL MOUNT), W/65" METAL ENCLOSURE, & COLUMN WEB MOUNT, TRI-BAND RADIO, EXTERNAL MIMO ANTENNA, COPPER PATCH PANEL, 8-PORT L2 ETHERNET SWITCH, FIBER BULKHEADS, 48VDC UPS/BATTERIES, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AG-7161-L-0000-2N-4	0	0
60-60-9040	ACCESS NODE, 16 PORT HYBRID, 60" WALL/ CEILING MOUNT (HAS 12 COPPER & 4 OPTICAL PORTS); INCLUDES ENCLOSURE (2) ETHERWAN HARDENED EX78000 ETHERNET SWITCH, QUINT DC POWER SUPPLY (5A), (16)-POSITION FIBER PATCH MODULE W/8 DUAL LC ADAPTERS, GFCI CONVENIENCE OUTLET, TEMP SENSOR, DOOR ALARM AND FUSE ALARM MONITORING, SUPPORTS REMOTE POWER DISTRIBUTION UP TO (8) HELP POINT SYSTEMS, SUPPORTS (12) 10/100 BASE TX, 802.3AF (POE) AND (4)100FX, POE, SUPPORT CAPACITY IS LIMITED BASED ON POWER SUPPLY SIZE OF 5A. CYBERLOCK KEY ENTRY (AT THE BOTTOM OF THE CABINET)	FUJITSU	WALL-HYBRID-60IN	0	0
60-60-9041	PSLAN ACCESS NODE - 65" IBEAM CEILING MOUNT. KIT INCLUDES 2 ETHERWAN HARDENED EX78000 ETHERNET SWITCHES, 2 SFP EX-1250SP-MB4L-AS, QUINT DC POWER SUPPLY (10A), 24 POSITION FIBER PATCH MODULE W/12 DUAL LC ADAPTERS, GFCI CONVENIENCE OUTLET, TEMPERATURE SENSOR DOOR ALARM, AND FUSE ALARM MONITORING. SUPPORTS REMOTE POWER DISTRIBUTION UP TO 8 HELP POINT SYSTEMS, INCLUDING 24 10/100 BASE TX802.3AF(POE). NOTE: HELP POINT POE SUPPORT CAPACITY IS LIMITED BASED ON ON POWER SUPPLY OF 10 A. CYBERLOCK KEY ENTRY TO BE PROVIDED AT THE BOTTOM OF THE CABINET	FUJITSU	CAB-IBEAM-65IN	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9042	ACCESS NODE, 45" I-BEAM MOUNT 9" TO 13" (COPPER 8-PORT SMALL); INCLUDES ENCLOSURE ETHERWAN HARDENED EX78000 ETHERNET SWITCH, QUINT DC POWER SUPPLY (5A), (16)-POSITION FIBER PATCH MODULE W/8 DUAL LC ADAPTERS, GFCI CONVENIENCE OUTLET, TEMP, DOOR ALARM AND FUSE ALARM MONITORING, SUPPORTS REMOTE POWER DISTRIBUTION UP TO (8) HELP POINT SYSTEMS**, SUPPORTS (8) 10/100 BASETX802.3AF (POE)** HELP POINT, POE SUPPORT CAPACITY IS LIMITED BASED ON POWER SUPPLY SIZE OF 5A. CYBERLOCK KEY ENTRY (AT THE BOTTOM OF THE CABINET)	FUJITSU	CAB-IBEAM-45IN	0	0
60-60-9043	ACCESS NODE, 16 PORT HYBRID, 60" I-BEAM MOUNT 9" TO 13" (HAS 12 COPPER & 4 OPTICAL PORTS); INCLUDES ENCLOSURE (2) ETHERWAN HARDENED EX78000 ETHERNET SWITCH, QUINT DC POWER SUPPLY (5A), (16)-POSITION FIBER PATCH MODULE W/8 DUAL LC ADAPTERS, GFCI CONVENIENCE OUTLET, TEMP SENSOR, DOOR ALARM AND FUSE ALARM MONITORING, SUPPORTS REMOTE POWER DISTRIBUTION UP TO (8) HELP POINTS SYSTEMS, SUPPORTS (12) 10/100 BASETX, 802.3AF (POE) AND (4)100FX, POE, SUPPORT CAPACITY IS LIMITED BASED ON POWER SUPPLY SIZE OF 5A. CYBERLOCK KEY ENTRY (AT THE BOTTOM OF CABINET)	FUJITSU	IBEAM-HYBRID-60IN	0	0
60-60-9044	ACCESS NODE, 45" WALL CEILING MOUNT (COPPER 8-PORT SMALL); INCLUDES ENCLOSURE ETHERWAN HARDENED EX78000 ETHERNET SWITCH, QUINT DC POWER SUPPLY (5A), (16)-POSITION FIBER PATCH MODULE W/8 DUAL LC ADAPTERS, GFCI CONVENIENCE OUTLET, TEMPERATURE SENSOR, DOOR ALARM AND FUSE ALARM MONITORING, SUPPORT REMOTE POWER DISTRIBUTION UP TO (8) HELP POINT SYSTEMS**, SUPPORT (8) 10/100 BASETX 802.3AF (POE)** HELP POINT, POE SUPPORT CAPACITY IS LIMITED BASED ON POWER SUPPLY SIZE OF 5A. CYBERLOCK KEY ENTRY (AT THE BOTTOM OF THE CABINET)	FUJITSU	CAB-WALL-45IN	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9045	PSLAN ACCESS NODE - 65" WALL CEILING MOUNT. KIT INCLUDES 2 ETHERWAN HARDENED EX78000 ETHERNET SWITCHES, 2 SFP EX-1250SP-MB4L-AS, QUINT DC DC POWER SUPPLY (10A), 24 POSITION FIBER PATCH MODULE W/12 DUAL LC ADAPTERS, GFCI CONVENIENCE OUTLET, TEMPERATURE SENSORS, DOOR ALARM AND FUSE ALARM MONITORING. SUPPORTS REMOTE POWER DISTRIBUTION UP TO 8 HELP POINT SYSTEMS, INCLUDING 24 10/100 BASE TX 802.3AF (POE).	FUJITSU	CAB-WALL-65IN	0	0
60-60-9046	ACCESS NODE, 16-PORT(COPPER), W/65" ENCLOSURE, L2 ETHERNET(2)- 8-P COPPER, 56VDC 500 WATT DUAL PS, UPS W/BATTERY BACKUP, WALL MOUNT BOX W/4P TOP CONDUIT ENTRY, 4X DC OUTPUT DIST (POLYFUSES), 16-FIBER LC BULKHEADS, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516-U-L-0000-1-4-M4-L	0	0
60-60-9047	ACCESS NODE, W/65" ENCLOSURE, PROVISION FOR 2X L2 ETHERNET SWITCHES, 54 VDC 500 WATT POWER SUPPLY, UPS WITH PROVISION FOR PERSONALITY MODULE & BATTERY PACK, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), 24-FIBER LC BULKHEADS, DUAL FAN ASSEMBLY, 4-PORT ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM. PART OF PSLAN	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516U-CH2	82	0
60-60-9048	ACCESS NODE, 16-PORT(COPPER), W/65" ENCLOSURE, SW#1-8-PORT(COPPER)L2 ETHERNET SW#2- 4-P CU & 4-P FIBER, 56VDC 500 WATT DUAL PS, UPS W/BATTERY BACKUP, WALL MOUNT BBOX W/4P TOP CONDUIT ENTRY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), 16-FIBER LC BULKHEADS, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H-U-L-0000-1-4-M4-L	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
	MECHANISM				
60-60-9049	ACCESS NODE, 16-PORT(COPPER), W/65" ENCLOSURE, L2 ETHERNET SW#1-8-PORT (CU)SWITCH, L2 ETHERNET SW#2- 4-P CU & 4-P FIBER, 56VDC 500 WATT DUAL PS, UPS W/BATTERY BACKUP, COL MOUNT BBOX W/4P TOP CONDUIT ENTRY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), 16 FIBER LC BULKHEADS, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCK MECHANISM	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H-U-L-0000-2N-4-M4-	0	0
60-60-9052	ACCESS NODE, ETHERWAN EX7893-4R MANAGED HARDENED ETHERNET SWITCH, 12-PORT 10/100/1000BASE-TX POE (IEEE802.3AT/BT 240W BUDGET), +4-PORT 100/1000BASE OPEN SFP SLOTS (WITH 2-PORT SFP GIGABIT SM DUPLEX LC FIBER MODULES PRE-INSTALLED). PSLAN	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-12L	219	60
60-60-9054	ACCESS NODE, BACKBOX, COLUMN WEB MOUNT, 65 INCHES X 3.75 INCHES DEEP, 8-PORT TOP CONDUIT ENTRY, FIBER CLAMPS, AC INPUT, USED IN PSLAN	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB65-03-38	3	1
60-60-9055	BATTERY PACK, LITHIUM ION, 48VDC, 6.8 AH, USED FOR PSLAN BACKUP WITH ATTACHED CABLE WHIP	BOYCE TECHNOLOGIES, INC.	BTI-AG-BATT-ION	30	0
60-60-9057	ACCESS NODE, BACK BOX, WALL MOUNT, 65" X 3.75" DEEP, 8-PORT TOP CONDUIT ENTRY, FIBER CLAMPS, AC INPUT, USED IN PSLAN	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB65-02-38	11	10

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9060	PSLAN 65" ACCESS NODE/AGGREGATOR PEDESTAL W/INTEGRATED BACKBOX, 8-PORT TOP CONDUIT ENTRY	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-MT08-65	0	0
60-60-9101	HELPPPOINT UNIT W SIP AND VOIP INTERCOM MODULE	BOYCE TECHNOLOGIES, INC.	BTI-HPU-INTCOM-SA	0	0
60-60-9102	HELPPPOINT MEDIUM METAL FRONT CHASSIS, 62" HEIGHT, WITH BLUE BEACON (LEDS), 2 PUSH BUTTONS, RED & GREEN, SPEAKER AND MICROPHONE	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6201	0	0
60-60-9103	HELPPPOINT, SHORT METAL FRONT CHASSIS, 56" HEIGHT, WITH BLUE BEACON (LEDS), 2 PUSH BUTTONS: RED & GREEN, SPEAKER AND MICROPHONE	BOYCE TECHNOLOGIES, INC.	BTI-HPU-5600	6	2
60-60-9104	HELPPPOINT, TALL METAL FRONT CHASSIS, 68" HEIGHT, WITH BLUE BEACON (LEDS) 2 PUSH BUTTONS: RED & GREEN, SPEAKER AND MICROPHONE	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6801	0	0
60-60-9105	BACKBOX FOR HELPPPOINT SHORT, 56" HEIGHT, FOR AC POWER INPUT 90-264VAC	BOYCE TECHNOLOGIES, INC.	BTI-HPU-2002-BB56-AC	0	0
60-60-9106	BACKBOX FOR HELPPPOINT MEDIUM, 62" HEIGHT, FOR AC POWER INPUT 90- 264VAC	BOYCE TECHNOLOGIES, INC.	BTI-HPU-2002-BB62-AC	0	0
60-60-9107	BACKBOX, FOR HELPPPOINT TALL 68" HEIGHT, FOR AC POWER INPUT 90- 264VAC	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB68-AC	0	0
60-60-9108	HELPPPOINT UPS POWER MODULE FOR AC POWER UNITS, 90- 264VAC INPUT FOR 48VDC AND DATA OUTPUT WITH CABLES	BOYCE TECHNOLOGIES, INC.	BTI-HPPS-48150	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
60-60-9109	HELPPPOINT UPS BATTERY PACK -48VDC, 2.9AH WITH ATTACHED CABLE WHIP	BOYCE TECHNOLOGIES, INC.	BTI-HPPS-BATT-SA			0	0
60-60-9110	BACKBOX FOR HELPPPOINT PEDESTAL SHORT, 56" HEIGHT, FOR AC POWER INPUT 90- 264VAC	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM56-AC			0	0
60-60-9111	BACKBOX FOR HELPPPOINT PEDESTAL MEDIUM, 62" HEIGHT, FOR AC POWER INPUT 90 -264VAC	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-AC			0	0
60-60-9112	HELPPPOINT WIRELESS MESH RADIO MODULE MOTOROLA AP-7161 WITH CABLES	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-HPU-01			0	0
60-60-9113	MODULE, FIBER MEDIA CONVERTER, FOR HELP POINT BACKBOXES JUNCTION BOXES	BOYCE TECHNOLOGIES, INC.	BTI-HPU-FMC-01			0	0
60-60-9114	MODULE, POE INJECTOR, W/DC INPUT LEAD & 18" RJ CAT6 SHORT BARREL PATCH CORD. USED ON WIRELESS HP AND FIBER HP	BOYCE TECHNOLOGIES, INC.	BTI-HPU-M1-LT			0	0
60-60-9115	MODULE, AC-DC, PROTECTED POWER, 90 -264VAC INPUT, 48VDC + DATA OUTPUT WITH CABLES	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PAC-48150			0	0
60-60-9116	BACKBOX, ACCESS NODE, 48" HEIGHT, WALL MOUNT WITH 3-PORT TOP CONDUIT ENTRY, FIBER CLAMPS AND AC INPUT	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB48-02			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9117	BACKBOX, ACCESS NODE, 65" HEIGHT, WALL MOUNT WITH 4-PORT TOP CONDUIT ENTRY, FIBER CLAMPS AND AC INPUT	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB65-02	0	0
60-60-9118	BACKBOX, ACCESS POINT, CEILING MOUNT, 3-PORT TOP CONDUIT ENTRY, AC INPUT	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHL-2	0	0
60-60-9119	BACKBOX, ACCESS POINT, CEILING MOUNT, 3-PORT TOP CONDUIT ENTRY, 48VDC INPUT	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHL-1	0	0
60-60-9120	BACKBOX, ACCESS POINT, CEILING MOUNT, 3-PORT TOP CONDUIT ENTRY, POE DC INPUT	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHL-3	0	0
60-60-9121	BACKBOX, AGGREGATOR, 65" HEIGHT, WALL MOUNT, 4-PORT TOP CONDUIT ENTRY, FIBER CLAMPS, AC INPUT	BOYCE TECHNOLOGIES, INC.	BTI-AG-BB7161-02	0	0
60-60-9122	BACKBOX, ACCESS NODE, 48" HEIGHT, COLUMN WEB MOUNT, 3-PORT TOP CONDUIT ENTRY, FIBER CLAMP, AC INPUT	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB48-03	0	0
60-60-9123	BACKBOX, ACCESS NODE, 65" HEIGHT, COLUMN WEB MOUNT, 4-PORT TOP CONDUIT ENTRY, FIBER CLAMP, AC INPUT	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB65-03	0	0
60-60-9124	BACKBOX, AGGREGATOR, 65" COLUMN WEB MOUNT, 4-PORT TOP CONDUIT ENTRY, FIBER CLAMP, AC INPUT	BOYCE TECHNOLOGIES, INC.	BTI-AG-BB7161-03	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9125	CHASSIS, FRONT, ACCESS NODE, 48" 16-PORT LC FDP, POWER SUPPLY W/RECEPTACLE, DUAL FANS, AND ELECTRONIC LOCK	BOYCE TECHNOLOGIES, INC.	BTI-AN-4808	0	0
60-60-9126	MODULE, INJECTOR, POE PSLAN, 4-PORT DC OUTPUTS DISTRIBUTION(POLYFUSES)	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-M4	0	0
60-60-9127	MODULE, SENSOR, PSLAN-ENVIRONMENTAL	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-ENV-01	0	0
60-60-9128	SWITCH, ETHERNET, MANAGED HARDENED, 8 X 10/100 BASE 802.3AFPOE.2X1000 BASE-LX GIG SINGLE MODE SC	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-01	0	0
60-60-9129	CHASSIS, ACCESS NODE, FRONT, 65" HEIGHT, 8-PORT PATCH PANEL(FOR ACCESS TO BOTTOM SWITCH), 16-PORT LC FDP, POWER SUPPLY W/RECEPTACLE, DUAL FANS, AND ELECTRONIC LOCK	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516	0	0
60-60-9130	SWITCH, ETHERNET, MANAGED HARDENED, 8XX10/100BASE 802.3AF POE, 2X1000 BASE-LX GIG SINGLE MODE SC	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-02	0	0
60-60-9131	CHASSIS, ACCESS NODE, 65" 8-PORT PATCH PANEL, 16-PORT LC FDP, POWER SUPPLY W/RECEPTACLE, FANS, ELECTRONIC LOCK(HYBRID)	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H	0	0
60-60-9132	SWITCH, HYBRID, ETHERNET, MANAGED HARDENED, 4-P COPPER, 4-P FIBER, AND 2X 1000BASE-LX GIG, AND SINGLE MODE SC	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-02H	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
60-60-9133	CHASSIS, FRONT, ACCESS POINT, CEILING MOUNT, DC POWER SUPPLY, DUAL FANS, ELECTRONIC LOCK MIMO DOME ANTENNA	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHU-1			0	0
60-60-9134	CHASSIS, FRONT, ACCESS POINT, CEILING MOUNT, AC POWER SUPPLY W/RECEPTACLE, DUAL FANS, ELECTRONIC LOCK, MIMO DOME ANTENNA	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHU-2			0	0
60-60-9135	CHASSIS, FRONT, ACCESS POINT, CEILING MOUNT, POE DC POWER INPUT, ELECTRONIC LOCK, MIMO DOME ANTENNA	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHU-3			0	0
60-60-9136	MODULE, RADIO, ACCESS POINT, WIRELESS MESH, MOTOROLA AP-7161 WITH CABLES	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-WAP-1			0	0
60-60-9137	CHASSIS, AGGREGATOR, FRONT, METAL ENCLOSURE, 65", 16-PORT LC BULKHEAD FDP, 48VDC POWER SUPPLY W/RECEPTACLE, DUAL FANS, ELECTRONIC LOCK AND MIMO TAPE ANTENNA	BOYCE TECHNOLOGIES, INC.	BTI-AG-7161			0	0
60-60-9138	RADIO, AGGREGATOR WIRELESS MESH MODULE, MOTOROLA AP-7161 WITH RADIO	BOYCE TECHNOLOGIES, INC.	BTI-AG-7161-WAP-01			0	0
60-60-9139	MODULE, AGGREGATOR, POWER, DC INPUT, DC + DATA OUTPUT WITH CABLES	BOYCE TECHNOLOGIES, INC.	BTI-AG-UPS-56060			0	0
60-60-9140	BATTERY PACK, AGGREGATOR, (48VDC, 2.9AH) WITH ATTACHED CABLE WHIPS	BOYCE TECHNOLOGIES, INC.	BTI-AG-BATT-UPS			0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-60-9141	ACCESS NODE CHASSIS, 65" ENCLOSURE, 24-PORT LC FDP 54VDC 500 WATT POWER SUPPLY, DUAL FAN ASSEMBLY 4-POER ENVIRONMENTAL MODULE, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM, PROVISIONS FOR: 2X L2 ETHERNET SWITCHES, UPS, PERSONALITY MODULE, BATTERY PACK & 4X DC OUTPUT DISTRIBUTION MODULE (POLYFUSES). PART OF PSLAN	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516U	0	22
60-60-9143	ACCESS NODE 600, 54VDC, 500 WATTS, OUTPUT W/UPS CONN WITH TRIM UP; UNIVERSAL 90-120 VAC INPUT, BTI-AN600-PSU-002 PSLAN	BOYCE TECHNOLOGIES, INC.	BTI-AN600-PSU-002	0	0
60-60-9145	UPS PERSONALITY MODULE, USED WITH LITHIUM-ION BATTERY PACK FOR PSLAN	BOYCE TECHNOLOGIES, INC.	BTI-UPS-56060-ION	38	0
60-60-9150	CIS JUNCTION BOX, 3XPCB, NEMA 4X 10X8X6 WITH CYBERLOCK, 110 VAC INPUT, THE J-BOX PROVIDES POWER AND ROUTES DATA TO THE CUSTOMER INFORMATION SIGNS. ALL HOUSED IN A STEEL ECLOSURE	BOYCE TECHNOLOGIES, INC.	BTI-100806-CIS-1	0	0
60-60-9152	CIS JUNCTION BOX, 3XPCB, NEMA 4X 10X8X6 WITH CYBERLOCK, -48VDC INPUT. THE J-BOX PROVIDES POWER AND ROUTES DATA TO CUSTOMER INFORMATION SIGNS. ALL HOUSED IN A STEEL ENCLOSURE	BOYCE TECHNOLOGIES, INC.	BTI-100806-CIS-2	0	0
60-60-9155	HELP POINT, MEDIUM FRONT CHASSIS, 62" METAL FRONT CHASSIS, WITH BLUE BEACON, 2 PUSH BUTTONS, RED & GREEN, SPEAKER, MICROPHONE, & SIP VOIP INTERCOM INDUCTION LOOP DRIVER & COIL AND CYBER LOCK ASSEMBLY PEDESTAL MOUNT	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6200-P	0	1

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
60-60-9162	SWITCH ETHERNET, 16 PORT 10/100 BASE POE, 2 PORT GIGABIT, EX78612R, USED WITH HELP POINT AND ACCESS NODES	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-16			0	0
60-60-9170	SWITCH, 12 PORT, FOR ACCESS MODE, HARDENED MANAGED POE ETHERNET SWITCH WITH 60W POWER AND IEEE 802.3 BT 12-PORT 10/100/1000BASE-T(X) POE + 4-PORT 100/1000BASE SFP	ETHERWAN	EX78934R-OVB			0	0
60-66-5010	STROBE, HORN, WHEELLOCK, USED ON FIRE CONTROL SYSTEMS	GAMEWELL	NS-24MCW			0	0
60-66-5015	STROBE, XENON FLASHTUBE, VISIBLE NOTIFICATION DEVICE FOR WALL MOUNTING, TRUEALERT NON-ADDRESSABLE, RED, WITH WHITE LETTERING, 24 VDC POWERED.	SIMPLEX GRINNELL	4904-9332			22	0
60-66-5020	STROBE, WHEELLOCK, USED IN SIGNAL RELAY ROOM	GAMEWELL	RSS-24MCW-FR			0	0
60-70-7110	SIREN, WALL MOUNT, AUDIBLE/VISIBLE NOTIFICATION DEVICE, WITH EFFICIENT ELECTRONIC HORN AND HIGH OUTPUT XENON STROBE	SIMPLEX GRINNELL	4903-9418			0	0
60-80-6211	DETECTOR, HEAT, ADDRESSABLE, WITH BASE, USED ON ALARM CONTROL SYSTEMS	GAMEWELL	XP95-T			0	0
60-80-6264	SENSOR, PHOTOELECTRIC TRUEALARM, SIMPEX SMOKE DETECTOR HEAD, FOR USED WITH SIMPLEX BASE P/N4098-9792	SIMPLEX GRINNELL	4098-9714			288	70

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
60-80-6266	BASE, STANDARD SENSOR, USED FOR SIMPLEX SENSORS, P/N 4098-9714; 4098-9733	SIMPLEX GRINNELL	4098-9792	0	0
60-80-6338	SENSOR, HEAT TRUEALARM, SIMPLEX SMOKE DETECTOR HEAD, FOR USE WITH SIMPLEX BASE P/N 4098-9792	SIMPLEX GRINNELL	4098-9733	0	10
60-80-6404	DETECTOR, BEAM SMOKE, REFLECTIVE, INCLUDES POINT IDENTIFICATION DEVICE, ADDRESSABLE, PID-95	GAMEWELL	72223-160	0	0
60-80-6406	SENSOR, WATER DETECTOR, OPERATED ON 12 OR 24 VOLTS AC/DC, WATERBUG MODEL WB-200, USED IN SIGNAL RELAY ROOM	WINLAND ELECTRONICS	1043	24	0
60-80-6500	MODULE, INDIVIDUAL ADDRESSABLE RECEIVE BOOTH, POWER AND COMMUNICATIONS, FROM A TWO-WIRE MAPNET II OR IDNET CIRCUIT.	SIMPLEX GRINNELL	4090-9001	10	0
60-95-0360	2 MP NETWORK MODULAR CAMERA BASE UNIT	HANWHA TECHWIN CO NYCTA	XNB6001 SUB CAM CONFIG SOW V1	0	0
60-95-0793	CCTV IP CAMERAS, 1 KIT PER CAR (1 KIT INCLUDES 2 SETS OF CAMERAS COMPONENTS REQUIRED TO COMPLETE INSTALLATION ON NO. 1 & NO. 2 END OF THE CAR); EACH KIT INCLUDES 2X CAMERA BASE UNITS (HANWHA # XNB6001), 2X 4.6MM LENS/IMAGERS (HANWHA # SLAT4680V), 2X VOLTAGE REGULATORS (ALTRONIX # VR5TC), 2X 256 GB MEMORY CARDS (SAN DISK # ULTRA UHS-1 OR WESTERN DIGITAL PURPLE # QD101), 2X 300 MBPS MINI WRLS N USB ADAPTERS (TP-LINK # FP-TLWN823N), AND 2X MINI-ADAPTERS (VANCO # USB012AMB). NOTE: (1) ALL CAMERAS WILL BE PRE-CONFIGURED AS PER MTA IT SPECIFICATIONS, SD CARDS TO BE FORMATTED AND INSTALLED PRIOR TO DELIVERY BY VENDOR. (2) KITS ARE TO BE INDIVIDUALLY PACKAGED. EACH KIT MUST BE	HANWHA VISION NYCTA	RAILCCTVWISE01 SUB CAM CONFIG SOW V1	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
	INDIVIDUALLY LABELLED WITH NYC TRANSIT COMMODITY NUMBER. CONTRACTOR IS RESPONSIBLE TO ENSURE THAT PACKAGING MEETS PACKAGING BEST PRACTICES AND ENSURES DAMAGE-FREE CONDITION OF RECEIVED ITEMS, ASSUMING NORMAL HANDLING, TRANSPORTATION AND STORAGE.				
60-95-1430	MEMORY CARD, 256 GB (FORMATTED FOR USE WITH SUBWAY CAR CAMERAS KIT "60-95-0793")	WESTERN DIGITAL SANDISK NYCTA	QD101 ULTRA UHS-1 SUB CAM CONFIG SOW V1	0	0
61-12-3160	BOTTLE, PLASTIC (HDPE), 32 OZ. CAPACITY NECK, FINISHING SIZE TO BE 28MM/410 OR 28MM/400, NECK HEIGHT TO BE 3/8" TO 1/2", NATURAL COLOR, BOTTLE TO BE USED WITH TRIGGER ACTION SPRAYERS OBTAINED UNDER STOCK #61-46-5820 AND MUST BE COMPATIBLE WITH ALL OF THEM	IMPACT PRODUCTS INC. CONTICO INT. INC. NYCTA	5032WG 932CG PALLET SPEC.	14433	7271
61-12-3310	BROOM, 100% CORN, 1-1/8" DIAMETER WOOD HANDLE, TOTAL LEGTH OF BROOM TO BE 57" +/- 1", BROOM BODY 11-14" WIDE 10"-17" LONG, HANDLE LENGTH 42" +/- 1", MUST MEET NYC DEPARTMENT OF PURCHASE SPECIFICATION 6-B-4: 66, TYPE A.	NIB NYSPSP GREENWOOD MOP & BROOM, INC.	330T 563	1419	1098
61-12-3405	BROOM, LOBBY, 38"-39" OVERALL LENGTH, 100% CORN AND YUCCA FIBERS WITH 8" - 9" WIDTH AND 8-1/2" TO 11" TRIM, 7-8 OZ OF CORN AND FIBERS ATTACHED TO HANDLE BY WIRE, BROOM MUST HAVE 3 ROWS OF TWINE STITCHING, PACKAGED 6 - 12 BROOMS PER BOX	OCEDAR CRYSTAL LAKE MANUFACTURING INC	6201-6 CRYSTAL LAKE #12102	3086	2619

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
61-12-6205	BROOM, PUSH, WITH OUT HANDLE, 18" LONG METAL BLOCK, HAS 3-1/4" TRIM LENGTH, FIBERS ARE HORSEHAIR, TAMPICO, AND PATENT FIBER, HAS AN ADJUSTABLE METAL THREADED SOCKET WHICH CAN ACCEPT 3/8" THREADED STUD HANDLES (16 TURNS PER INCH) ATTENTION USERS: HANDLES CAN BE OBTAINED UNDER COMMODITY NUMBERS; 61-24-3115, 61-24-3105, AND 61-24-3125.	MILWAUKEE DUSTLESS BRUSH CO. NYCTA	214180 PALLET SPEC		128		64
61-12-6210	BROOM, PUSH (WITHOUT HANDLE), 18" WIDE WOODEN BLOCK, FIBER SECTIION NOMINAL 2-1/2" WIDE X NOMINAL 18-1/2" LONG, X 3" TRIM LENGTH; FIBERS ARE HORSEHAIR AND ACRYLONITRILE/POLYSTYRENE; BLOCK HAS TWO BORED AND THREADED 3/4" HOLES FOR ACCEPTING 3/4" THREADED STUD HANDLE (OBTAINED UNDER STOCK #61-24-3205)	NIB NYSPPS	412		237		114
61-13-2845	BRUSH, PAINT, FLAT,100% CHINA BRISTLE (HOG'S HAIR), BRISTLE SECTION IS 3/4" TO 7/8" WIDE X NOMINALLY 5/16" THICK X 1-1/2" +/- 1/4" TRIM LENGTH, BRUSH HANDLE LENGTH (NOT INCLUDING NOMINAL 2" FERRULE), TO BE 8-5/8" +/- 2/8", "NYCT", STOCK # AND MANUFACTURER'S NAME AND PART NUMBER TO BE STAMPED ON THE HANDLE	KIRSCHNER LINZER BRUSH	310 9081		12103		6449
61-13-3445	BRUSH, OVAL SASH; FOR RAILCAR APPEARANCE PURPOSES ONLY (PAINTING/ TOUCHUP OF RAILCAR INTERIORS/EXTERIORS); TRIM LENGTH IS 2-1/8" +/- 1/8"; WIDTH OF BRISTLE SECTION (MEASURED AT BRISTLE TIPS) IS 1-1/8" +/- 1/8"; HANDLE IS 8" +/- 3/8" LONG (INCLUDING FERRULE); HANDLE IS TO BE STAMPED WITH "NYCT", "61-13-3445", AND MANUFACTURER'S NAME AND PART #'S MOST DO NOT SHED BRISTLES ONTO NEWLY PAINTED SURFACE DURING PAINTING WITH TWO-COMPONENT POLYURETHANE PAINT AND WHEN CLEANED WITH PAINT THINNERS	KIRSCHNER	320CA		156		92

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-13-3710	BRUSH, VARNISH, 2" WIDE BRISTLE SECTION; BRISTLES ARE A 70 +/- 5% CHINESE BRISTLE AND 30 +/- 5% OXHAIR BLEND; BRISTLE THICKNESS IS NOMINAL 9/16"; BRISTLE LENGTH (TRIM) IS 2" +/- 3/8" LONG; HANDLE (WOOD OR PLASTIC CONSTRUCTION) IS NOMINALLY 5-1/8" LONG (MEASURED FROM FERRULE TO HANDLE'S END).	LINZER BRUSH	TYPE-1435	343	150
61-13-6005	BRUSH, WIRE, 3 X 19 ROWS OF WIRE STRAND SETS; TO HAVE CURVED PLASTIC OR WOOD BLOCK THAT IS 13-3/4" +/- 1/8" LONG X 1" +/- 1/8" WIDE X 3/4" +/- 1/8" HIGH, WIRE STRAND SECTION TAKES UP 5-1/2" TO 6-1/2" OF TOTAL BLOCK LENGTH; WIRE STRANDS TO BE 0.013" TO 0.014" THICK WITH A MINIMUM OF 22 (2 X 11) WIRE STRANDS PER WIRE STRAND SET; WIRE STRANDS TO HAVE 1-1/8" +/- 1/8" TRIM LENGTH WIRE STRANDS TO BE MADE OF UNS G10590 OR G10640 CARBON STEEL WIRE (SEE ASTM A510-91) EXCEPT MIN. MN CONTENT CAN BE 0.45%; WIRE STRANDS' MAX. PB CONTENT TO BE 0.005%; MFG'S NAME, PART #, "NYCT" + STOCK # TO APPEAR ON BRUSH	SOLO-HORTON ASTM NYCTA	W210 A510-91 PALLET SPEC.	2555	1447
61-13-6060	BRUSH, WIRE, 1 X 17 ROWS, STEEL WIRE STRANDS WITH MINIMUM 98.2% IRON, TO BE LEAD FREE; WIRE STRANDS TO BE .0125" TO .0135" THICK; 36 (2 X 18) WIRE STRANDS PER HOLE (WIRE STRAND SET); WIRE STRAND LENGTH OUT OF BRUSH TO BE 1-3/16" +/- 1/16"; WOOD BLOCK (SHOE HANDLE) TO BE ABOUT 10-3/8" LONG X 1" X 7/16"; MANUFACTURER'S NAME & PART NUMBER TO APPEAR ON BRUSH ALONG WITH "NYCT" PLUS STOCK NUMBER	PFERD INC.	A67757	114	68

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-13-6065	BRUSH, WIRE, 2X MINIMUM 15 ROWS OF WIRE STRAND SETS; TO HAVE A TAPERED WOODEN BLOCK THAT IS NOMINALLY 10" LONG X 5/8" WIDE X 7/8" THICK; WIRE STRAND SECTION TAKES UP 4-5/8" TO 5" OF TOTAL BLOCK LENGTH; WIRE STRANDS TO BE 0.012" TO 0.013" THICK WITH A MINIMUM OF 26 (2X13) WIRE STRANDS PER WIRE STRAND SET; WIRE STRANDS TO HAVE 1-1/16" TO 1-1/8" TRIM LENGTH; WIRE STRANDS TO BE MADE OF UNS G10590 OR G10600 CARBON STEEL (SEE ASTM A-510) EXCEPT THAT MINIMUM MN CONTENT CAN BE 0.44%; WIRE STRAND'S MAXIMUM PB CONTENT 0.002%; MFG'S NAME, PART #, "NYCT", & STOCK # TO APPEAR ON BRUSH	E. GORNELL & SONS GORDON BRUSH MFG. CO., INC. ASTM	162 567120 510	194	154
61-13-6075	BRUSH, WIRE, HAS 4 ROWS OF WIRE STRAND SETS, THE OUTSIDE 2 ROWS HAVING 16 SETS AND THE INSIDE 2 ROWS HAVING 17 SETS; TO HAVE A WOODEN "SHOE" HANDLE BLOCK THAT IS 9-7/8" TO 10" LONG, 1-1/8" WIDE, AND 3/4" THICK; BRISTLE SECTION TAKES UP 4-5/8" TO 5" OF TOTAL BLOCK LENGTH; WIRE STRANDS TO BE .012" TO .013" THICK WITH A MINIMUM OF 24 (2 X 12) WIRE STRANDS PER WIRE STRAND SET; WIRE STRANDS TO HAVE 1" TO 1-1/4" TRIM LENGTH, WIRE STRANDS TO BE MADE OF USN G10590 OR G10600 CARBON STEEL (ASTM A-510) EXCEPT THAT MINIMUM MN CONTENT CAN BE 0.43%; MAXIMUM PB CONTENT OF WIRE TO BE 0.005%; MFG'S NAME TO APPEAR ON BRUSH; MFG'S PART # MUST APPEAR ON CARTONS BRUSHES ARE SHIPPED IN	OSBORN ASTM	54018 A-510	1178	731
61-13-6105	BRUSH, BRASS WIRE; 3 X 13 ROWS; BRASS (63-78% COPPER, 22-36% ZINC) WIRE STRANDS TO BE 0.006" TO 0.0065" THICK; 70-80 WIRE STRANDS (2 X 35-40) PER HOLE (WIRE STRAND SET); WIRE STRAND LENGTH TO BE 0.5" +/- 1/16"; WOODEN BLOCK TO BE NOMINALLY 7" LONG X 9/16" WIDE X 5/16" HIGH; MANUFACTURER'S NAME, PART #, "NYCT" AND STOCK # TO APPEAR ON BRUSH	GORDON BRUSH MFG. CO., INC. KIRSCHNER	321112 K383	7672	4090

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-16-4290	MAT, OIL ABSORBENT, POLYPROPYLENE BASED; 30" +/- 1/6" WIDE X 150' LONG ROLLS; AS MEASURED BY ASTM 828, TO HAVE MINIMUM TENSILE STRENGTHS OF 2.3 LB/IN (DRY MACHINE DIRECTION), 1.75 LB/IN (WET [SAE 10W] MACHINE DIRECTION), 2.54 LB/IN (DRY CROSS DIRECTION), 2.15 LB/IN (WET [SAE 10W] CROSS DIRECTION); AS MEASURED BY FED SPEC UUT591D, TO HAVE MINIMUM ABSORPTIONS OF 1.67 G SAE 10W OIL/SQ IN MAT AND 1.13 G #2 DIESEL FUEL/SQ IN MAT; AS MEASURED BY ASTM D1117-80, TO HAVE MAXIMUM ABSORBENCY TIMES OF 180 SECONDS (SAE 10W OIL) AND 5 SECONDS (#2 DIESEL FUEL); EACH ROLL PACKAGED IN TRANSPARENT PLASTIC WRAPPER WITH MANUFACTURER'S NAME AND PART NUMBER, STOCK #, AND PO# APPEARING ON WRAPPER (ON PAPER)	SORBENT PRODUCTS CO ASTM ASTM NYCTA FED. SPEC.	ENV150 828 D1117-80 PALLET SPEC UUT591D	315	182
61-16-4291	BAG, FILTER, FOR USE IN WATER FILTRATION SYSTEM FOR TREATMENT OF RAILCAR AIR CONDITIONER CONDENSER WASHING EFFLUENT IN ORDER TO MEET SEWER DISCHARGE CODES. USED IN 4 X 16 BAG FILTER TANK. 7" DIAMETER X 24" LONG. 50 MICRON POLYPROPYLENE BAG. 50 BAGS PER CASE. 8 CASES PER PALLET	SABO INDUSTRIAL CORP.	247RCRS50	950	450
61-24-3810	HANDLE, MOP, 54" LONG, FIBERGLASS, WITH OUT MOPHEAD, HAS A SPRING-ACTIVATED, JAW-LIKE PLASTIC GRIPPER TO HOLD MOP HEAD; GRIPPER CONSTRUCTION TO BE SUCH THAT A DIRTY MOP HEAD CAN BE REMOVED FROM IT BY STEPPING ON IT AND TWISTING HANDLE FROM TOP (MANUAL HANDLING OF MOP HEAD UNNECESSARY)	IMPACT PRODUCTS INC. NYCTA	#61 PALLET SPEC	2641	1510

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
61-24-4000	KIT, ABRASIVE PAD CLEANING, TO CONSIST OF: 1)A 9" LONG X 3-3/4" WIDE PLASTIC APPLICATOR HEAD WITH PLASTIC STUDED GRIPS AND THAT HAS A MOVEABLE THREADED RECEPACLE THAT ACCEPTS 3/4" DIAMETER STUD ON HANDLES OBTAINED UNDER STOCK #'S 61-24-3205-3215(HANDLE NOT IN KIT) 2) ONE 4-1/2" X 10" X 7/8" MINERAL-IMPREGNATED POLYESTER FIBER CLEANING PAD THAT HAS AN ABRASIVENESS INDEX OF 10.71+/- 1.07 AS MEASURED BY ASTM 1015-86(REAPPROVED 1991) AS MODIFIED PER NOTE 2 BELOW; AND 3) ONE 4-1/2" X 10" X 7/8" MINERAL-IMPREGNATED NYLON + POLYESTER SCRUBBING PAD THAT HAS AN ABRASIVENESS INDEX OF 15.82 +/- 1.58 AS MEASURED BY ASTM F1015-86 (REAPPROVED 1991) AS MODIFIED PER NOTE 2 BELOW. NOTE: PART # DESIGNATION IN MFG'S PART # FIELD SHALL BE KIT PART # = APPLICATOR HEAD PART # + CLEANING PAD PART # + SCRUBBING PAD PART #. NOTE 2: ASTM F1015-86 (REAPPROVED 1991) MODIFIED TO USE A 5-LB WEIGHT, NOTRHT BROS. "TRYMER 190" ISOCYANURATE FOAM AND RESULTS ARE NOT TO BE ROUNDED TO NEAREST INTERGER. 24" X 24" SPECIMENS ARE TO BE CONSTRUCTED BY TAPING TOGETHER THE BACK SIDE OF SUFFICIENT PADS + THEN ATTACHING THEM TO A PLYWOOD SUBSTRATE USING CONTACT ADHESIVE	MINNESOTA, MINING & MANUFACTUR	6472=DOODLEBUGPADHOLDR+8440+85		3069		2128
61-28-4001	APPLICATOR HEAD, FOR CLEANING/ABRASIVE PADS, PLASTIC; 10-7/8" LONG X 5" WIDE WITH VELCRO PADS; HAS A MOVABLE THREADED RECEPACLE TO ACCEPT 3/4" DIAMETER STUD ON HANDLES OBTAINED UNDER STOCK #'S 61-24-3205 & 61-24-3215	MINNESOTA, MINING & MANUFACTUR	261		16		0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-28-4002	PAD, CLEANING AND POLISHING, MINERAL IMPREGNATED SYNTHETIC FIBER; PAD IS 6" X 12" X 1/4" THICK; PAD HAS AN ABRASIVENESS INDEX OF 6.43 +/- .64 AS MEASURED BY ASTM F1015-86 (REAPPROVED 1991) AS MODIFIED AS FOLLOWS: (1) USES A 5-LB WEIGHT AND NORTH BROS. "TRYMER 190" ISO CYANURATE FOAM (2) RESULTS ARE NOT TO BE ROUNDED OFF TO NEAREST INTEGER (3) 24" X 24" SPECIMENS ARE TO BE CONSTRUCTED BY TAPING TOGETHER SUFFICIENT PADS AND THEN ATTACHING THEM TO A PLYWOOD SUBSTRATE USING CONTACT ADHESIVE); FOR USE WITH APPLICATOR HEAD AVAILABLE UNDER STOCK # 61-28-4001; PACKAGED 50 SHEETS PER CASE	MINNESOTA, MINING & MANUFACTUR	048011-16064-1 (TYPE T)	0	0
61-28-4003	PAD, POLISHING, MINERAL-IMPREGNATED SYNTHETIC FIBER; PAD IS 6" X 12" X 3/4" THICK; PAD HAS AN ABRASIVENESS INDEX OF 6.39 +/- .64 AS MEASURED BY ASTM F 1015-86 (REAPPROVED 1991) AS MODIFIED AS FOLLOWS: (1) USES A 5-LB WEIGHT AND NORTH BROS. "TRYMER 190" ISOCYANURATE FOAM, 2)RESULTS ARE NOT TO BE ROUNDED OFF TO NEAREST INTEGER, 3)24" X 24" SPECIMENS ARE TO BE CONSTRUCTED BY TAPING TOGETHER SUFFICIENT PADS AND THEN ATTACHING THEM TO A PLYWOOD SUBSTRATE USING CONTACT ADHESIVE; FOR USE WITH APPLICATOR HEAD AVAILABLE UNDER STOCK NUMBER 61-28-4001; PACKAGED 50 SHEETS/CASE	MINNESOTA, MINING & MANUFACTUR	048011-90573-0 (SUPER POLISH)	0	0
61-31-0210	BASE, MAGNETIC, RUBBER MATERIAL. TO BE USED WITH CORRESPONDING D-CELL LED FLAGGING LANTERNS. TO BE MANUFACTURED IN ACCORDANCE WITH SECTION 82A	EFLARE NYCTA	939-EFRAILMAGBASE SECTION 82A 7/9/21	2110	704

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-31-0940	LANTERN, FLAGGING, WITH AMBER LED BULB OR CLUSTER, D-CELL BATTERY OPERATED, CLEAR GLOBE, WITH LOW BATTERY LED WARNING LIGHT. TO BE USED WITH CORRESPONDING MAGNETIC BASE. TO BE MANUFACTURED IN ACCORDANCE WITH SECTION 82A	EFLARE NYCTA	939-RB610A-NYCT SECTION 82A 7/9/21	4201	2092
61-31-0942	LANTERN, FLAGGING, WITH GREEN LED BULB OR CLUSTER, D-CELL BATTERY OPERATED, CLEAR GLOBE, WITH LOW BATTERY LED WARNING LIGHT. TO BE USED WITH CORRESPONDING MAGNETIC BASE. TO BE MANUFACTURED IN ACCORDANCE WITH SECTION 82A	EFLARE NYCTA	939-RB610G-NYCT SECTION 82A 7/9/21	1598	1023
61-31-0944	LANTERN, FLAGGING, WITH RED LED BULB OR CLUSTER, D-CELL BATTERY OPERATED, CLEAR GLOBE, WITH LOW BATTERY LED WARNING LIGHT. TO BE USED WITH CORRESPONDING MAGNETIC BASE. TO BE MANUFACTURED IN ACCORDANCE WITH SECTION 82A	EFLARE NYCTA	939-RB610R-NYCT SECTION 82A 7/9/21	1793	1380
61-36-2670	MAT, OIL ABSORBENT, POLYPROPYLENE & POLYESTER; TO HAVE NON-POROUS BACKING; TO COME IN 36" X 100' LONG ROLLS; MINIMUM ROLL THICKNESS TO BE .07"; TO HAVE MINIMUM DRY TENSILE STRENGTHS AS MEASURED BY ASTM D828/829 OF 55 LB/IN CROSS DIRECTION AND 95 LB/IN IN MACHINE DIRECTION; MINIMUM OIL (SAE 10) ABSORBENCY AS MEASURED BY FED. SPECIFICATION UUT591D TO BE .75 G/IN 2; MINIMUM #2 DIESEL FUEL ABSORBENCY AS MEASURED BY FED. SPECIFICATION UUT591D TO BE .55 G/IN 2; MAXIMUM #2 DIESEL FUEL ABSORBENCY TIME AS MEASURED BY ASTM D117-80 TO BE 40 SECONDS; EACH ROLL TO BE PACKAGED IN A TRANSPARENT PLASTIC WRAPPER WITH MANUFACTURER'S NAME & PART #, STOCK #, & PO # APPEARING ON A STICKER ON THE WRAPPER 100 FT PER ROLL 100 FT PER ROLL	CHEMTEX	PBRNP	142	62

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-41-1010	PAD, SCRUBBING, ABRASIVE, MINERAL-IMPREGNATED NYLON + POLYESTER; TO BE 4-1/2" X 10" X 7/8"; TO HAVE AN ABRASIVENESS INDEX OF 15.8 +/- 1.58 AS MEASURED BY ASTM F1015-86 (REAPPROVED 1991) AS MODIFIED PER NOTE 1 BELOW; PACKAGED 5 PADS PER BOX; USED AS A REPLACEMENT PAD IN CONJUNCTION WITH THE ABRASIVE PAD CLEANING KIT OBTAINED UNDER STOCK # 61-24-4000. NOTE 1: ASTM F1015-86 (REAPPROVED 1991) MODIFIED TO USE 5-LB WEIGHT, NORTH BROS. "TRYMER 190" ISOCYANURATE FOAM, AND RESULTS ARE NOT TO BE ROUNDED TO NEAREST INTERGER; 24" X 24" SPECIMENS ARE TO BE CONSTRUCTED BY TAPING TOGETHER THE BACK SIDES OF SUFFICIENT # OF PADS AND THEN ATTACHING THEM TO A PLYWOOD SUBSTRATE USING CONTACT ADHESIVE	MINNESOTA, MINING & MANUFACTUR ASTM	8541 F1015-86 (REAPPROVED 1991)	597	379
61-41-1080	PAD, SCRUBBING, ABRASIVE; MINERAL-IMPREGNATED SYNTHETIC FIBER; TO BE 3.5" X 5" X 1" (THICKNESS); TO HAVE AN ABRASIVENESS INDEX OF 21.17 +/- 2.12 AS MEASURED BY ASTM F1015-86 (REAPPROVED 1991) AS MODIFIED BY NOTE 1 BELOW; PACKAGED 40 PADS/CASE; NOTE 1- F1015-86 (REAPPROVED 1991) MODIFIED TO USE 5 LB. WEIGHT, NORTH BROS. "TRYMER 190" ISOCYANURATE FOAM AND RESULTS NOT TO BE ROUNDED TO NEAREST INTEGER; NOTE 2 - 24" X 24" SPECIMENS FOR TEST VIA THE ASTM TEST METHOD ARE TO BE CONSTRUCTED BY TAPING THE BACKSIDE OF A SUFFICIENT # OF PADS AND THEN ATTACHING THEM TO A PLYWOOD SUBSTRATE USING CONTACT ADHESIVE 40 PADS/CASE	MINNESOTA, MINING & MANUFACTUR ASTM	9030 F1015-86 (REAPPROVED 1991)	2	2

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE	PY1	USE	YTD
61-41-2270	BUCKET, MOPPING, 35 QUART, YELLOW, PLASTIC; BUCKET COMES WITH A MOSTLY PLASTIC DOWNWARD PRESSURE WRINGER THAT CAN HANDLE 24-32 OZ. MOP HEADS; BUCKET HAS 3" REPLACABLE CASTERS, CASTERS NOT TO SIT IN A METAL FRAME UNDERCARRIAGE, MANUFACTURER'S NAME TO APPEAR ON BUCKET AND WRINGER, PICTOGRAM OF SLIPPING MAN TO APPEAR ON BUCKET, ONE BUCKET AND ONE WRINGER PACKAGED PER BOX. NOTE: IN MANUFACTURER'S PART NUMBER FIELD, THE DESIGNATION SHALL BE MOPPING SET PART NUMBER(=BUCKET PART NUMBER/WRINGER PART NUMBER)	CONTINENTAL MFG. RUBBERMAID NYCTA	335-37YW(=335-3YW/SW7) 7577-88 (=7570-88/7575-88) PALLET SPEC			792	361
61-41-2271	BUCKET, MOPPING, 26 QUART PLASTIC BUCKET COMES WITH SIDWARD PRESSURE WRINGER. BUCKET HAS 3" CASTERS; BUCKET MUST BE BLUE OR YELLOW, PACKAGED ONE BUCKET AND ONE WRINGER PER BOX; NOTE: IN THE MANUFACTURERS PART NUMBER FIELD, THE DESIGNATION IS MOPPING SET PART NUMBER=(BUCKET PART NUMBER/WRINGER PART NUMBER); NO ASSEMBLY TO BE REQUIRED	RUBBERMAID NYCTA	7480(=7470/612788) PALLET SPEC			157	130
61-41-3705	PAN, DUST, HOODED PAN IS CAPABLE OF SWINGING TO AN UPRIGHT POSITION, PAN IS 11" TO 12" WIDE AT MOUTH, 11-1/2" TO 12-1/2" LONG FROM DEEPEST POINT TO EDGE, 4-1/2" TO 5-1/2" HIGH, MADE OF 20-26 GAGE GALVANIZED STEEL, DUSTPAN HAS A 30" TO 32" LONG WOODEN SWING HANDLE.	CORCRAFT/DEPT. OF CORRECT.SERV NYCTA	M04-531000 PALLET SPEC			117	61
61-41-3740	PAN, DUST, PLASTIC, PLASTIC PAN IS CAPABLE OF SWINGING TO AN UPRIGHT POSITION; PAN IS NOMINALLY 10-1/2" TO 11" DEEP; 4-1/2" TO 5" HIGH AT HIGHEST POINT AND 12"-12-1/2" WIDE; FIBERGLASS SWING HANDLE ITSELF 25"-26" TALL; TOP OF HANDLE TO BE ABOUT 31" FROM BOTTOM OF PAN	IMPACT PRODUCTS INC. NYCTA	2602 PALLET SPEC			2603	1319

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-44-2154	WIPER, WHITE CREPED CELLULOSE AND POLYESTER, 12" X 16.5" SHEETS; PRODUCT PROVIDED MUST BE SONTARA AMERICA SONTARA EC CREPED PR922"; VENDOR MUST PROVIDE A LETTER FROM SONTARA AMERICA STATING THAT VENDOR IS AN AUTHORIZED DISTRIBUTOR/CONVERTER AND IS SUPPLYING NYCT WITH GENUINE SONTARA AMERICA "SONTARA EC CREPED PR922" UNDER THE PO. 250 SHEETS/BOX 250 SHEETS/BOX 250 SHEETS/BOX	SONTARA AMERICA NYCTA	SONTARA EC CREPED PR922 PALLET SPEC	31205	22822
61-44-4617	COVER, PAINT ROLLER, 7" LONG, HAS NOMINAL 3/16" HIGH 100% ACRYLIC NAP; CORE INTERNAL DIAMETER IS NOMINALLY 1-7/16"; POLYPROPYLENE CORE; FOR USE WITH ALL PAINTS, INCLUDING TWO-COMPONENT POLYURETHANE PAINT	LINZER BRUSH	RC 100	3372	474
61-44-4627	FRAME, PAINT ROLLER, 7", 5-WIRE CAGE TYPE, CAGE IS 7" LONG X NOMINALLY 1-1/2" IN DIAMETER, TOTAL LENGTH OF FRAME IS 13 TO 13-1/2", HANDLE IS BENT AT A NOMINAL 115-120 DEGREE ANGLE, FRAME IS FOR USE WITH 6' EXTENSION POLE (STOCK # 61-24-3215) AND 7" PAINT ROLLER FRAME COVERS (STOCK #'S 61-44-4617, 4616, 4615), THE INTERIOR OF ITS 5-1/2" LONG PLASTIC GRIP IS THREADED TO ACCEPT 6' EXTENSION POLE, COMES WITHOUT COVER, FRAME MUST NOT BREAK WHEN USED WITH 6' EXTENSION POLE AND 7" PAINT ROLLER COVERS	CHARLES E. GREEN & SON'S	167250AR-#1	14382	13143
61-50-1960	TAPE, REFLECTIVE, YELLOW COLOR, 4" WIDE X 50 YARD ROLL, FOR USE ON LOCOMOTIVES, FLATCARS, WORKCARS FOR ENHANCED VISIBILITY AND DETECTION. REFLECTIVE MARKING CONSISTS OF PRISMATIC LENSES THAT ARE FORMED IN A TRANSPARENT, SYNTHETIC RESIN, SEALED AND BACKED WITH A PRESSURE SENSITIVE ADHESIVE AND CLEAR POLY LINER. EACH LOT SHIPPED TO BE ACCOMPANIED BY MANUFACTURER STANDARD CERTIFICATION REQUEST COVERING THE DATE OF MANUFACTURE OF THE LOT; TAPE	MINNESOTA, MINING & MANUFACTUR	SCOTCHLITE DIAMOND GR 983-71FR	0	2

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
	CANNOT BE MORE THAN 180 DAYS OLD WHEN DELIVERED				
61-50-2441	TAPE, MASKING; CREPED; PAPER; 1-1/2" WIDE IN 60 YARD LONG ROLLS; FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATIONS; MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENTS POLYURETHANE PAINTS; TAPE MUST NOT LEAVE A MAJOR ADHESIVE FILM WHEN REMOVED FROM THE SURFACE; BULK PACKAGED IN CARTONS; DATE OF MANUFACTURER TO BE STAMPED ON CARTONS; TAPE CANNOT BE MORE THAN 60 DAYS OLD WHEN DELIVERED.	INTERTAPE POLYMER GROUP	PG-21	28	1
61-50-3080	TAPE, INSULATING, ELECTRICAL, WHITE GLASS CLOTH TAPE WITH SILICONE ADHESIVE; 4 INCH WIDE X 66 FEET LONG ROLL. MUST MEET MILITARY SPECIFICATION MIL-I-19166C AND HAVE UL "FLAME RETARDANT CLASSIFICATION".	MINNESOTA, MINING & MANUFACTUR MIL SPEC	SCOTCH 69 GLASS CLOTH ELECT TA MIL-I-19166C	0	0
61-50-3282	TAPE, LUMINOUS, 1 "WIDE X 10 YARD LONG ROLL, GLOW IN THE DARK BACKING, WITH PRESSURE SENSITIVE ADHESIVE, FOR MARKING JUMPER CABLES. MUST MEET FEDERAL RAILROAD ADMINISTRATION REQUIREMENTS REGARDING FLAMMABILITY PER ASTM E162 AND E662, 6 PER CASE	MINNESOTA, MINING & MANUFACTUR	SCOTCHCAL 6900(1" WIDE)	0	0
61-50-3285	TAPE, LUMINOUS, 3" WIDE X 10 YARD LONG ROLL, 2 PER CASE, GLOW-IN THE-DARK BACKING WITH PRESSURE SENSITIVE ADHESIVE, FOR MARKING JUMPER CABLES. MUST MEET FEDERAL RAILROAD ADMINISTRATION REQUIREMENTS REGARDING FLAMMABILITY PER ASTM E162 AND E662.	MINNESOTA, MINING & MANUFACTUR	SCOTCHCAL 6900 (3" WIDE)	0	0

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-50-3608	TAPE, MASKING, CREPED PAPER, 18 MM (.71") WIDE IN 55 M LONG ROLLS, FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATIONS; MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENT POLYURETHANE PAINTS, TAPE MUST NOT LEAVE A MAJOR ADHESIVE FILM WHEN REMOVED FROM THE SURFACE; BULK PACKAGED IN CARTONS; DATE OF MANUFACTURER TO BE STAMPED ON CARTONS; TAPE CANNOT BE MORE THAN 110 DAYS OLD WHEN DELIVERED.	MINNESOTA, MINING & MANUFACTUR INTERTAPE POLYMER GROUP NYCTA	501+(7100086193) PG-21..178 PALLET SPEC	4	1
61-50-3625	TAPE, MASKING, CREPED PAPER, 24MM WIDE IN 60 YD(55M) LONG ROLLS; FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATIONS, MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENT POLYURETHANE PAINTS, TAPE MUST NOT LEAVE A MAJOR ADHESIVE FILM WHEN REMOVED FROM THE SURFACE, BULK PACKAGED IN CARTONS; DATE OF MANUFACTURE TO BE STAMPED ON CARTONS; TAPE CANNOT BE MORE THAN 110 DAYS OLD WHEN DELIVERED.	MINNESOTA, MINING & MANUFACTUR INTERTAPE POLYMER GROUP NYCTA	501+(7100086194) PG21..179 PALLET SPEC	899	963
61-50-3635	TAPE, MASKING, PAPER, 36MM (1.42") WIDE, 55M LONG ROLL, FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATION ONLY. MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENT POLYURETHANE BASED PAINTS. TAPE NOT TO LEAVE MAJOR ADHESIVE RESIDUE ON SURFACE WHEN PEELED AFTER USE. BULK PACKED IN CARTONS. DATE OF MANUFACTURE TO BE STAMPED ON CARTONS. TAPE CANNOT BE MORE THAN 110 DAYS OLD WHEN DELIVERED. 60 YDS/ROL	MINNESOTA, MINING & MANUFACTUR INTERTAPE POLYMER GROUP NYCTA	501+(7100086190) PG-21..180 PALLET SPEC	6428	3215

QUALIFIED PRODUCTS LISTING

INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

STOCK NO	LONG DESCRIPTION	MFG NAME	MFG PART NO	USE PY1	USE YTD
61-50-3639	TAPE, MASKING, CREPED, 48 MM (1.89") WIDE X 55M LONG ROLLS, FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATIONS ONLY, MUST BE IMPERVIOUS TO ENAMELS AND TWO-COMPONENT POLYURETHANE PAINTS, TAPE MUST NOT LEAVE A MAJOR ADHESIVE FILM WHEN REMOVED FROM THE SURFACE; BULK PACKED IN CARTONS, DATE OF MANUFACTURE TO BE STAMPED ON CARTONS, TAPE CANNOT BE MORE THAN 110 DAYS OLD WHEN DELIVERED.	MINNESOTA, MINING & MANUFACTUR INTERTAPE POLYMER GROUP	501+(7100086764) PG 21..181	11165	5934
61-50-5002	THREAD, BROOM, FOR HANDLE REPLACEMENT, PLASTIC CONSTRUCTION, FOR USE WITH 15/16" DIAMETER BROOM HANDLE AVAILABLE UNDER STOCK NUMBER 61-24-3215, CAN ALSO USED WITH 1-1/8" DIAMETER BROOM HANDLE AVAILABLE UNDER STOCK NUMBER 61-24-3205, BUT ONLY AFTER THE HANDLE HAS BEEN MODIFIED, THREAD FITS 3/4" DIAMETER THREADED HOLES ON BROOM HEADS WITH ABOVE-MENTIONED HANDLES.	EASY REACH INC	SF-2B	2	0
61-50-5812	WIPER, RAYON AND POLYESTER; WHITE; MUST MEET ALL REQUIREMENTS SET FORTH IN NYCT SPECIFICATION 7094-FACIL-99; EACH WIPER SHEET TO BE 13-1/2" X 15"; VENDOR TO SUPPLY CERTIFICATE OF ANALYSIS FOR EACH BATCH. NOTE: THE MATERIAL SAFETY DATA SHEETS (MSDS) REQUIREMENT OF INSPECTION NOTATION K IS NOT APPLICABLE 300 SHEETS/CASE	CHICOPEE NYCTA NYCTA	WORXWELL 8483 7094-FACIL-99 PALLET SPEC	20918	2