

July 2024

MTA - NEW YORK CITY TRANSIT
3 Stone Street
New YORK, N.Y. 10004
BID RECEPTION DESK
WWW.MTA.INFO/NYCT/PROCURE/NYCTPROC.HTM

THIS PACKAGE CONTAINS THE QUALIFIED PRODUCTS LIST (QPL) ITEMS FOR THE BELOW STATED PROCUREMENT UNIT WHICH INCLUDES THE NYCT STOCK NUMBER, ITEM DESCRIPTIONS, AND ESTIMATED USAGE.

QUALIFIED PRODUCTS LIST (QPL)

Subway Car Parts

PROCUREMENT UNIT: 100

Subway Car Parts: Subway car items including, but are not limited to, the following:

Components & complete electrical controller pans, electrical & carbon brushes, electrical circuit parts & accessories, motor component parts, motor controllers, traction motor parts, structural & non-structural car body parts, wheel & truck parts, subway car assembly parts, subway car decals, insulators, air conditioning & air brake parts, as well as wheel truing machine items, gaskets, diesel engine parts, glass and signal communication equipment

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
08-38-0267	CONTACT, ELECTRICAL, USED WITH CONTROLLER TYPE XC-149-D FINGER	0	0	FEDERAL METAL PRODUCTS INC. HOYT POWERMET PRODUCTS WESTINGHOUSE	EC84318 R 905 5819C58G01
08-38-1414	CONTACT, STATIONARY PLAIN, USED WITH CONTROL EQUIPMENT 1.2 TYPE UMA-9A AND 9B CONTACTORS UMA- 59, R32, 38, 44, R62-A	9618	2428	BOMBARDIER HORNE HOYT POWERMET PRODUCTS NYCTA	18D9633H01 1414A RW590 2521133
08-38-1626	CONTACT, FOR LINE SWITCH, TYPE UPB- 3	0	0	HORNE HOYT POWERMET PRODUCTS WESTINGHOUSE	2665 R660 177A119H01
08-38-1766	CONTACT, STATIONARY, WITH SILVER INSERT, FOR CAM SWITCH XC-149-S, XCA-149, XC-298, XC -798, XC-198	610	501	ADVANCED METALLURGY INC. HORNE HOYT POWERMET PRODUCTS NYCTA TRITON WESTINGHOUSE	983A 1766 R615 2531015A TR20561 8617A79G01
08-38-1771	SPRING, COMPRESSION, U/W MOVING CONTACT ASSEMBLY CAM SWITCH XC- 148, 198, 248, 298, 748, 698, 798.	0	1	EVERSON ELECTRIC HORNE WESTINGHOUSE	18477-1-319 1771B 3D99510H01
08-38-1772	CONTACT, MOVABLE, WITH SILVER INSERT, FOR CAM SWITCHES XC-149-S, XC-198, XC-298, XC-798, XCA-149	100	0	ADVANCED METALLURGY INC. HORNE HOYT POWERMET PRODUCTS NYCTA WESTINGHOUSE	981A 1772 R600 2531015A 21D7111G01
08-38-1786	CONTACT, STATIONARY, WITHOUT SILVER INSERT FOR CAM SWITCH, XCA- 149, XC-148, XC-248, XC-648, XC-748, XC-848	8833	5683	ADVANCED METALLURGY INC. CASTING CONTACTOR MANUFACTURING CO. ELECT MATERIALS HORNE HOYT POWERMET PRODUCTS NYCTA WESTINGHOUSE	982B 10-987E MET-300 1717261 1786 R610 2531015A 8617A55H01
08-38-1787	CONTACT, MOVABLE, WITHOUT SILVER	6053	3115	ADVANCED METALLURGY INC.	987A

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	INSERT, FOR WE TYPE XC-248, 648, 748 & 848 CAM SWITCHES.			CONTACTOR MANUFACTURING CO. ELECTRIC MATERIALS HORNE HOYT POWERMET PRODUCTS NYCTA WESTINGHOUSE	MEI-310 1572799 1787 RW596 2531015 21D7110H01
08-38-1870	CONTACT, ELECTRICAL, USED WITH RELAY TYPES ATL, AT2, UG-516	12	0	HOYT POWERMET PRODUCTS WESTINGHOUSE	RW800 4227B27G01
08-38-2780	INSULATOR ASSEMBLY, FOR RESISTOR STYLE NO. 29B3914G01	121	62	WESTINGHOUSE	55B3718G01
08-38-2784	RESISTOR ASSEMBLY, TYPE MA-17 0.069 OHMS	10	5	NYCTA WESTINGHOUSE	254-1814 1D47668G01 1796217
08-38-2785	RESISTOR, ASSEMBLY, TYPE MA-17, TUBE .086 OHMS, R29, R33, R36, R68	15	4	NYCTA WESTINGHOUSE	254-1815 1D47667G01
08-38-2794	RESISTOR ASSEMBLY, TYPE MA-17, TUBE, .285 OHMS, R29, R33, R36, R62A,	10	8	NYCTA WESTINGHOUSE	254-1816 1D47688G01
08-38-2795	RESISTOR ASSEMBLY, TYPE MA-17, TUBE, .150 OHM RESISTANCE	22	15	WESTINGHOUSE	1D47665G01
08-38-3353	VALVE, MAGNET, COMPLETE, FOR CONTROL BOX, TYPE UP-631-A., WE	0	0	EVERSON ELECTRIC WESTINGHOUSE	18451-100 1489898-A
08-38-3354	VALVE, MAGNET, COMPLETE, FOR REVERSER, TYPE XR-982	0	0	EVERSON ELECTRIC WESTINGHOUSE	18451A-100 1528197-B
08-38-3366	VALVE, UPPER, TYPE UB-36-C, 32B,E,F,G,Y & T, UB-86A, UBA-132D 7 UB-832F	12	0	WESTINGHOUSE	570A258-G01
08-42-5006	ELECTROLYTIC CAPACITOR M 68000 M63, LVPS(SHELF LIFE 2 YRS FROM MANUFACTURING DATE ON CAPACITORS)	317	176	EPCOS	B41456-S8689-M004
08-42-5250	BEARING, BALL. NON-INSULATED U/W TRACTION MOTOR	0	0	SKF	6214/C4HSO
08-42-5286	BUSHING, RESILIENT NOTE: "EVERY 10	2690	1530	ALSTOM TRANSPORTATION INC.	DTR0000090834

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	PIECES MUST BE IN A SEPARATE BOX			HUTCHINSON AEROSPACE INDUSTRY	565106-11
08-42-6038	RELAY	865	752	ALSTOM TRANSPORTATION INC.	DTR0000029859
				LEACH INTERNATIONAL OF NRTH AM	F470-H4DP-12YUU
08-42-7618	CAPACITOR, ELECTROLYTIC, 350 VOLTS, 16000 MICROFARADS, -10% +30 %, USED ON CAPACITOR BANK ASSEMBLY (PURCHASED BY DESCRIPTION)	14052	12572	ALSTOM TRANSPORTATION INC.	DTR0000067095-A DTR0000067095 CA60JQ-001
				EPCOS	B43564-S4169-Q1
				VISHAY ANGSTROHM PRECISION	MAL210290065E3
08-42-7633	CAPACITOR, 400V, 11,000 UF. RATED AT 12000 HRS @ 85 DEGREE CELSIUS OR 2000 HRS @ 105 DEGREE CELSIUS. USED ON 8-PACK CAPACITOR ASS'Y, TRACTION INVERTER	432	204	EPCOS	
					B43456S9119A001
08-42-7641	CONTACT TIPS, FIXED AND MOVEABLE, KIT, U/W LINE CONTACTOR, HIGH CURRENT 1200 AMPS, KIT INCLUDES: 01010777 KIT FIXED CONTACT S8 L THNS800; 01011678 GROUP MOBILE CONTACT + ARC RUNNER; 0100204 MOBILE CONTACT S8 LTNS650;	128	128	MICROELETTRICA SCIENTIFICA	
					010HNS800R160
08-44-1009	STRAINER AND REGULATOR ASSEMBLY, FOR TYPE XCA-248G PACKAGE UNIT #XCA248G & J	0	0	WESTINGHOUSE	5572C73G01
08-44-1426	CONTACT, FOR TYPE UMA-275A CONTACTOR	10103	3334	BOMBARDIER	18D9643H01
				HORNE	1426
				HOYT POWERMET PRODUCTS	RW580
08-44-2754	RESISTOR ASSEMBLY, TYPE MA-17, TUBE, 0.098 OHM RESISTANCE	3	0	WESTINGHOUSE	1D47655G01
08-44-6053	RESISTOR, ASSEMBLY, USED WITH RESISTOR FRAME ASSEMBLY 0.118 OHMS	5	0	WESTINGHOUSE	
					1D47686G02

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
08-44-6055	RESISTOR ASSEMBLY, 0.205 OHMS FOR R44 CAR CLASS	0	0	WESTINGHOUSE	1D47658G02
08-44-6057	RESISTOR, USED ON FRAME ASSEMBLY NO. 3, 0.150 OHM RESISTANCE STAIN ST.	0	0	WESTINGHOUSE	1D47665G02
08-44-6058	RESISTOR, USED ON FRAME ASSEMBLY NO. 3, 0.127 OHM RESISTANCE	11	0	WESTINGHOUSE	1D47666G02
08-44-6059	RESISTOR, USED ON FRAME ASSEMBLY NO. 4, R44 GOH CAR, 0.102 OHM RESISTANCE, STAINLESS STEEL	19	19	WESTINGHOUSE	1D47687G02
08-44-6060	RESISTOR, USED ON FRAME ASSEMBLY, NO. 4 AND NO.5, 0.053 OHM RESISTANCE, STAINLESS STEEL.	2	2	WESTINGHOUSE	1D47669G02
08-44-6771	CONTACT, MOVABLE, FOR CAM SWITCH XC-298	208	360	WESTINGHOUSE	30B1864G16
08-60-0009	BRUSH, GROUND, TAMPED FOR R142, R142A, AND R143 AND R160 GROUND BRUSH ASSEMBLY.1.24" THICKNESS,	6899	3394	MERSEN USA BN CORP NATIONAL ELECTRICAL CARBON SCHUNK CARBON TECHNOLOGY LLC	WE-969 61051813SZ 10573655
08-62-0281	HOUSING, BEARING, 2 PIECE, U/O CAM CONTROLLER ASSY, TYPE XCD-248Q	0	9	FAFNIR WESTINGHOUSE	62PB-H5G/O 404P581H03
08-62-0310	STATIONARY ASSEMBLY, USED ON CAM SWITCH ASSEMBLY, TYPE XCE-248	0	0	EVERSON ELECTRIC WESTINGHOUSE	18444-160 5819C64G01
08-62-0317	STATIONARY ASSEMBLY, USED ON CAM SWITCH ASSEMBLY, TYPE XCE-548	0	0	EVERSON ELECTRIC WESTINGHOUSE	18442-130 5819C71G01
08-62-1180	OVERVOLTAGE ASSEMBLY, U/O CONVERTOR.	0	0	APPLIED POWER SYSTEMS, INC. BOMBARDIER TRANSPORTATION	OVM-9901 1D48239G01
08-62-1400	CONTACT, TYPE UME-215B, J/BDC ASSEMBLY, F/CONTROL EQUIPMENT.	0	0	HOLEC WESTINGHOUSE	GMB314 3D99204G01
08-62-2025	BEARING, 60MM BALL, COMMUTATOR END, 1447J T/MTR	860	600	BOMBARDIER TRANSPORTATION FAG	1D48155H04 6312/C3

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
				NYCTA SKF	PALLET SPEC. 6312/C3
08-62-2675	DOOR RELAY ASSEMBLY, TYPE URJ-51, USED WITH CONTORL EQUIPMENT	54	105	WESTINGHOUSE	1D47602G03
08-62-2763	RESISTOR ASSEMBLY, FOR MA-17 TYPE 0.322 OHMS FOR R62A CARS	10	4	WESTINGHOUSE	1D47660G01
08-62-2766	RESISTOR ASSEMBLY TYPE MA-17, 0.815 OHMS, FOR R62A CARS	0	8	WESTINGHOUSE	1D47690G01
08-62-2767	RESISTOR ASSEMBLY, TYPE MA-17, 0.645 OHMS FOR R62A, R68 AND R68A.	1	4	WESTINGHOUSE	1D47663G01
08-62-2768	RESISTOR ASSEMBLY, TYPE MA-17, 0.515 OHMS FOR R62A CARS	2	3	WESTINGHOUSE	1D47662G01
08-62-3355	VALVE, MAGNET, ASSEMBLY, TYPE UBA- 132-S USED ON CYLINDER INTERLOCK ASSEMBLY WE #1D63047G01.	0	0	WESTINGHOUSE	5819C26G01
08-68-0242	CONTACT, STATIONARY WITH SLOT, USED WITHCAM CONTROLLER TYPE XCD-248Q AND INTERLOCK ASSEMBLY #5819C57G01	215	102	WESTINGHOUSE ELECTRIC	4227B92G02
08-68-1401	CONTACTOR ASSEMBLY, TYPE UME-252- D, USEDON PACKAGE UNIT ASSEMBLY TYPE XCB-248-S.	0	0	WESTINGHOUSE	1D47682G02
08-68-2763	RESISTOR ASSEMBLY, TYPE MA-17, 0.736 OHMS FOR R68 AND R68A CARS	0	2	WESTINGHOUSE	1D47689G01
08-68-2778	RESISTOR, 0.570 OHMS, WE RESISTOR ASSEMBLY, #2120F56G05 AND #2120F57G06	0	0	BOMBARDIER TRANSPORTATION	1D48307G01

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
09-33-3794	RESISTOR, 50 WATT, 1500 OHM, ADJ. U/O CONTROLLER GROUP BOXES 17KG192AE2	0	0	GENERAL ELECTRIC CO.	482A444ARP26
09-33-3832	ADAPTER, U/O CONTROLLER GROUP BOXES 17KG192AE2.	0	0	GENERAL ELECTRIC CO.	41A265958G2
09-33-3901	MODULE, U/O PANEL # 17MM110B3.	0	0	GENERAL ELECTRIC CO.	41B567209G11
09-38-0095	CONTACT, FINGER, USED WITH MASTER CONTROLLER TYPE 17KC76A1, MUST BE	5	181	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	4734382G1 R242
09-38-0106	CONTACT, F/CONTROLLERS TYPES 17KC48J7, 17KC23A1, 17KC16A1,	0	0	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	4709938G1 R-210
09-38-0239	INTERLOCK, WITH BASE, SUPPORTS, ROLLERS,PINS, CONTACT FINGERS,	0	0	GENERAL ELECTRIC CO.	426C806G3 426C806G1
09-38-0243	CONTACT, USED WITH CONTROLLER TYPE 17KM42B1 FINGER, WITH TIPS, MUST BE CADMIUM FREE	0	40	GENERAL ELECTRIC CO.	9963542-G1
09-38-0253	CONTACT, STATIONARY, FOR KM TYPE CONTROLLERS, MUST BE CADMIUM FREE	0	40	GENERAL ELECTRIC CO. HORNE HOYT POWERMET PRODUCTS	498A762G1 7510 R-305
09-38-0340	KIT, CONTACT UNIT, 3/4", INCLUDES 3/4" CONTACT UNIT, SCREW AND FLAT	668	208	GENERAL ELECTRIC CO. MAC PRODUCTS, INC.	170X1403 Z050007B8122SB
09-38-0342	CONTACT UNIT WITH FRAME, OPERATING ARMS, ARMATURE, TERMINAL BLOCK CONTACT MOVABLE AND ARCING HORN, FOR 17KM48 CONTROLLER, R-29-38 CARS.	0	0	GENERAL ELECTRIC CO.	41D750493G1

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
09-38-0413	CONTACT, ELECTRICAL, USED WITH CONTROLLER TYPES 17KM42B1 & 17KM43B1, MOVABLE & STATIONARY CONTACT UNIT WITH METAL SUPPORT & WITHOUT ARC CHUTE	120	27	GENERAL ELECTRIC CO.	332B468G2
09-38-0415	CONTACT, FINGER, 17KM42 & 48 CONTROLLERS MUST BE CADMIUM FREE	1907	942	GENERAL ELECTRIC CO.	8839678G1
09-38-0420	CONTACT, SCREW, FOR TYPE 17KM42 & 48 CONTROLLERS, MUST BE CADMIUM FREE	176	229	ADVANCED METALLURGY INC. GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	1050A 9963477G19 R450
09-38-1251	CONTACT, ELECTRICAL, STATIONARY, WITH 1-7/32" OFFSET TIP AND STUD, USED WITH RELAYS 17LE50A1,	235	220	ADVANCED METALLURGY INC. GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	996A 8807882-G1 R-395
09-38-1252	CONTACT, ELECTRICAL, STATIONARY, OFFSET 15/32", FOR RELAY TYPE	150	48	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	8807883G1 R400
09-38-1257	CONTACT, FINGER, WITH TIPS AND SHUNT, FOR TYPE 17LE50A1 & TYPE 17LV66J1 RELAYS & TYPE 17AF41-A1 INTERLOCK, FOR R10-38 CARS & DIESEL LOCOS. MUST BE CADMIUM FREE.	139	50	GENERAL ELECTRIC CO.	8860749-G1
09-38-1258	SPRING, CONTACT FINGER FOR RELAY TYPE 17LV66BD11, R-38 CARS	102	138	GENERAL ELECTRIC CO. HORNE MECHANICAL SPRING	8823868-P1 1258-A **** PART NO. NOT AVAILABLE ****
09-38-1427	COIL, OPERATING, COIL #14, FOR TYPE 17CM53A CONTACTOR	0	0	GENERAL ELECTRIC CO.	41A250308G2
09-38-1449	TIP, CONTACT, STATIONARY AND MOVABLE, USED WITH 4 TON BATTERY LOCOMOTIVE TYPE LSB-2T4-K, 85 VOLT, SER. #32485, FOR CONTACTORS' TYPE	2386	1006	GENERAL ELECTRIC CO. HORNE HOYT POWERMET PRODUCTS MAC PRODUCTS, INC.	8867977-P1 1449 R440 09-38-1449

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
09-38-1453	HORN, ARCING, USED WITH GE CONTACTOR 17CM53A5	22	33	GENERAL ELECTRIC CO.	488A478-G1
09-38-1455	CONTACT, SUPPORT STATIONARY, WITH BLOWOUT COIL, CORE AND POLE & POLE PIECE FOR TYPE 17CM53A14 CONTACTOR	0	1	GENERAL ELECTRIC CO.	6750247G9
09-38-1752	COIL, OPERATING, FOR RELAY 17LE62E1 & 17LV66. R17 - 26 CARS	5	0	GENERAL ELECTRIC CO. SWIGER COIL	9960975G1 SCS 12781
09-38-1946	CONTACT, ELECTRIC, USED WITH INTERLOCK TYPE F1-127, MOVABLE.	209	146	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	6711338G1 R-334
09-46-1469	HORN, ARCING, FOR TIP, FOR TYPE 17CM55A5 MOTOR LINE CONTACTORS,	148	94	GENERAL ELECTRIC CO. TRANSPORT PRODUCTS	8814906P1 TP380052
09-46-1802	FINGER ASSEMBLY, FOR INTERLOCK ASSEMBLY #17AF41A1, FOR R-44 CARS	0	0	GENERAL ELECTRIC CO. MAC PRODUCTS, INC.	487A616G4 487A4616G4
09-62-0133	KIT, CONTACT TIP, FOR TYPE GE 17KM48AE, AH, & 17KM60A1	12558	6561	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	41A288026G2 RK92
09-62-0272	CAMSHAFT, FOR CAM CONTROLLER OVERHAUL KIT	14	5	GENERAL ELECTRIC CO.	41R965746G7
09-62-1440	TIP, CONTACT, SILVER TUNGSTON, USED ON 17CM55SG5 CONTACTOR.	739	634	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	41A263565G2 R169
09-62-1725	KIT, CONTACT TIPS FOR 3/4" CONTACTS FS2,FS4, CONTAINS 1 EA. 41A257595G2	103	60	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	170X1263 RK1725
09-62-1726	KIT, CONTACT TIPS, FOR 3/4" CONTACTS M1,RP1, R9, R12, CONTAINS	530	143	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	170X1261 RK1726
09-62-1727	KIT, CONTACT TIPS FOR 1" CONTACTS M2, R8, R10, R11, R13, CONTAINS 1 EA.	533	193	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	170X1260 RK1727
09-62-1728	KIT, CONTACT TIPS FOR 17JM9D2A LINEBRAKER, CONTAINS 1 EA	1659	477	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	170X1259 RK1728
09-62-1729	KIT, CONTACT TIPS FOR REVERSER CONTACT (NEW STYLE) CONTAINS 1 EA	373	117	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	170X1264 RK1729
09-62-1730	KIT, CONTACT TIPS FOR 3/4" CONTACTS FS1, FS3, CONTAINS 1 EA 41A257595G2	1378	613	GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS	170X1262 RK1730
09-62-1731	KIT, CONTACT TIPS FOR 17JM7M422	6	6	GENERAL ELECTRIC CO.	170X1258

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	BRKR CONTAINS 1 EA 311V218P1			HOYT POWERMET PRODUCTS	RK1731
12-34-5001	KIT, CLEAT ASSEMBLY, USED WITH GE/WH DC TRACTION MOTOR. ALL RUBBER MATERIAL SHALL BE NEOPRENE, NON CONDUCTIVE (SLEEVE,	916	466	GENERAL ELECTRIC CO. HAFCO FOUNDRY & MACHINE CO NYCTA TRANSPORT PRODUCTS	41C633508G4 HF-5001 PALLET SPEC. TP441003
12-38-8001	BEARING, ROLLER, TAPERED, SINGLE ROW, TYPE TS, 7.3750" X 11.1250" X 2.0000" #2 TOLERANCE. NOTE: THE LOW BIDDER MUST QUOTE ON THE SAME MANUFACTURE FOR THE OUTER BEARING CUP (12-38-8030) FOR 10% OF THE BEARING QUANTITY BEING PROCURED	2382	1385	BOMBARDIER TRANSPORTATION FAG GENERAL ELECTRIC CO. NTN BEARING CORP. OF AMERICA SKF TIMKEN WESTINGHOUSE	4078B31G01 F-809376.TR1 8864953P28 87737/87111 87111(#2TOLERANCE)C UP,87737 CONE 87111 CUP, 87737 CONE 4078B31 G01
12-38-8010	BEARING, ROLLER, LOW SPEED, MOTOR SIZE, TAPERED, SINGLE ROW, TYPE TS,7.5000", 11.1250" X 2.000", #2 TOLERANCE, U/W GEAR UNITS TYPE WN 44 CGS R10 THRU R62A CARS. NOTE: THE LOW BIDDER MUST QUOTE ON THE SAME MANUFACTURE FOR THE OUTER	2556	1450	FAG GENERAL ELECTRIC CO. NTN BOWER CORPORATION NYCTA SKF TIMKEN	F-809377.TR1 8864953-P29 87750/87111 PALLET SPEC CONE #87750 #2 TOL. CUP #87111 CONE #87750 CUP #87111
12-38-8020	BEARING, ROLLER, NON-INSULATED CYLINDRICAL, RAILWAY TYPE, SINGLE ROW, SOLID ROLLERS, STRAIGHT INNER RACE, SEPARABLE, DOUBLE FLANGED	120	115	FAG GENERAL ELECTRIC CO. SKF	NU214-E-XL-M1-F1-C4 8864951-P73 NU214ECMC4VA301
12-38-8030	CUP, OUTER BEARING, ROLLER TAPERED, SINGLE ROW, TYPE TS,7.3750" X 11.1250" X 2.000" #2	0	0	NTN SKF TIMKEN	87111 87111 87111
12-42-2324	CONTACTOR, U/O TYPE B-6672 SAFETY 7KW CONVERTER, GE CF3Z34	0	0	GE SUPPLY STONE SAFETY SERVICE CORP.	IC28001607 CF3Z34 S11531-20

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
12-42-3158	ROLLER BEARING, DRIVE END, INSOCOAT INSULATED, (DARK GREY COLOR)/TRACTION MOTOR	1850	1400	SKF	NU214ECM/C4VA3091
12-42-3159	BALL BEARING, NON-DRIVE END, INSOCOAT INSULATED, (DARK GREY COLOR)/ TRACTION MOTOR	1830	1400	SKF	6214M/C4HVL0241
12-44-0009	COIL, COILS TO BE DOUBLE-DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR TRACTION MOTOR ON GE/WESTCODE	2	0	EVERSON ELECTRIC GENERAL ELECTRIC CO. SWIGER COIL	13420 41D731659-G3 12609
12-44-0011	COIL, COILS TO BE DOUBLE-DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR	2	0	EVERSON ELECTRIC GENERAL ELECTRIC CO.	13419 41D731659G4
12-44-2060	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .812" MAX. INSULATION DIA. 3/0 WIRE NOTE: APPLICABLE	0	0	AMP/TYCO ELECTRONICS CORP. NYCTA	52596-1 3032-MATL-83 253-1127 REV. E
12-44-2062	TERMINAL, QUICK DISCONNECT, CRIMP TYPE FOR .688" MAX INSULATION DIA., 2/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER	0	0	AMP/TYCO ELECTRONICS CORP. MAC PRODUCTS, INC. NYCTA	52595-2 QDT 2/0-2 3032-MATL-83 253-1127 REV. E
12-44-2084	TERMINAL, QUICK DISCONNECT, CRIMP TYPE FOR .850" MAX INSULATION DIA., 2/0 WIRE NOTE: APPLICABLE	0	0	AMP/TYCO ELECTRONICS CORP. NYCTA	53444-1 3032-MATL-83 253-1127 REV. E
12-44-2086	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .800" MAX INSULATION DIA., 1/0 WIRE NOTE: APPLICABLE			AMP/TYCO ELECTRONICS CORP. NYCTA	53443-1 3032-MATL-83 253-1127 REV. E
12-46-0061	BRUSHHOLDER ASSEMBLY, RIGHT HANDM FOR GE 1257 TRACTION MOTOR	9	9	CARBONE FULMER CO. GENERAL ELECTRIC CO. TRANSTECH OF S.C., INC.	CL-PE4299-1A GE440RUF 41B532735G5 12590A
12-46-0062	BRUSHHOLDER, ASSEMBLY, LEFT HAND FOR FOR GE'S 5GE1257 TRACTION MOTORS	5	6	CARBONE FULMER CO. GENERAL ELECTRIC CO. TRANSTECH OF S.C., INC.	CL-PE4299-1B GE440LUF 41B532735G6 12590B
12-46-0067	BRUSH, CARBON, FOR REACTION	34004	21363	GENERAL ELECTRIC CO.	41A237175P1

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	(CONSTANT PRESSURE) BRUSHHOLDER, FOR TYPE SGE1257A2 TRACTION MOTORS.			MERSEN USA BN CORP	GE-984 GRADE EG8220 GE-983 GRADE AC163
				NATIONAL ELECTRICAL CARBON NYCTA	DE7000/62000455 PALLET SPEC
12-46-8013	BEARING, BALL, WITHOUT LUBRICATION FOR GE 1257 A2 TRACTION	120	115	GENERAL ELECTRIC CO. NORMA FAG SKF	8864950P262 6312RSR-C3 6312RSJC3 OR 6312RSJEM
12-62-0075	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .715" MAX. INSULATION DIA. 3/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER	2980	850	AMP/TYCO ELECTRONICS CORP. MAC PRODUCTS, INC. NYCTA	52596-5 QDT 3/0-TA 3032-MATL-83 253-1127 REV. E
12-62-0076	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .640 MAX. INSULATION DIA. 2/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER	120	365	AMP/TYCO ELECTRONICS CORP. MAC PRODUCTS, INC. NYCTA	52595-3 QDT 2/0-TA 3032-MATL-83 REV. B 253-1127, REV. E
12-62-0077	TERMINAL, QUICK DISCONNECT, CRIMP TYPE, FOR .585" MAX. INSULATION DIA. 1/0 WIRE NOTE: APPLICABLE WIRE/CABLE SIZE AND MANUFACTURER LOGO MUST BE EMBOSSED OR ENGRAVED (INK/PAINT STAMPING IS	3547	3292	AMP/TYCO ELECTRONICS CORP. MAC PRODUCTS, INC. NYCTA WESTINGHOUSE	52594-2 QDT 1/0-TA 3032-MATL-83 253-1127 DET 8 REV. E 7077D80G05
12-62-0203	GEAR, F/PROPULSION & MAIN CONTROL EQUIP., R62 CARS	0	0	GENERAL ELECTRIC CO.	41C633947P2
12-62-2059	BEARING, 70 MM ROLLER, USED WITH PINION END BEARING ASSEMBLY	828	600	BOMBARDIER TRANSPORTATION EVERSON ELECTRIC FAG GENERAL ELECTRIC CO. MRC RHP SKF STEYR BEARING	1D48123H09 8888-131 NU314EM1.F1.T51F 8864951-P71 R314E-1 NU314MTC5A NU314ECMC4VA301 NU314EBM-C4SV1

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
12-62-2087	PAD, BONDED, COMPONENT PART OF WE RESILIENT HANGER ASSEMBLY #5575C77G01 1 PIECE PER 100 PIECES SHALL BE TESTED FOR BOND INTEGRITY	15203	12345	GLOBE CONNECT TRANSPORT PRODUCTS VULCANITE NORTH AMERICA WESTINGHOUSE	GCS1-18N6201 TP17763 VP 3623 4078B75G01
12-62-2432	HALF COUPLING ASSEMBLY, MOTOR UNIT, USED ON PROPULSION	0	0	BOMBARDIER TRANSPORTATION PPC	1D62817G03 1D62817G03
12-62-2457	COUPLING, HUB, FOR GEAR UNIT, FOR PROPULSION EQUIPMENT	73	68	BOMBARDIER TRANSPORTATION	1D63463H01
12-62-2601	BRUSH, CARBON SPLIT CONNECTION, F/WE. TRACTION MOTOR TYPE 1447J & 1447F, W/ RUBBER RESILIENT PAD	36744	26192	CARBON/GRAPHITE GROUP MERSEN USA BN CORP NATIONAL ELECTRICAL CARBON NYCTA WESTINGHOUSE	0385-024 E44 WE-530 GRADE EG8220 WE-529 GRADE AC163 01-24518 GRADE EG- 835 PALLET SPEC. 253-1064 REV. A 8621A86H01
12-62-2602	BRUSH HOLDER, L.H. F/TRACTION MOTOR TYPE 1447A, 1447C, 1447F & 1447J	6	34	DIAMOND CARBON CO EVERSON ELECTRIC FULMER CO. TRANSTECH OF S.C., INC. WESTINGHOUSE	220L 9724-03-001 W-220AL 14560B 1914F21G01
12-62-2603	BRUSH HOLDER, R.H. FOR TRACTION MOTOR TYPE 1447A, 1447C, 1447F & 1447J	3	35	DIAMOND CARBON CO. EVERSON ELECTRIC FULMER CO. TRANSTECH OF S.C., INC. WESTINGHOUSE	W22A1296G06 EQUAL W-220AR 14560A 1914F21G02
12-68-2007	COIL, MAINFIELD, (OPEN), COIL IS TO BE DOUBLE-DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR TRACTION MOTOR,	16	0	EVERSON ELECTRIC SWIGER COIL WESTINGHOUSE	19324 PTSW2525F68G02 2525F68G02
12-68-2008	COIL, MAINFIELD, (CROSSED), COIL IS TO BE DOUBLE-DIPPED V.P.I AND	15	0	EVERSON ELECTRIC SWIGER COIL	19325 PTSW2525F68G01

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	POTTED TO POLE PIECE, FOR TRACTION			WESTINGHOUSE	2525F68G01
12-68-2009	COIL, COMMUTATING, COIL IS TO BE DOUBLE DIPPED V.P.I. AND POTTED TO POLE PIECE, FOR TRACTION MOTOR, FOR PROPULSION EQUIPMENT. COIL MUST BE STAMPED WITH COMMODITY NUMBER 12-68-2009	30	0	WESTINGHOUSE	
					2525F69G01
12-68-2010	GEAR, SET, CONSISTING OF 1 EACH H.S. PINION WE #1651E73H01 AND 1 EACH LOW SPEED GEAR WE # 1913F01H03	17	0	NUTTALL GEAR CORP NYCTA WESTINGHOUSE	8622A36G01 PALLET SPEC 8622A36G01
12-68-2415	BEARING ASSEMBLY, ROLLER, TAPERED, SINGLE ROW TYPE TS, 2.75" X 6.00" X 1.625", NO. 2 TOLERANCE, KIT TO CONSIST OF CUP AND HEAVY DUTY TYPE CONE OF THE MANUFACTURER (CUP OF ONE MANUFACTURER AND CONE OF ANOTHER IS NOT ACCEPTABLE)	6833	3592	GENERAL ELECTRIC CO. NTN BEARING CORP. OF AMERICA RBC BEARINGS SKF TIMKEN WESTINGHOUSE	KK8864953 P130 655PW4VW2/652VW1 655VG080/652 655/652/VG080 CUP652,CONEXC2409C B 5584B11G01
12-68-2605	BRUSH, GROUND, 1-1/4" X 1-1/4" X 2- 1/4", 4-1/4" PIGTAIL LENGTH, FOR WE AND GE AXLE UNITS. BRUSH WAS	2499	1511	MERSEN USA BN CORP MORGAN AM & T	GE-288 GRADE#MC79P 61050169
13-05-0001	BATTERY, LEAD ACID, LOCOMOTIVE STARTING, 16 CELL, 32 VOLT, 330 AH CAPACITY AT THE EIGHT HOUR RATE AT 77 DEGREE F/25 DEGREE C TO 1.70 VPC WITH A SPECIFIC GRAVITY OF 1.240 TO 1.2600 +/-0.005. COPPER CORE INTER- CELL	7	3	NATIONAL	4-LMS325
13-05-0024	BATTERY, NICKEL CADMIUM, 200 AMPERE HOURS, H PLATE WITH UDEL POLYSULFONE P1700 PLASTIC CELL CASE MATERIAL. THIS IS THE	10	42	HBL POWER SYSTEMS NYCTA SAFT AMERICA INC.	69-26771 2106-PROD-15 REV. B SMRX200F3

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
13-05-2100	CELL, BATTERY STORAGE, NICKEL CADMIUM, 80 AMPERE HOUR, WITH			SAFT AMERICA INC.	80-52033-83 80-50233-83
13-05-2720	BATTERY, STORAGE, NICKEL CADMIUM, 140 AMPERE HOURS, STAINLESS STEEL CASE, ASSEMBLED AS A CAR SET OF 25 CELLS IN A 5 X 5 CONFIGURATION.	0	0	HOPPECKE	**** PART NO. NOT AVAILABLE ****
				MARATHON	**** PART NO. NOT AVAILABLE ****
				MARATHON STANDBY	TA11C18
				MC GRAW EDISON	**** PART NO. NOT AVAILABLE ****
				NYCTA	2106-PROD-15 1X7049 1X7048 (MAX. ENVELOPE)
				SAB NIFE	**** PART NO. NOT AVAILABLE ****
				SAFT BATT	**** PART NO. NOT AVAILABLE ****
13-05-2755	BATTERY, STORAGE, NICKEL CADMIUM, 100 AMPERE HOURS, FLAME RETARDANT PLASTIC CASE, ASSEMBLED AS A CAR SET OF 25 CELLSIN A 5 X 5	140	6	HBL POWER SYSTEMS NYCTA	69-32057 2016-PROD-15 REV. B SRM100-25
13-05-2798	BATTERY, STORAGE, NICKEL CADMIUM, 100 AMPERE HOURS, FLAME RETARDANT PLASTIC CASE, ASSEMBLED AS A CAR SET OF 25 CELLSIN A 9-8-8	0	0	HOPPECKE	205 MFR-25-01
				NYCTA	2106-PROD-15
				SAFT AMERICA INC.	**** PART NO. NOT AVAILABLE ****
13-05-3700	BATTERY, STORAGE, NICKEL CADMIUM, 100 AMPERE HOURS STAINLESS STEEL CASE, ASSEMBLED AS A CAR SET OF 25 CELLS IN A 9-8-8 CONFIGURATION			HOPPECKE	**** PART NO. NOT AVAILABLE ****
				NYCTA	8024-GENL-81 8024-GENL-01
					2071-PROD-91 REV. C
				SAFT AMERICA INC.	EDN100S
13-05-6000	BATTERY, COMPLETE SET, SRX 195 X 25	0	0	NYCTA	2106-PROD-15

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	CELLS IN CRATES			SAFT AMERICA INC.	212811
13-05-6589	BATTERY, ONE CELL OF SRX250 STAINLESS STEEL BATTERY. FOR RAILCARS NICKEL CADMIUM ALKALINE BATTERY WITH POTASSIUM HYDROXIDE ELECTROLYTE.	0	0	SAFT AMERICA INC.	214599
13-05-6602	BATTERY, SRX 195 X 1 CELL			SAFT AMERICA INC.	213166
13-05-7349	BATTERY, SRX 195 X 5 CELLS IN CRATE WITH INTERCELL CONNECTORS	0	0	SAFT AMERICA INC.	213154
13-32-0000	BEARING TUBE, "T" TYPE, R32 SIDE DOOR PANELS	0	0	HAFCO FOUNDRY & MACHINE CO	H-015-325
13-32-1780	DROP PANEL ASSEMBLY, SLIDING TOP HALF #2 CAB, COMPLETE WITH SPECIAL FIBER COATED "U" CHANNEL WEATHERSTRIP, BOTTOM BUMPERS, RELEASE LATCHES AND HANDLE	0	0	ELLCON NATIONAL, INC.	60222
13-32-4741	HANGER, R32, USED ON SIDE DOOR PANELS 1-2 AND 9-10. MOUNTING CHANNEL REQUIRED	0	0	HAFCO FOUNDRY & MACHINE CO	100101-129100
13-32-4742	HANGER, R32, USED ON SIDE DOOR PANELS 3-4 AND 11-12. MOUNTING CHANNEL REQUIRED	0	0	HAFCO FOUNDRY & MACHINE CO	100101-341112
13-32-4743	HANGER, R32, USED ON SIDE DOOR PANELS 5-6 AND 13-14. MOUNTING CHANNEL REQUIRED	0	0	HAFCO FOUNDRY & MACHINE CO	100101-561314
13-32-4744	HANGER, R32, USED ON SIDE DOOR PANELS 7-8 AND 15-16. MOUNTING CHANNEL REQUIRED	0	0	HAFCO FOUNDRY & MACHINE CO	100101-781516

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
13-32-4745	HANGER, END DOOR, R32, R38, R40. R32-#1 AND #2 ENDS, R38-#1 AND #2 ENDS, R40-#1 END ONLY. USES A 25" BEARING HOUSING AND 60.5" SHAFT	0	0	HAFCO FOUNDRY & MACHINE CO	200201-25-3832
13-38-3767	CELL, SRM100R3, TRAY ASSEMBLY, 5SRM100F3. USED ON BATTERY, STORAGE, NICKEL CADMIUM, 100 A/H, CAR SET OF 25 CELL IN A 5 X 5 CONFIGURATION	0	0	SAFT AMERICA INC.	800283001
13-40-9050	HANGER BAR, END DOOR, R40, #2 END ONLY INCLUDES ONE 60.5" SHAFT AND ONE 22" BEARING HOUSING FOR #2 END, SEE 13-32-4745 FOR #1 END	0	0	HAFCO FOUNDRY & MACHINE CO	200201-22-2
13-40-9051	HANGER BAR, SIDE DOOR, 19 INCH, USED WITH DOOR CARRIER ASSEMBLY, INCLUDES MOUNTING CHANNEL. ALSO INCLUDES 50" SHAFTS (2) AND 19" BEARING HOUSINGS (2) FOR TWO DOOR PANELS	0	0	HAFCO FOUNDRY & MACHINE CO	100101-19-R40
13-42-5769	LATCH, SEAT, R/H USED FOR LOCKING SEATS FOR SECURITY. LATCH LOCKING	0	0	JL HOWARD TRANSPORT PRODUCTS	2588-D-RH TP392312
13-42-6169	FLOORING, TILE, ONE METER SQUARE, BLACK BASE COLOR WITH RED, GREY AND LILAC SPECKLES, SMOOTH FINISH	57	13	NORA SYSTEMS INC	67572
13-42-6603	CABLE, BATTERY, INTER TRAY USED ON SRX195	0	0	SAFT AMERICA INC.	80-03403-01-A

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
13-42-9050	HANGER, SIDE DOOR, R42, INCLUDES 48.5" SHAFTS (2) AND 19" BEARING HOUSINGS FOR 2 DOOR PANELS. INCLUDES MOUNTING CHANNEL.	0	0	HAFCO FOUNDRY & MACHINE CO	100101-19-42
13-42-9051	BAR, HANGAR, SIDE DOOR, 19", USED WITH DOOR CARRIER ASSEMBLY, FOR CORNER SIDE DOOR ON R42 TA CARS ONLY	0	0	HAFCO FOUNDRY & MACHINE CO	1000101-19M-R42
13-43-0199	GASKET, VENT CAP	0	0	SAFT AMERICA INC.	31-03071-02
13-43-0201	FLOORING, TILE, ONE METER SQUARE, BLACK BASE COLOR WITH BLUE, TAN AND GREY SPECKLES, SMOOTH FINISH	51	84	NORA SYSTEMS INC	65872
13-43-0724	COVER, ATO START SWITCH, U/O TRAIN OPERATOR CONSOLE	0	0	HORNE PRODUCTS	HP-377
13-44-9262	HANGER, SIDE DOOR (CONSIST OF 2 DOOR HANGER)	1	0	HAFCO FOUNDRY & MACHINE CO	100101-19C-44
13-46-5525	COMPOSITE SUB FLOOR COMPLETE SET, "A" CAR	0	0	BAULTAR FLOORING SOLUTIONS HAYSITE MILWAUKEE COMPOSITES INC ZOPPAS	CK-30-7248 M360624A 101006PD-NYC 626365
13-46-5526	COMPOSITE SUB FLOOR COMPLETE SET, "B" CAR	0	0	BAULTAR FLOORING SOLUTIONS HAYSITE MILWAUKEE COMPOSITES INC ZOPPAS	CK-30-7249 M360624B 101007PD-NYC 626366
13-46-9250	HANGER BAR, SIDE DOOR, 18", USED WITH DOOR CARRIER ASSEMBLY			HAFCO FOUNDRY & MACHINE CO	100101-18"
13-46-9262	MOUNTING CHANNEL, WITH STUD 2- 1/4" (X 1/2") WELDED-NO PRE-LOAD REQUIRED	0	0	HAFCO FOUNDRY & MACHINE CO	H-015-46C
13-46-9263	MOUNTING BLOCK	0	0	HAFCO FOUNDRY & MACHINE CO	H-015-46B

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
13-46-9288	SOLENOID, 36VDC-CD	10	3	MAGNET SHULTZ	S-10168
13-46-9630	END DOOR KIT, U/W R46 ONLY; INCLUDES SHORT HOOK, TOP PLATE FOR HOOK, PIVOT BAR, PIVOT PIN, SCREW FOR PIVOT PIN	14	3	HORNE PRODUCTS	HP-293
13-46-9660	HANGER, SIDE DOOR, ASSEMBLY	3	3	HAFCO FOUNDRY & MACHINE CO NYCTA	100101-18-46H G46-43012 REV. A
13-60-7423	BATTERY, H PLATE, 260 AMPERE HOUR NICKEL CADMIUM WITH POLYSULFONE PLASTIC CELL CASE MATERIAL. THIS IS THE REPLACEMENT BATTERY SET FOR THE 250 AMPERE HOURS STEEL	166	88	HBL POWER SYSTEMS NYCTA SAFT AMERICA INC.	69-26774 2106-PROD-15 REV. B SMRX260AH-80-94969- 01
13-62-5550	BALLAST, INVERTER, 37.5 VDC, REVERSE POLARITY PROTECTED, LAMP CURRENT 250 MA, LINE CURRENT FOR TWO F48T12 TUBES 1.80A OR 2.30A FOR	607	241	AMTEK GULTON NYCTA PAN-ACC	FL37-110PSL-1 0101921-043 253-4019 INM37.5-2X60NYC
13-62-6169	KIT, WINDOW INSTALLATION, VANDAL- PROOF, COMPLETE WITH FRAME, GLASS AND HARDWARE, FOR END DOOR (STORM).	0	0	DYNAMIC METALS LLC ELLCON NATIONAL, INC. NYCTA	R01A40019 EBD13080 2056-PROD-89 (REF. ONLY)
13-62-6278	BLOCK, MOUNTING, 1/2" STUD, SIDE DOOR. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS	0	0	HAFCO FOUNDRY & MACHINE CO	H-004-1-50
13-62-6286	STUD, INBOARD, 9/16 X 18 X 3-1/8" LG, PLAIN, U/O SIDE DOOR ASSEMBLY	0	0	HAFCO FOUNDRY & MACHINE CO	H-021-4
13-62-6287	STUD, OUTBOARD, 9/16"- 18 X 2-3/4" LG, PLAIN, U/O SIDE DOOR ASSEMBLY	0	0	HAFCO FOUNDRY & MACHINE CO	H-021-5
13-62-9050	HANGER, SIDE DOOR, R62/R62A INCLUDES 51"SHAFTS (2) AND 19"	5	1	HAFCO FOUNDRY & MACHINE CO NYCTA	100101-19-62A R62-1412 REV. A
13-62-9051	HANGER, END DOOR ASSEMBLY,	4	12	HAFCO FOUNDRY & MACHINE CO	200201-25X

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	COAXIAL, 47" LONG X 1-1/4"			NYCTA	R62-1412 REV. A
13-62-9054	KEEPER, USED WITH SIDE DOOR, R62(A)	5	0	ACCURATE PRODUCTS	051118
				HAFCO FOUNDRY & MACHINE CO	HDK6268
				TRANSPORT PRODUCTS	TP252816
13-62-9077	STUD, 9/16", SIDE DOOR, STEEL, GR. B7. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS	0	0	HAFCO FOUNDRY & MACHINE CO	H-018-4
13-62-9085	WASHER, 9/16" I.D., FLAT, STEEL. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS.	0	0	HAFCO FOUNDRY & MACHINE CO	H-020-2
13-62-9086	BLOCK, MOUNTING, 9/16" STUD, SIDE DOOR. USED FOR PRELOADING SIDE DOOR HANGER MOUNTING STUDS	0	0	HAFCO FOUNDRY & MACHINE CO	H-004-1
13-68-0720	KEEPER, ELECTRICAL UPPER, U/W END DOOR EQUIPMENT.	0	0	JL HOWARD	1508-C4
13-68-0777	BATTERY, STORAGE, NICKEL-CADMIUM, 100 AMP-HOUR, STAINLESS STEEL CASE, ASSEMBLED AS A CARSET OF 25 CELLS IN A 5 X 5 CONFIGURATION.	0	0	HOPPECKE NYCTA SAFT AMERICA INC.	FNC 205L (S) 2106-PROD-15 **** PART NO. NOT AVAILABLE ****
13-68-1000	BATTERY, STORAGE, NICKEL CADMIUM, 140 AMPERE HOURS, FLAME RETARDANT PLASTIC CASE, ASSEMBLED	4	0	NYCTA SAFT AMERICA INC.	2106-PROD-15 REV. B SRM140-25
13-68-1026	HANGER, END DOOR, BLOCK TYPE, BAR LENGTH - 60.5", STUD LENGTH-1.5" TUBE LENGTH-24", STUD CENTER TO STUD CENTER LENGTH-57.375"	0	0	HAFCO FOUNDRY & MACHINE CO	200201-2700-68H
13-68-1031	BLOCKS END DOOR U/W END DOOR HANGERS, INCLUDES HARDWARE	3	3	HAFCO FOUNDRY & MACHINE CO	HF-100101-ED
13-68-1032	BLOCKS SIDE DOOR U/W SIDE DOOR HANGERS, INCLUDES HARDWARE	0	3	HAFCO FOUNDRY & MACHINE CO	HF-100101-5D

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
13-68-1034	BEARING, HANGER, (SINGLE SEAL BEARING INTERCHANGABLE WITH EITHER SIDE OF BEARING TUBE ASSEMBLY) USED ON R68 SIDE DOOR	4033	2375	HAFCO FOUNDRY & MACHINE CO	HF-TW16
13-68-1035	TUBE, T	0	0	HAFCO FOUNDRY & MACHINE CO	H-800-1
13-68-1036	TUBE, HEX	0	0	HAFCO FOUNDRY & MACHINE CO	H-800-2
13-68-1039	HAFCO SIDE DOOR HANGER BEARING RETAINER CLIP	3961	1672	HAFCO FOUNDRY & MACHINE CO	H-022-2
13-68-1048	SHAFT, HANGER, WITH HARD CHROME PLATING	0	0	HAFCO FOUNDRY & MACHINE CO	100101-SWF68SD53
13-68-9050	HANGER, END DOOR ASSEMBLY, COAXIAL, 47" LONG X 1-1/4" DIAMETER, SEALED BEARING UNIT, 2 ADJUSTABLE MOUNTS, MAINTENANCE FREE, 25" "T" INCLUDES ONE 64" SHAFT AND ONE 25" BEARING HOUSING	0	0	HAFCO FOUNDRY & MACHINE CO	200201-25
13-68-9051	HANGER, SIDE DOOR, R38. INCLUDES 46" SHAFTS (2) AND 17" BEARING HOUSINGS (2) FOR TWO DOOR OPENINGS	0	0	HAFCO FOUNDRY & MACHINE CO	100101-17-38
13-68-9054	HANGER, END DOOR ASSEMBLY, COAXIAL, 47" LONG X 1-1/4" DIAMETER, SEALED BEARING UNIT, 2 ADJUSTABLE MOUNTS, MAINTENANCE FREE, 24" "T"			HAFCO FOUNDRY & MACHINE CO	200201-24

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
13-68-9060	HANGER, SIDE DOOR, 106 INCHES LONG, 2 PIECES, ONE LEFT AND ONE RIGHT, HEX TYPE TRACK, USED ON R68 CARS 2811, 2830, 2836, 2847, 2854, 2856-2863, 2865-2924 AND ALL R68A CARS. USE 13-68-9061 FOR ALL OTHER R68 CARS.	4	2	HAFCO FOUNDRY & MACHINE CO	100101-68-HEX
13-68-9061	HANGER, SIDE DOOR, 106 INCHES LONG, 2 PIECES ONE LEFT AND ONE RIGHT, "T" TYPE TRACK, USE ON R68 CARS 2500-2810, 2812-2829, 2831- 2835, 2837-2846, 2848-2853, 2855, 2857-2859, 2864. USE 13-68-9060 FOR ALL OTHER R68 CARS.	2	0	HAFCO FOUNDRY & MACHINE CO	100101-68-T
13-68-9062	HANGER, END DOOR R68A INCLUDES ONE 60.5" SHAFT AND ONE 26" HOUSING WITH EXTENDED HEX CONNECTOR	0	0	HAFCO FOUNDRY & MACHINE CO	200201-26
13-68-9063	HANGER, END DOOR, T TYPE INCLUDES ONE 60.5" LENGTH SHAFT AND ONE 24" LENGTH TUBE, LENGTH OF "T" (END TO END); 27.25"	3	0	HAFCO FOUNDRY & MACHINE CO	200201-2725-68
14-42-6305	CAPACITOR, HIGH VOLTAGE, FILTER, 5600UF, 450V(C1 TO C6)	0	0	EPCOS	B43456-S5568-M004
15-02-1076	SHOCK, LATERAL, 2" BORE, FOR CAR CLASS R10-42, MUST BE PAINTED BLACK	0	2	MONROE AUTO EQUIP.	80501
15-02-5320	AXLE, USED WITH TRUCK DRIVE ASSEMBLY ON G.E. 20-50 TON DIESEL LOCOS. NOTE: MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN	0	0	GENERAL ELECTRIC CO. NYCTA ORX RAILWAY CORPORATION PENN MACHINE CO.	41C603348P2 704-3034 AXLE-21-9010 527076

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN			SUMITOMO	SEE NYCTA DRAWING
15-33-0560	ADAPTER, JOURNAL BEARING, TRUCK SET 4 ADAPTERS PER SET, CONSISTING OF: 2 OF 15-33-0517 RH; 1 OF 15-33-0519 LH; 1 OF 15-33-0521 LH WITH TRIPCOCK BRACKET ON RH SIDE. ALL ADAPTERS PER NYCTA DWG. R-33-1244, REV. A, LINES 6, 5, & 4,	0	0	NIPPON SHARYO	T1236B12297, 298, 396 R-33-1245 REV. C. R-33-1244 REV. D
				TIMKEN	R-33-1239, 1243 REV. A. 2047-PROD-86 REV. B SET919
15-42-0019	EQUALIZER, FORGED, SINGLE SLOT FOOT, FOR R10-42 CAR TRUCKS, NOTE: AISI MATERIAL 4340 MAY BE	5	0	CANTON FORGE	6555, PT. #222-G 222-G
				NYCTA	R42-1231
15-42-0054	WAUGHMAT SPRING, RUBBER, DUROMETER 45-50SHORE A, USED WITH SIDE BEARING. NOTE: PART NUMBER AND MANUFACTURER'S	2939	2333	DEL FORD INDUSTRIES, INC.	6-1401
				NYCTA	R36-1057
				VULCANITE PTY	VP4523-S00
				WABTEC PASSENGER	0D06561
15-42-0055	COVER ASSEMBLY, SIDE FRICTION BEARING, WITH NON-ASBESTOS LINER, USE FORGED OR CAST STEEL. FRICTION LINERS SHALL BE ADHERED TO PLATE	1357	1002	HAFCO FOUNDRY & MACHINE CO	HF-421
				NYCTA	R42-8016 PALLET SPEC.
				TWINCO MANUFACTURING CO.	069-1818-1-0
15-42-0086	SHOCK, VERTICAL, CAR CLASS R10-42, MUST BE PAINTED BLACK	0	4	MONROE	OE80077
15-42-0201	AXLE, TRUCK, MOTOR, ROUGH TURNED, QUENCHED & TEMPERED ALLOY STEEL, LATEST SPEC. NYCTA 1004-C, FOR R10-42 TRUCKS., AXLES TO BE NUMBERED.			NYCTA	704-3001
15-42-3027	SHOCK ABSORBERS, VERTICAL	1309	520	BOMBARDIER	043-51020016S
				TENNECO, INC.	OE17403
				ZF SACHS AUTOMOTIVE OF AMERICA	40 1300 020153
15-42-3028	SHOCK ABSORBERS, LATERAL	1104	485	TENNECO, INC.	OE17404

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
				ZF SACHS AUTOMOTIVE OF AMERICA	40 1300 020154
15-42-3154	LATERAL SHOCK ABSORBER	196	96	KAWASAKI HEAVY INDUSTRIES	2DD-50042
				SACHS AUTOMOTIVE OF AMERICA	401300000920
15-42-3198	BUSHING W/VULCANIZED RUBBER	1075	590	TRELLEBORG INDUST.	13/2666-01
				VULCANITE NORTH AMERICA	VP3688-S00
15-42-3368	BEARING, ROLLER 65 MM	900	80	SKF	NU213ECM/C4
15-42-3369	BEARING, BALL 45 MM	900	80	SKF	6309/C3
15-42-3791	HDL SEAL SLEEVE. NOTE: ITEM MUST BE PACKAGED TO PREVENT DAMAGE, EACH PIECE MUST BE EITHER BOXED OR BUBBLE WRAPPED	4404	3510	TIMKEN	
					K158395
15-42-4163	JOURNAL BEARING WITH CONTACT SEAL. FOR JOURNAL BEARING WITH HDL SEAL (TIMKEN), USE 15-43-0024	2112	1308	SKF	
					1637549 E-01
15-42-4174	KIT, CLEAT ASSEMBLY, USED WITH R142/R143 AC TRACTION MOTOR. ALL	1063	13	HAFCO FOUNDRY & MACHINE CO TRANSPORT PRODUCTS	HF-4174 TP441100
15-42-4295	KIT, INSTALLATION, SPEED SENSOR TRUCK # 2 INCLUDES: QTY 10 TY-RAP QTY 4 SCREWS, HEX SKT CNTSK HEAD, QTY 1 WIRING JUMPER CABLE, TRUCK # 2 PART # GEL2473Y136 QTY 1 SPEED SENSOR DUAL CHANNEL, PART #	4	0	ALSTOM TRANSPORTATION INC. LENORD, BAUER CO. GMBH NYCTA	DTR0000256734 10-05-1422 R142-2362 PART 3 OF 4 REV.A R142-2336 PART 3 OF 4 REV.A
15-42-4296	KIT, INSTALLATION, SPEED SENSOR TRUCK # 1 INCLUDES: QTY 10 TY-RAP QTY 4 SCREWS, HEX SKT CNTSK HEAD, QTY 1 WIRING JUMPER CABLE, TRUCK # 1 PART # GEL2473Y136 QTY 1 SPEED SENSOR DUAL CHANNEL, PART #	2	0	ALSTOM TRANSPORTATION INC. LENORD, BAUER CO. GMBH NYCTA	DTR0000256733 10-05-1421 R142-2362 PART 3 OF 4 REV.A R142-2336 PART 3 OF 4 REV.A
15-42-4331	SPEED SENSOR, SINGLE CHANNEL, MOTORIZED, ON ALSTOM PROPULSION	18	8	LENORD, BAUER CO. GMBH SMITH SYSTEMS, INC	GEL2473Y136 Z262803
15-42-4332	SPEED SENSOR, DUAL CHANNEL, MOTORIZED, ON ALSTOM	37	12	LENORD, BAUER CO. GMBH SMITH SYSTEMS, INC	GEL2473Y135 Z262804

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
15-43-0024	JOURNAL BEARING WITH HDL SEAL. FOR JOURNAL BEARING WITH CONTACT SEAL (SKF), USE 15-42-4163. MATERIAL	1129	341	ASSOC. OF AMERICAN RAILROAD TIMKEN	M-1003 HM12744090399 HM127440 90399
15-43-0529	SHOE, CONTACT, TOP OF THE SHOES TO BE PAINTED WITH ALKYD, ENAMEL YELLOW GLOSS PAINT (MERCURY PAINT) PART # IMC M122 TARGET	15462	10689	AFFINITY RESOURCES CO HAFCO FOUNDRY & MACHINE CO NYCTA WABCO	ARCI 0503-4329 H-4243 EA 20-06 REV. A 0695907A
15-44-0036	BAR, EQUALIZER, DOUBLE SLOT FOOT, FORGED, 1" APART NOTCHES. ANSI MATERIAL 4340 MAY BE SUBSTITUTED FOR ANSI 9840 MATERIAL	0	0	NYCTA	G44-25028
15-44-0200	AXLE, MOTOR, STANDARD TRUCKS, 5 X 9, JOURNAL, ON EACH CRATE VENDOR SHOULD LIST WITH LETTERS/NUMBERS THAT ARE AT LEAST 2 INCHES HIGH: N.Y.C. TRANSIT STOCK NUMBER; N.Y.C. TRANSIT PURCHASE ORDER NUMBER;	0	7	ASSOC. OF AMERICAN RAILROAD KAWASAKI HEAVY INDUSTRIES NYCTA ORX RAILWAY CORPORATION STANDARD STEEL SUMITOMO	M-1003 JIKU7719 704-3001- REV J 2092-PROD-97 REV. C 03797-33-200 **** PART NO. NOT AVAILABLE **** JIKU7720 REV. N JIKU7719 REV. N MARK #1
15-44-0710	BEAM, CONTACT SHOE, LAMINATED MAPLE OR BIRCH, FOR IND-BMT TRUCKS	134	148	KRONEBERG FOREST PRODUCTS NYCTA TG BAYER	****PART NO NOT AVAILABLE**** 704-5009-H DET # 1 3009-MATL-78 REV. I **** PART NO. NOT AVAILABLE ****
15-44-0711	CUSHION, RUBBER, USED ON CONTACT SHOE BEAM. NOTE: THE SUPPLIER SHALL SUBMIT A CERTIFIED TEST	4075	2517	GLOBE CONNECT NYCTA YOKOHAMA INDUSTRIES AMERICAS	N2044133 703-4001 REV. G 32108-2
15-44-0725	FUSE, RIBBON, WITHOUT CONTACT	1215	939	EDSAL MACHINE PRODUCTS INC.	EMP-15-44-0725

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	SHOE BEAM FUSE BOX, 600 VOLT 450 AMP.			HORNE	17019-1
				NYCTA	703-5004 D
				POWERTECH CONTROLS CO INC	PTC-ASK-FR-450
15-44-0727	FUSE, RIBBON, 600 AMPS, 600 VOLTS, 1-3/8" X 12' LONG USED WITH CONTACT SHOE. FUSE RATING AND MANUFACTURER'S PART NUMBER	238	148	EDSAL MACHINE PRODUCTS INC.	EMP-15-44-0727
				HORNE	17019-3
				NYCTA	703-5004 REV. D
				POWERTECH CONTROLS CO INC	PTC-ASK-FR-600
15-44-0742	PAD, WEAR, FORGED, CONTACT SHOE, SHORT, TOP OF THE SHOES NEED TO BE PAINTED WITH ALKYD, ENAMEL YELLOW GLOSS PAINT (MERCURY	6860	4154	HAFCO FOUNDRY & MACHINE CO	HF-0742
				NYCTA	R68A-2634
					PALLET SPEC.
					(EA 20-06 REV. A)
15-44-0744	FULCRUM ASSEMBLY, FOR CONTACT SHOE IND-BMT CARS.	55	270	CANTON FORGE	****PART NO. NOT AVAILABLE ****
				HAFCO FOUNDRY & MACHINE CO	15-44-0744
				NYCTA	R32-1290
					705-5004 REV F
					702-5023 REV A
15-44-6000	BOX, JOURNAL, IND-BMT, CAR SET CONSISTING OF: TWO(2) LEFT HAND WITH TRIPCOCK BRACKET: DWG. #4X7030 REV. A, TWO(2) LEFT HAND WITHOUT TRIPCOCK BRACKET: DWG. #4X7029, REV. A, & FOUR(4)RIGHT HAND WITHOUT TRIPCOCK BRACKET:	0	0	NIPPON MANUFACTURER BEARING	**** PART NO. NOT AVAILABLE ****
				NYCTA	4X-7031 REV. C
					4X-7030 REV. C
					4X-7029 REV. C
					2047-PROD-86 REV. B
				TIMKEN	SET918
15-44-6010	SHOCK ABSORBER, VERTICAL, DAMPING "50-50", SACHS SHOCK ABSORBER	836	717	TENNECO, INC.	0E15085
				ZF SACHS AUTOMOTIVE OF AMERICA	40 1300 020 477
15-44-6011	SHOCK ABSORBER, LATERAL DAMPING "50-50", SACHS SHOCK ABSORBER	654	522	TENNECO, INC.	0E15084
				ZF SACHS AUTOMOTIVE OF AMERICA	40 1300 020 475
15-46-0465	BAR, EQUALIZER, FORGED, DOUBLE SLOT FOOT, 2" APART NOTCHES ANSI	0	0	CANTON FORGE	L-1713
				NYCTA	G46-31000
15-46-0510	RING, BACKING, FOR TIMKEN AXLE JOURNAL BEARING HM127440-90165	34	21	ASSOC. OF AMERICAN RAILROAD	M-1003
				TIMKEN ROLLER BRG.	K125691

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
15-46-0529	CAP, AXLE END, FOR TIMKEN AXLE JOURNAL BEARING #HM127440-90165	0	0	ASSOC. OF AMERICAN RAILROAD TIMKEN ROLLER BRG.	M-1003 K125690
15-46-4515	BOX, FUSE ASSEMBLY WITHOUT FUSE, BLACK MOLDED PHENOLIC WITH RED ACID RESISTANT LINER AND HARDWARE. FOR 450AMP FUSE COMMODITY NUMBER-15-44-0725. FOR 600AMP FUSE USE COMMODITY NUMBER-15-44-0727	608	0	HORNE	17025
15-60-0525	LATERAL SHOCK ABSORBER ASSEMBLY	724	314	KAWASAKI HEAVY INDUSTRIES KONI SACHS AUTOMOTIVE OF AMERICA	20113-03504 97H 2598 401300000212
15-62-0415	SHOE, CONTACT, MODIFIED FOR SNOW, IRT	112	219	HAFCO FOUNDRY & MACHINE CO NYCTA	H-3586M R29-1217-A 703-5011
15-68-0253	ADAPTER, JOURNAL BOX, RIGHT HAND FOR A P BEARINGS WITHOUT TRIP COCK BRACKET, USED ON WHEELS 4 AND 5, IND AND BMT CARS	0	0	FMC CORP. NIPPON SHARYO NYCTA	4X-7029 SEE NYCTA DRAWING 4X-7029 REV. C 2047-PROD-86 REV. B
15-68-0254	ASSEMBLY, CONE, ROLLER & CAGE, U/O AXLE JOURNAL BEARING ASSEMBLY #	0	0	ASSOC. OF AMERICAN RAILROAD TIMKEN	M-1003 HM127440
15-68-0267	WHEEL, LIGHT WEIGHT, RING DAMPED, 34" DIAMETER, 7-1/16" BORE, WROUGHT STEEL. DESIGN OF CURVED PLATE (CORRUGATED PLATE OR OTHER PLATE DESIGN)MUST BE APPROVED BY NYCT PRIOR TO ALL PURCHASES. MAXIMUM WEIGHT OF	8272	4416	ASSOC. OF AMERICAN RAILROAD BONATRANS GROUP MWL BRASIL RODAL & EIXOS LTDA NIPPON STEEL & SUMITOMO METAL NYCTA STANDARD STEEL	M-1003 455.8.902.000.07 EP-1833 REV. N KURUMA 6116V KUR12379B MARK 01 704-3035 REV. L 6010-PRCS-89 REV. C 2091-PROD-97 REV. F 26409 REV. 4

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
				SUMITOMO	KUSHI 60006C
15-68-0269	WHEEL, LIGHT WEIGHT, RING DAMPED, 34 INCH DIAMETER, 6-3/4" BORE, WROUGHT STEEL. DESIGN OF CURVED PLATE (CORRUGATED PLATE OR OTHER PLATE DESIGN) MUST BE APPROVED BY NYCT PRIOR TO ALL PURCHASES. MAXIMUM WEIGHT OF	44	16	ASSOC. OF AMERICAN RAILROAD BONATRANS GROUP MWL BRASIL RODAL & EIXOS LTDA NYCTA STANDARD STEEL SUMITOMO	M-1003 455.8.902.000.07 EP-1833 REV. N 704-3035 REV. L 6010-PRCS-89 REV. C 2091-PROD-97 REV. F 26409 REV. 4 KUSHI 60006C KURUMA 6116Q KURUMA 5500J MARK 6
15-68-0415	SHOE, CONTACT, MODIFIED FOR SNOW, IND AND BMT CARS	249	767	HAFCO FOUNDRY & MACHINE CO NYCTA	H-387M R33-1356A 703-5011
15-68-0600	WHEEL, RING DAMPED, 34" DIA., 7- 1/16" BORE, SOLID WROUGHT STEEL, HEAT TREATED CLASS "A", INCORPORATES RING DAMPING FEATURE AND CURVE PLATE SHOWN ON DRAWING AND SPECIFICATION. DESIGN OF CURVED PLATE SHAPE MUST BE APPROVED BY NYCT	0	0	ASSOC. OF AMERICAN RAILROAD MWL BRASIL RODAL & EIXOS LTDA NYCTA STANDARD STEEL SUMITOMO	M-1003 EP-1400 REV. M 704-3035 REV. L 6010-PRCS-89 REV. C 2091-PROD-97 REV. F WRT34AR7063-001 KURUMA 60009 REV. Q
15-68-0601	WHEEL, RING DAMPED, 34" DIA., 6-3/4" BORE, SOLID WROUGHT STEEL, HEAT TREATED, CLASS "A", INCORPORATES RING DAMPING FEATURE AND CURVE PLATE SHOWN ON DRAWING AND SPECIFICATION. DESIGN OF CURVED PLATE SHAPE MUST BE APPROVED BY NYCT	0	0	ASSOC. OF AMERICAN RAILROAD MWL BRASIL RODAL & EIXOS LTDA NYCTA STANDARD STEEL SUMITOMO	M-1003 EP-1400 REV. M 704-3035 REV. L 6010-PRCS-89 REV. C 2091-PROD-97 REV. F WRT34AR6750-001 **** PART NO. NOT AVAILABLE ****
16-46-2055	CENTERING LINK ASSEMBLY	1	0	HAFCO FOUNDRY & MACHINE CO	HF-4113

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
16-81-1460	BEAM, CONTACT SHOE, LAMINATED BIRCH OR MAPLE AS PER LATEST SPEC., FOR THIRD RAIL, IRT TRUCKS	620	455	KRONEBERG FOREST PRODUCTS NYCTA TG BAYER	**** PART NO. NOT AVAILABLE **** 704-5009-H DET #2 3009-MATL-78 REV. I **** PART NO. NOT AVAILABLE ****
16-87-1145	FULCRUM ASSEMBLY, WITH BUSHINGS FOR IRT CONTACT SHOE	743	368	HAFCO FOUNDRY & MACHINE CO NYCTA	**** PART NO. NOT AVAILABLE **** PALLET SPEC. 705-5005 REV B 702-5023 REV A
16-91-1543	PAD, WEAR, FORGED, CONTACT SHOE, LONG, TOP OF THE SHOES NEED TO BE PAINTED WITH ALKYD, ENAMEL, YELLOW GLOSS PAINT (MERCURY PAINT)	3057	2283	HAFCO FOUNDRY & MACHINE CO NYCTA	HF-1543 R-62-1206 PALLET SPEC. (EA 20-06 REV. A)
18-07-3550	BODY, USED WITH WABCO TYPE D-1 TRIP COCK BUSHED	58	16	WABCO	0532591
18-07-3870	BODY, TRIP COCK, WABCO TYPE D-1-A, BUSHED	75	23	NYCTA WABCO	PALLET SPEC 102-1017 (FOR REF. ONLY) 0533684
18-07-3900	BODY, U/W WABCO TYPE A-1 OPERATING UNIT, VARIABLE LOAD PORTION MTCE DATE 100984	0	0	WABCO	533910
18-10-0301	SHOE, BRAKE, COMPOSITION, WITHOUT FLANGE	0	0	RAILROAD FRICTION	V323COMP554
18-10-1801	CONTACT ASSEMBLY, COUPLER ELECTRIC PORTION	0	0	BOMBARDIER NYAB	033-50025Y521 770023
18-10-5013	PAD, DISC, RIGHT HAND BRAKE SHOE, USED WITH BRAKE SYSTEM AS PER	0	0	BOMBARDIER NYAB	033-42118-019S 768962
18-10-5014	PAD, DISC, LEFT HAND BRAKE SHOE, USED WITH BRAKE SYSTEM AS PER	0	0	BOMBARDIER NYAB	033-42118-018S 768961

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
18-11-6875	BUSHING, FOR USED WITH WABCO TRIP COCK D-1	51	59	WABCO	0539173
18-15-8225	COCK, TRIP, COMPLETE ASSEMBLY, WABCO TYPE D-1-A, USED ON IRT	2	0	NYCTA WABCO	R157-5158 583158
18-16-4200	COIL, ELECTRICAL, MAGNETIC, FOR APPLICATION AND RELEASE MAGNET VALVE A1 OPERATING UNIT	0	0	WABCO	534231
18-18-3100	CONTACT, USED WITH BRAKE VALVE TYPE ME-42 & A2	902	938	HORNE HOYT POWERMET PRODUCTS WABCO	3100 Z405N 509925
18-29-2368	VALVE, J14CSB-12 RELAY, USED WITH A- 1-A OPERATING, UNIT	0	0	NYAB	766203
18-30-1787	VALVE, J-14D RELAY, COMPLETE, WITH 8 LB OFFSET (N-2 REDUCING VALVE SET FOR 8 LBS.)	0	0	WABCO	670786
18-30-1795	BODY, U/O J-14-D, RELAY VALVE PORTION.	0	0	WABCO	592520
18-30-3402	HANDLE, BRAKE VALVE COMPOSITE, USED WITH WABCO AND KNORR BRAKE VALVES. BRAKEVALVE HANDLES SHALL UTILIZE ONE-PIECE HARDENED STEEL SLEEVE, INCLUDING PROTRUSION TO MATE WITH BRAKE VALVE BUSHING SLOT, TO OPERATE WITH BRAKE	1012	421	HAFCO FOUNDRY & MACHINE CO	H-1766-P
18-30-5450	HANDLE, TRIPCOCK, USED WITH NYAB TYPE ONLY (D-1 & D-1-A), TRIPCOCK	0	0	NYAB	770211
18-32-8200	HOUSING, U/W WABCO BRAKE VALVE TYPE ME-42 SPRING INLET VALVE	0	0	WABCO	538120

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
18-32-8717	CONTACT, STATIONERY, USED WITH REAR SIDE FRAME ASSEMBLY, USED ON ELECTRIC PORTION	0	0	NYAB	765501
18-32-8722	CONTACT, MOVABLE, USED WITH REAR SLIDE FRAME ASSEMBLY, USED ON ELECTRIC PORTION	0	0	NYAB	765455
18-33-6014	SPRING, PISTON, U/O VARIABLE LOAD VALVE F/R62 CARS. 0.324" NOM. ID X 0.051" WIRE DIA. X 1.25" FREEHEIGHT	1314	716	WABCO	539587
18-33-6019	VALVE, CHECK, USED ON EMERGENCY VALVE PORTION	7	0	WABCO	590543
18-33-6044	VALVE, VARIABLE LOAD.	0	0	WABCO	671243
18-36-0422	BRUSH, CARBON, FOR COMPRESSOR MOTOR #5CY-918E1. A WHITE VISIBLE WEAR MARK LINE SHALL BE PRINTED	4	4	GENERAL ELECTRIC CO. NATIONAL ELECTRICAL CARBON	894A501-P17 01-23982 GRADE EG-14
18-36-0695	VALVE, FEED M-3 SINGLE PRESSURE, LESS PIPE BRACKET, HOLES SETTING. U/W A-1A OPERATING.	0	0	WABCO	84208-0110
18-36-1727	VALVE ASSEMBLY, REGULATING, PRELAPPED WITH BUSHING, U/W WABCO M-3 FEED VALVE# 84208.	7	0	WABCO	670071
18-38-0080	PISTON ASSEMBLY AND ROD, FOR TYPE D-3 AND D-4 COMPRESSOR UNIT	527	332	WABCO	0570383
18-38-0084	CYLINDER, H.P., FOR TYPE D3 COMPRESSOR UNIT	410	374	WABCO	0569645

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
18-38-0751	BODY, FOR J-1 RELAY VALVE PORTION ASSY. NO. 556298, INCLUDES NUT, NO. 502369 NUT NO. 502365 - PLUG. NO. 78758 - STUD, NO. 538941, STUD, NO. 85475, R38-40 CARS	0	0	WABCO	556299
18-38-0815	SPRING, SUPPLY VALVE, STEEL, FOR D- 24-B FEED VALVE ASSY, #550016, 1- 3/16" O.D., 3/32" WIRE, 3-1/16" HT., 7 TURNS	65	155	WABCO	58444
18-38-0847	DIAPHRAGM, FOR EMERGENCY VALVE PORTION #569711, R38 CARS	246	237	NYAB WABCO	734850 0564210
18-38-1600	TRIP COCK, COMPLETE ASSEMBLY, WABCO TYPE D-1, USED ON BMT/IND DIVISION CARS	8	0	WABCO	673782
18-38-4740	SEAT & VALVE ASSEMBLY, USED ON A & R MAGNET VALVE.	0	0	WABCO	582226
18-42-3370	SHOE, CONTACT, TOP OF THE SHOES TO BE PAINTED WITH ALKYD, ENAMEL	0	0	NYCTA WABCO	EA 20-06 REV. A 0695907A
18-42-4775	VALVE, J14CSB-4, RELAY COMPLETE, U/O BRAKE CONTROL UNIT.	0	0	NYAB	763815
18-42-5051	BRAKE VALVE, ME 43, USE WITH SNOW BRAKE	0	0	WABCO	671513
18-42-8900	VALVE, UNCOUPLING, KEY OPERATED, USED ON NEWTRAN BRAKE SYSTEM.	0	0	NYAB	706034
18-42-8944	OPERATING UNIT, E-2-E, U/W R42 FRICTION BRAKE EQUIPMENT, U/W R32 EVEN CARS	0	0	WABCO	670663
18-42-8976	BRAKE VALVE, ME 43, W/O PIPE BRACKET.	0	0	WABCO	592012

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
18-42-9019	R32 BRAKE CYLINDER BODIES MACHINED AND RELINED WITH ALUMINUM SLEEVES	0	0	HAFCO FOUNDRY & MACHINE CO	HF-4232
18-44-0051	BRUSH, CARBON, FOR WABCO TYPE D3 AIR COMPRESSOR MOTOR, R44 CARS, 1-	0	0	MORGANITE RELIANCE ELEC. CO.	GRADE EG-236Z 3141TP
18-44-2437	SEAT, VALVE, USED WITH N-1-E, N-3-E MAGNET VALVE, ON G-4-B AND G-4-C OPERATING UNITS, R-44 CARS	2	3	WABCO	575750
18-44-7018	GASKET, RECEPACLE, FOR TYPE G-4-B OPERATING UNIT, #576538 & TYPE G-4- C OPERATING UNIT #576541	130	200	WABCO	572907
18-44-8121	FILTER, AIR, TYPE F-12, U/O WESTCODE AIR BRAKE MODIFICATION, R44.	0	0	NORGREN WESTCODE	F74G-6AN-QM3 WA12781/001
18-44-8122	ELEMENT, FILTER, 50 MICRON, U/O AIR FILTERS WESTCODE # WA12140/001, NORGREN # F12-600-M3MA, WESTCODE AIR BRAKE MODIFICATION, R44.	0	0	NORGREN	2992-20
18-44-8777	VV-120 AIR SUPPLY UNIT, (COMPRESSOR) RECIPROCATING MIN. 35 CFM. AIR SUPPLY UNIT, INCLUDES AC MOTOR AND INVERTER. INCLUDES TWIN TOWER AIR DRYER, USED WITH BRAKING SYSTEM	0	0	KNORR BRAKE CORPORATION	806556
18-44-9075	MOTOR BRUSH, U/W KNORR COMPRESSOR, R44 CARS	828	456	KNORR BRAKE CORPORATION MERSEN USA BN CORP TECH SYSTEMS CORP	U12668 ES-20 J60-0315

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
18-44-9308	VALVE, SAFETY, 1/4" NPT, 165 PSI +/-3 U/O AIR DRYER/CTRL GRAM WHITE # 950-249 KNORR # STU11405/2.	0	0	KNORR BRAKE CORPORATION	STU11982/165
18-44-9608	GASKET, DISCHARGE FLANGE.*	53	28	WABCO	582358 0582358
18-44-9624	GASKET, INLET FILTER.	422	390	WABCO	0582274
18-44-9631	RESERVOIR, SURGE.	1	0	WABCO	582478
18-44-9633	BREATHER, CRANKCASE "COMPLETE"	2	0	WABCO	581759 0581759
18-44-9634	HEAD, CYLINDER, LOW PRESSURE INLET.	315	313	WABCO	0581764
18-44-9635	CYLINDER HEAD, LOW PRESSURE DISCHARGE.	12	15	WABCO	0581765
18-44-9636	HEAD, CYLINDER, HIGH PRESSURE INLET.	331	302	WABCO	0581762
18-44-9637	HEAD, CYLINDER, HIGH PRESSURE INLET	24	20	WABCO	0581763
18-46-0010	AFTERCOOLER ASSEMBLY, FOR WABCO D4 COMPRESSOR UNIT	52	32	WABCO	672349
18-46-0047	ROTOR, OIL PUMP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSEMBLY, WABCO #578910.	245	155	WABCO	0569629
18-46-0050	GAGE, OIL LEVEL, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO	12	12	WABCO	578944 0578944
18-46-0053	STRAINER, OIL, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R-46 CARS	139	186	WABCO	0672389
18-46-0058	RING, COMPRESSION, HP, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASS'Y., WABCO #578910	934	780	WABCO	0579138

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
18-46-0061	CRANKSHAFT, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSEMBLY, WABCO #578910	6	10	WABCO	578917
18-46-0065	VALVE, STOP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910, R-46 CARS	419	390	WABCO	0569164
18-46-0066	VALVE, BODY RELIEF, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R 46 CARS	3	0	WABCO	0569163
18-46-0125	BRUSH, CARBON, CONTOURED, 3/8" (3/16" THK) X 1" WIDE X 1-3/16" LG, FOR SAFETY ELEC 5 H.P., 600 VOLT DC MOTOR #T-8379, WABCO MOTOR	1427	1332	MORGAN AM & T NATIONAL STONE SAFETY SERVICE CORP. WABCO	0123918GC 01-23918 T-17012-1 580953
18-46-0507	VALVE, CHECK DISCHARGE, F/WABCO C-1 AIR DRYER ASSY. 578967 R-46 CARS	0	0	WABCO	579165
18-46-0517	VALVE, CHECK, U/W WABCO #578967 TYPE C1-AIR DRYER, R-46 CARS	0	0	WABCO	579164
18-46-6513	PISTON, PACKING U/O TREAD BRAKE UNIT FOR R62A CARS.	140	26	WESTCODE	WJ73571/8
18-46-8331	CONTACT STUD ASSEMBLY, USED WITH ELECTRIC PORTION	0	0	NEW YORK AIR BRAKE CO.	767994
18-46-8332	TIP, CONTACT, STATIONARY, USED WITH ELECTRIC PORTION	27	20	NEW YORK AIR BRAKE CO.	767989
18-46-8333	TIP, CONTACT, MOVEABLE LOOP, COMPLETE ASSEMBLY INCLUDING STUD, SPRINGS AND TIP, FOR THE LOOP CONTACT, SPRING LOADED, USED WITH THE ELECTRIC PORTION	22	1	FAIVELEY TRANSPORT	D220199-300
18-46-8334	CONTACT TIP, MOVEABLE USED WITH ELECTRIC PORTION	0	12	NEW YORK AIR BRAKE CO.	767979
18-46-8440	DRYER, AIR, SYSTEM, TWIN TOWER, TO	0	0	GRAHAM WHITE	995-201

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	INCLUDE INSTALLATION KIT			KNORR BRAKE CORPORATION	802778-R46
18-56-7000	BRAKE SHOE PADS, COBRA TYPE	1117	227	RAILROAD FRICTION	V-271
18-62-8350	DRYER, AIR, SYSTEM, TWIN TOWER, TO	0	0	GRAHAM WHITE	995-202
	INCLUDE INSTALLATION KIT			KNORR BRAKE CORPORATION	802788-R62A
18-62-8575	BRUSH, CARBON GRADE LFC-62, USED	0	0	CARBONE	ES-17
	ON D4 COMPRESSOR MOTOR, TECH			NATIONAL CARBON	LFC-62
18-62-9031	PIN, CYLINDER LEVER FULCRUM, F/GR-90 HR TREAD BRAKE UNIT, R62.	0	0	WABCO	588154
18-62-9036	BUSHING, U/O BRAKE HEAD U/W GR-90 TREAD BRAKE UNIT.	0	0	WABCO	576426
18-62-9038	BODY, LEFT HAND, U/W GR-90 TREAD BRAKE UNIT, LEFT-HAND	0	0	WABCO	588266
18-62-9361	BODY ASSEMBLY, U/O TREAD BRAKE ASSEMBLY LH, PART# 705986.	0	0	NYAB	759444
18-62-9423	PISTON, (SMALL)	130	23	WABCO	575423
18-62-9426	SEAT, REGULATING VALVE, U/O D-24-B FEED VALVE PORTION. F/R33, R62 CARS.	65	155	WABCO	574311
18-62-9439	PLUG, 3/8" CHOKE, FLUTED SCH, BRS 1/8-27NPT X NO. 65 DR., U/O EMERGENCY VALVE PORTION. F/R62 CARS.	0	0	WABCO	95339
18-62-9441	COIL, W/TRANZORB AND WIRING ASSEMBLY, U/W FB-2 MAGNET VALVE, R62 CARS	0	3	WABCO	589325

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
18-62-9458	STEM, GUIDE, AND PISTON BUSHING, U/O F-6 MD-1 FEED VALVE, PART# 760533 NOTE: PART MUST BE INDIVIDUALLY PACKAGED AND PROTECTED FROM DAMAGE DURING SHIPPMENT AND HANDLING.	0	0	NYAB	762185
18-62-9462	VALVE, REGULATOR ASSEMBLY, USED ON F6MD-1 FEED VALVE INCLUDES STEM EXHAUST VALVE, SEAT, SPRING, O- RING INTAKE VALVE PISTON	584	275	NYAB	762513
18-62-9464	BOX, SPRING, U/O F-6 MD-1 FEED VALVE, PART# 760533.	0	0	NYAB	738135
18-62-9539	ELEMENT, FILTER, USED ON 1/4" IN- LINE FILTER	114	57	GM FLUID POWER PRODUCTS NYAB PARKER	EK-504Y 764194 EK-504Y
18-62-9561	VALVE ASSEMBLY, INLET, USED ON REDUCING VALVE, PART #759170	124	75	NYAB	760466
18-62-9597	TRIPCOCK, COMPLETE ASSEMBLY, NYAB TYPE D1A, U/O IRT DIVISION CARS. (INTERCHANGEABLE WITH 18-15-8225).	0	0	NYAB CO	705950
18-62-9621	VALVE, INLET AND EXHAUST, FOR LOAD SENSOR CONTROL PORTION	23	33	WABCO	591830
18-62-9624	PIN, CAM ROLLER FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS.	327	365	WABCO	591796
18-62-9625	LEVER, FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS.	15	0	WABCO	591824
18-62-9778	VALVE/SEAT COMBINATION, U/O FA MAGNET VALVE PORTION	0	0	WABCO	592571

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
18-62-9779	VALVE, SEAT COMBINATION, USED ON FB MAGNET VALVE PORTION	0	0	WABCO	592574
18-62-9978	KIT, TWIN TOWER AIR DRYER INSTALLATION, COMPLETE, USED ON D4S	0	0	GRAHAM WHITE	976-252
18-68-6029	TRIP COCK, COMPLETE ASSEMBLY, KNORR TYPE D-1, USED ON BMT/IND DIVISION CARS	0	0	KNORR BRAKE CORPORATION	705988
18-68-8036	SWITCH, PRESSURE, WITH VITON O- RING AND DIAPHRAGM 33-600 PSI ADJUSTABLE RANGE, 9.5-69 TYPICAL DEADBAND, 2500 MAX SYS. PRESSURE, 3000 PROOF PRESSURE USED ON ES-30 COMPRESSOR GOVERNOR	0	0	OMEGA	PSW-196
18-68-8426	LINK, PAWL, U/O OVERHAUL GR-90 F/R44, R62, R62A & NEW GR-90 F/R68A.	177	330	WABCO	671020
18-68-8431	CRANK, BELL, USED ON OVERHAUL GR- 90	91	295	WABCO	671025
18-68-8550	PORTION, ELECTRIC/PNEUMATIC, U/O ES-30 GOVERNOR & D4S COMPRESSOR	0	0	WABCO	671761
18-68-8896	PLUNGER, MOVEABLE CONTACT ASSEMBLY, COMPLETE, U/O ELECTRIC PORTION, CONSIST OF PLUNGER, PT NO 0524401; NUT PLUNGER, PT NO 0524402; BUSHING- INSULATION, PT NO 0672878; SPRING, PT NO 0543723	130	403	WABCO	673888

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
18-68-8929	KIT, HEAD GASKETS, USED ON WABCO D4/D4S COMPRESSORS, 2 LARGE (#569780) AND ONE SMALL (#569782)	9	9	WABCO	674693
18-68-8998	HANDLE, TRIP COCK, USED WITH WABCO TYPE ONLY (D1 & D-1-A), TRIP COCK.	2946	1285	WABCO	0534607
18-75-3072	VALVE, RELIEF, FOR WABCO TYPE 2CY3B COMPRESSOR	0	0	WABCO	0569165
18-77-6150	VALVE, INLET FOR ME42 BRAKE VALVE.	0	0	WABCO	538123
18-77-6200	VALVE, INLET COMPLETE, FOR ME-42 BRAKE VALVE	0	0	WABCO	538127
18-77-7211	COMPRESSOR, AIR, SINGLE ACTING, TWO STAGE, AIR COOLED, RECIPROCATING TYPE, GRAY CAST IRON CYLINDERS WITH DEEP COOLING FINS, DELIVERING 50 CFM OF AIR AT 125 PSIG., COMPRESSOR SPEED 200-1070 RPM, FOR DIESEL LOCOMOTIVE	0	0	QUINCY	073SSTA
18-88-1069	VALVE, HIGH PRESSURE INLET AND DISCHARGE STAINLESS STEEL, FOR D4S AND D4AS AIR COMPRESSOR	609	489	WABCO	0569781SS00
18-88-1070	VALVE, LOW PRESSURE INLET AND DISCHARGE STAINLESS STEEL, FOR D4S AND D4AS AIR COMPRESSOR	451	480	WABCO	0569784SS00
19-38-1505	PANEL, DOOR SENSOR ACTUATOR ASSEMBLY, LEFT HAND.	0	0	WESTCODE	WC15171/001
19-38-1506	PANEL, DOOR SENSOR ACTUATOR ASSEMBLY, RIGHT HAND.	0	0	WESTCODE	WC15170/001

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
19-38-8002	BEARING, BALL, SINGLE ROW RADIAL, EXTRA LIGHT, PLAIN, W/O SEALS OR SHIELDS, CONRAD TYPE SPECIAL, 1.1807 - 1.1811" X 2.1649 - 2.1654" O.D. X 0.5068 - 0.5088" WIDTH, F/VAPOR DOOR OPERATING AND CONTROL EQUIPMENT, GEAR HOUSING	202	0	VAPOR CORP.	56010126
19-42-4224	SUSPENSION, DOOR, RIGHT HAND	0	0	VAPOR CANADA INC.	98-3-123-01
19-42-4225	SUSPENSION, DOOR, LEFT HAND	2	0	VAPOR CANADA INC.	98-3-123-02
19-42-4476	CARRIAGE ASSEMBLY	2	1	VAPOR	983114
19-42-4508	HANGER, LEADING EDGE	2	3	VAPOR	982192
19-42-4509	HANGER, TRAILING EDGE, LEFT HAND	0	0	VAPOR	98423002
19-42-4510	HANGER, TRAILING EDGE, RIGHT HAND	2	0	VAPOR	98423001
19-42-4563	ROLLER ASSEMBLY	1158	452	FAIVELEY VAPOR	201921645
19-42-4578	SHAFT, ROLLER	0	38	VAPOR	981028
19-42-4579	SHIM	0	0	VAPOR	991755
19-42-4584	SHIM, SERRATED	0	0	VAPOR	982441
19-42-4593	SPACER, ROLLER	0	30	VAPOR	981030
19-42-4603	STUD, THREADED, 3/8-24	2	2	VAPOR	981337
19-42-4609	TIE BAR	0	0	VAPOR	982210
19-42-4757	WASHER, SUPPORT	0	0	VAPOR	58320555-09
19-42-4833	DOOR HANGER ASSEMBLY, LH	14	15	VAPOR	59826026-01
19-42-4838	HANGER, LH			VAPOR	59826294-01
19-42-4851	DOOR HANGER ASSEMBLY, RH	15	13	VAPOR	59826026
19-42-4858	HANGER, RH			VAPOR	59826294
19-42-5005	SENSOR, DOOR PANEL, ASSEMBLY, L.H. CENTER, U/O DOOR MODIFICATION	0	0	WESTCODE	WD15221/001

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
19-42-5006	SENSOR, DOOR PANEL, ASSEMBLY, OPPOSITE CAB, U/O DOOR MODIFICATION.	0	0	WESTCODE	WD15221/002
19-42-5007	SENSOR, DOOR PANEL, ASSEMBLY, R.H. CENTER, U/O DOOR MODIFICATION.	0	0	WESTCODE	WD15222/001
19-42-5022	DOOR, MASTER, CONTROL ASSEMBLY, U/O DOORMODIFICATION.	0	0	WESTCODE	WD15227/001
19-42-5023	DOOR, MASTER, CONTROL ASSEMBLY, U/O DOORMODIFICATION.	0	0	WESTCODE	WD15225/001
19-42-5042	ACTUATOR, ASSEMBLY - R.H., D.P.S.S., U/O DOOR MODIFICATION	0	0	WESTCODE	WC15291/002
19-42-5043	ACTUATOR ASSEMBLY - L.H., D.P.S.S., U/O DOOR MODIFICATION.	0	0	WESTCODE	WC15291/001
19-42-5044	SWITCH, ASSEMBLY L.H. U/O DOOR MODIFICATION.	0	0	WESTCODE	WB15277/001
19-42-5045	SWITCH, ASSEMBLY R.H. U/O DOOR MODIFICATION.	0	0	WESTCODE	WB15277/002
19-42-5389	DIODE, LIGHT EMITTING, RED CLUSTER OF 6, CONDUCTOR'S INDICATION FOR DOOR OPERATING SYSTEM, PACKAGED 25 UNITS IN A STATIC-PROOF BAG	492	273	VISUAL COMMUNICATIONS COMPANY	SP020620-R
19-42-5595	RETAINING RING, EXTERNAL	52	0	VAPOR	97920999-60
19-42-5720	CAM, ADJUSTING	0	0	VAPOR	59910756
19-42-7013	NUT, JAM HEX, 1/2-13, SST, FOR VAPOR DOOR SYSTEM. TO BE PACKAGED 100	2	25	DELL FASTENER CORP VAPOR	050NJS 84260632
19-42-7014	WASHER, LOCK, 1/2, SPLIT, SST, FOR VAPOR DOOR SYSTEM	2	0	VAPOR	84259746

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
19-42-7016	WASHER, FLAT, 3/8 X 0.813 IN OD X 0.065 IN THK, SST, FOR VAPOR DOOR SYSTEM	2	4	VAPOR	84263009
19-42-7018	SCREW, HEX SOC, NO 10-32 X 0.5 IN LG, FLH, SST, FOR VAPOR DOOR SYSTEM			VAPOR	84271426
19-42-7040	WASHER, LOCK, 5/16, SPLIT, SST (PACKAGED 100 PER BOX/BAG)	7993	3000	VAPOR	84259743
19-42-7041	WASHER, FLAT, 5/16, SST			VAPOR	84263008
19-42-7045	NUT, HEX, 5/16-18, SST			VAPOR	84260211
19-43-0311	BRACKET, ACTUATOR, PIN, RIGHT HAND	6	0	VAPOR CORP	59911026
19-43-0312	BRACKET, ACTUATOR, PIN, LEFT HAND	1	0	VAPOR CORP	5991102601
19-43-0320	HANGER KIT, DOOR, RIGHT HAND	0	0	VAPOR CORP	59920499
19-43-0321	HANGER KIT, DOOR, LEFT HAND	0	0	VAPOR CORP	59920500
19-43-0338	HANGER ASSEMBLY	0	0	VAPOR CORP	59921052
19-44-7198	RELAY, TAMPER PROOF, 36 VDC, 4 FORM C TYPE. FOR DOOR CONTROL	1097	2606	LEACH INTERNATIONAL EUROPE SA VAPOR CORP.	RR470D REV. D 3733054070
19-60-0025	BRACKET LOCK PIN, LEFT HAND, FOR VAPOR DOOR SYSTEM	0	0	VAPOR CORP.	200320845
19-60-0026	BRACKET LOCK PIN, RIGHT HAND, FOR VAPOR DOOR SYSTEM	0	0	VAPOR CORP.	200320844
19-60-0028	DOOR HANGER .1, RIGHT HAND, FOR FUJI DOOR SYSTEM	0	0	FUJI ELEC. CO.	R160DH1M01
19-60-0029	DOOR HANGER-2, RIGHT HAND FOR FUJI DOOR SYSTEM	0	0	FUJI ELEC. CO.	R160DH2M01
19-60-0031	DOOR HANGER .1, LEFT HAND, FOR FUJI DOOR SYSTEM	0	0	FUJI ELEC. CO.	R160DH1H01
19-60-0032	DOOR HANGER-2, LEFT HAND, FUJI DOOR SYSTEM	0	0	FUJI ELEC. CO.	R160DH2H01
19-60-0091	CAM	40	0	VAPOR	200320870
19-60-0135	HANGER ASSEMBLY, RH	0	0	VAPOR	20034038501

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
19-60-0136	HANGER, LH	2	0	VAPOR	20034038502
19-60-0137	HANGER, RH	0	0	VAPOR	20034038601
19-60-0227	PIN SPIRAL, .188 X .75 STD SS PASS OIL	0	0	VAPOR	84262538
19-60-0244	RETAINING RING, EXT 15MM STL	0	1	VAPOR	99W895
19-60-0281	STUD-ROLLER ECCENTRIC	2	2	VAPOR	200320899
19-60-0459	BOLT			FUJI ELEC. CO.	SP552742-2
19-60-0473	NUT, HEX, 1/4"-20 UNC, STEEL	0	0	FUJI ELEC. CO.	SP552968-1
19-60-0474	BOLT, 5/16"-18 UNC * 0.75"	0	0	FUJI ELEC. CO.	SP553171-4
19-60-0476	BOLT, 5/19"-18UNC	0	0	FUJI ELEC. CO.	SA553171-2
19-60-0479	BRACKET, HANGER 1, LH			FUJI	SP448694-3
19-60-0480	BRACKET, HANGER 1, RH			FUJI	SP448696-3
19-60-0481	BRACKET, HANGER 2, LH			FUJI	SP448695-1
19-60-0482	BRACKET, HANGER 2, RH			FUJI	SP448697-1
19-60-0484	BRACKET, LOCK HOLE			FUJI	SP553035-4
19-60-0490	BUMPER			FUJI	SP553426-1
19-60-0525	ECCENTRIC SHAFT			FUJI ELEC. CO.	SP552291-2
19-60-0562	LOCK HOLE BRACKET (LH)	0	0	FUJI ELEC. CO.	SP448633-2
19-60-0564	LOCK HOLE BRACKET (RH)	0	0	FUJI ELEC. CO.	SP448634-2
19-60-0576	NUT	0	0	FUJI ELEC. CO.	SP552974-2
19-60-0601	RETAINING RING	0	0	FUJI ELEC. CO.	CE-SHAFT- 10.JIS.STAINLESS
19-60-0602	RETAINING RING	0	0	FUJI ELEC. CO.	CE-SHAFT- 15.JIS.STAINLESS
19-60-0604	ROLLER	0	0	FUJI ELEC. CO.	SP552111-1
19-60-0605	ROLLER, ECCENTRIC	0	0	FUJI ELEC. CO.	SP552167-1
19-60-0654	TWIN WASHER, MUST BE PACKAGED 100 PER BAG	197	0	FUJI ELEC. CO.	SP552192-3
19-60-0655	WASHER			FUJI ELEC. CO.	SP550962-1
19-60-0656	WASHER, LOCK, MUST BE PACKAGED 100 PER BAG	0	0	FUJI ELEC. CO.	JEM 1301-8
19-60-0663	WASHER, SPECIAL, MUST BE PACKAGED 100 PER BAG	100	0	FUJI ELEC. CO.	SP552730-3

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
19-60-0665	WASHER, SPRING, SW-5/16", MUST BE PACKAGED 100 PER BAG	0	0	FUJI ELEC. CO.	SP553115-6
19-62-8304	RELAY, CRITICAL CIRCUIT, 6 POLE, USED ON RELAY PANELS #1 AND #2 CABS.	3	0	VAPOR CORP.	37330003-32
19-68-9950	KEY, CONDUCTOR'S, FOR MASTER DOOR CONTROLLER	4331	1972	VAPOR CORP.	5851650010 REV. A
35-13-1925	BRUSH, CARBON, WITH PIGTAIL, FOR TYPE 5GE763A2 TRACTION MOTOR, DIESEL ENGINE LOCOMOTIVE, SERIAL #35769-35772	1110	12	ACI NATIONAL ELECTRICAL CARBON	494A477P1 GRADE E37 01-23047 GRADE EG- 268
35-13-2130	BRUSH, FRINGE FIBER	0	0	NATIONAL ELECTRICAL CARBON	01-24122 GRADE FF8
36-06-3625	BEARING, ROLLER, U/W GEAR UNIT, FOR G.E.DIESEL LOCOMOTIVE SER. NO. 33663 AND NO. 33664	45	10	FAG GENERAL ELECTRIC CO. NTN BEARING CORP. OF AMERICA PENN SKF	NU412MI.F1.T51F 8864951-P49 NU412G1C4 521493 NU412ECMC5VA301
36-06-3781	SPRING, OUTER, USED ON TRUCK FRAME EQUALIZER BAR FOR G.E. DIESEL LOCOMOTIVE	6	25	LOGAN CORP.	489A553P1
36-07-0316	BRUSH, CARBON, WITH PIGTAILS, FOR ALL DIESEL LOCOS, U/W MAIN GENERATORS, SET CONSISTS OF 12 BRUSHES IN A SEALED PLASTIC BAG	25	15	CARBON PRODUCTS OPERATION NATIONAL ELECTRICAL CARBON	41A232600X01 (GRADE T-583) 01-26377 GRADE MD-4
36-37-0106	TRANSMISSION, USED WITH PROPULSION SYSTEM ON VACUUM TRAIN LOCOMOTIVE	0	0	VOITH TURBO POWER TRANSMISSION	L2R42SEU2
42-22-1703	BLADE, 16" DIAMETER, 1/8" THICK, 1" BORE, REINFORCED ABRASIVE, SHALL	0	8080	GEISMAR HANDBOOK HILTI	GSMTX - 16 436739

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
42-22-3730	BLADE, 4" LONG X 9/16" WIDE; FOR USE WITH LONG HANDLED SCRAPER AVAILABLE UNDER STOCK #42-97-6151; PACKAGED 5 BLADES PER PACKAGE	2123	2402	WARNER	695
42-26-2600	KNIFE, PUTTY, STIFF, 1-1/4" WIDE STEEL BLADE, (MEASURED AT BLADE'S END);	774	349	NYCTA RED DEVIL	NYCTA MARKING 4101
42-26-2712	SCRAPER, RAZOR BLADE, METAL CONSTRUCTION WITH SINGLE EDGED 1-1/2" WIDE RAZOR BLADE, RAZOR BLADE IS RETRACTABLE, HAS A PUSH PULL BUTTON, SCRAPER IS NOMINALLY 4-1/2" IN LENGTH, USES REPLACEMENT BLADES OBTAINED UNDER	6385	4437	HYDE	13000
42-26-2760	SCRAPER, STIFF, 3" WIDE STEEL BLADE. (MEASURED AT BLADE'S END), IS	1690	1145	NYCTA RED DEVIL	NYCTA MARKING 4109
42-34-6426	BLADE, 4" LONG, SINGLE RAZOR EDGE, BLADE IS NOMINALLY 1/2" WIDE, WITH ONE NOMINAL 3/16" DIAMETER INDENTATION ON EACH SIDE; FOR USE WITH UNGER LONG HANDLED (4) SCRAPERS AVAILABLE UNDER STOCK #'S 42-34-6425 & 42-34-6427;	5146	6061	UNGER	RB10C
68-10-0502	GLASS, SIDE WINDOW OPENABLE, LOWER PART. (10 EACH PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 493
68-10-0503	GLASS, SIDE WINDOW OPENABLE, UPPER PART.(10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHET. 492

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
68-10-0504	GLASS, SIDE WINDOW, FIXED, LARGE. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 490
68-10-0505	GLASS, SIDE WINDOW FIXED, SMALL. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 491
68-10-0506	GLASS, CAB SIDE DROP WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT 494
68-10-0507	GLASS, END FIXED WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 496
68-10-0508	GLASS, WINDSHIELD (L). (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	**** PART NO. NOT AVAILABLE **** 304-7004 REV. A 2032 PROD 80 REV. B PPN10-0508
68-10-0509	GLASS, WINDSHIELD, (R). (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS:	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	NYCT68100509 304-7004 REV. A 2032 PROD 80 REV. B PPN10-0509
68-10-0510	GLASS, END DOOR WINDOW, LARGE. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 301-7200 SHT. 499 2032 PROD 80
68-10-0511	GLASS, END SIGN. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40"	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 503

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
68-10-0512	GLASS, SIDE DOOR WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 497
68-10-0513	GLASS, END DOOR WINDOW, SMALL. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 498
68-10-0514	GLASS, CAB DOOR WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 500
68-10-0515	GLASS, END PANEL WINDOW. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C"	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA VIRACON, INC.	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 501 **** PART NO. NOT AVAILABLE ****
68-10-0516	GLASS, INTERIOR DESTINATION SIGN WINDOW.(10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS	0	0	NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 502
68-10-0522	GLASS, WINDSCREEN			NORTH AMERICAN SPECIALTY GLASS NYCTA	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 505
68-10-9502	GLASS, WINDOW, END DOOR, USED ON #1 END MOTOR CAR. (10 EACH PER	0	0	NELSON-PALMER-NELSON NYCTA	RG5C0091 3048-MATL-89 REV. E
68-30-6176	GLAZING, 40.65" HIGH X WIDTH (SLOPED FROM 17.31" TO 20.92") X .238" THICK, LAMINATED SHEET GLASS, WITH FOUR ROUNDED EDGES, (1.90 R.), USED ON SLIDING SASH (#1) END, R40	5	0	NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	**** PART NO. NOT AVAILABLE **** 301-7200 SHEET 427 REV. A PPN30-6176

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
68-32-1207	GLAZING, GLASS, 18-1/4" H X 26-5/16" W, HIGH STRENGTH SAFETY GLASS, USED ON SMALL SIDE WINDOW. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPE AROUND EVERY THREE CRATES WITH A	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68321207 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 469 (REV. B)
68-32-1208	GLAZING, GLASS, 57-3/16" W X 18-1/4" H, HIGH STRENGTH SAFETY GLASS, USED ON SIDE WINDOW, LARGE. (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A	2	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68321208 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 470 (REV. B)
68-32-1209	GLAZING, SIDE WINDOW, LARGE FOR R32 GE OVERHAULED CARS. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C"	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68321209 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET #472 (REV. A)
68-32-1210	GLAZING, SIDE WINDOW, SMALL FOR R32 GE OVERHAULED CARS. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C"	2	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68321210 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 471 (REV. A)
68-36-1001	GLASS, .350 TO .360" THICK, 24.94" X 14.94" X 2.65" RADIUS, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DOOR. FIVE (5) LIGHTS PER CRATE.	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA	68361001 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	.625"-.75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH			PRELCO INCORPORATED	302-4018 DETAIL # 1, REV. A
68-36-1002	GLASS, .350 TO .360 INCH THICK, 26.84" X 14.97" X 2.65" RADIUS, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DOOR ALL SHIPMENTS MUST BE PALLETIZED. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68361002 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 302-4018 DETAIL # 2, REV. A
68-36-1003	GLASS, .350 TO .360 INCH THICK, 20.153" X 24.966". RADIUS 2.421". TOLERANCES: ALL OTHER +0/- .062", HIGH STRENGTH SAFETY GLASS, USED ON STORM DOORS, ALL SHIPMENTS MUST BE PALLETIZED. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68361003 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 302-4018 DETAIL #3 REV. A
68-36-1004	GLAZING, LAMINATED SAFETY GLASS, HIGH STRENGTH, SIDE WINDOW LOWER (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68361004 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 489
68-36-1005	GLAZING, LAMINATED SAFETY GLASS, HIGH STRENGTH, SIDE WINDOW UPPER (5 LIGHTS PER CONTAINER). FIVE (5) LIGHTS PER CRATE. .625"-.75" WTHICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68361005 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 489
68-38-1004	GLAZING, 69-9/16" X 18-9/16", HIGH IMPACT RESISTANT GLASS, USED ON SIDE WINDOW, LARGE. (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017"	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA	68381004 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH			PRELCO INCORPORATED	301-7200 SHEET 476 (REV. A)
68-38-1005	GLAZING, GLASS, 18-9/16" X 34-11/16", HIGH IMPACT SAFETY GLASS, PICTURE WINDOW, SMALL. (5 LIGHTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68381005 **** PART NO. NOT AVAILABLE *** 3048-MATL-89 REV. E 301-7200 SHEET 475 (REV. A) PPN38-1004
68-40-1609	GLAZING, GLASS, CLEAR, HIGH IMPACT SAFETY GLASS, SLANT CARS USED ON END DOOR (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A	0	5	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68401609 68-40-1609 3048-MAT-89 REV. E 301-7200 SHEET 479 REVA PPN40-1609
68-40-1610	GLAZING, 52-1/8" WIDE X 22-13/16", HIGH STRENGTH SAFETY GLASS, USED ON SIDE DESTINATION WINDOW. (5 LIGHTS PER CONTAINER) .625"-.75" WIDE X .017" THICKNESS. STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES, WITH	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68401610 **** PART NO. NOT AVAILABLE *** 3048-MATL-89 REV. E 301-7200 SHEET 477 REVA PPN40-1610
68-40-1611	GLAZING, SIDE WINDOW, LARGE R40 CARS. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68401611 **** PART NO. NOT AVAILABLE *** 3048-MATL-89 REV. E 301-7200 SHEET #478 REVA PPN40-1611
68-42-1009	GLAZING, LAMINATED, HIGH STRENGTH, SMALL SIDE WINDOW. (5 LIGHTS PER CONTAINER). .625"-.75"	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS	68421009 **** PART NO. NOT AVAILABLE ***

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A			NYCTA	3048-MATL-89 REV. E 301-7200 SHT 429B
68-42-1010	GLAZING, GLASS, 55"W X 21-11/16"H, SIDE VENT WINDOW, LARGE, HIGH IMPACT RESISTANCE, U/O R42 CARS. (5 LIGHTS PER CRATE). .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH	0	0	PRELCO INCORPORATED CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS	PPN42-1009 68421010 **** PART NO. NOT AVAILABLE ****
				NYCTA	3048-MATL-89 REV. E 301-7200 SHEET 480 REVA
				PRELCO INCORPORATED	PPN42-1010
68-42-1011	GLAZING, CLEAR, 24-3/4" X 20-3/4", HIGH IMPACT RESISTANT, USED ON END DOOR. (5 LIGHTS PER CRATE.) .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE	5	5	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS	68421011 **** PART NO. NOT AVAILABLE ****
				NYCTA	3048-MATL-89 REV. E 301-7200 SHEET 473 (REV. B)
				PRELCO INCORPORATED	PPN42-1011
68-42-1012	GLAZING, 26-7/8" HIGH X 14-7/8" WIDE, SIDE DOOR WINDOW, HIGH STRENGTH SAFETY GLASS. (5 LIGHTS PER CRATE.) .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO	3	7	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS	68421012 **** PART NO. NOT AVAILABLE ****
				NYCTA	3048-MATL-89 REV. E 301-7200 SHEET 474 (REV. B)
				PRELCO INCORPORATED	PPN42-1012
68-42-1013	GLAZING, GLASS, 11-3/8" H X 55" W, HIGH STRENGTH SAFETY GLASS, U/O SIDE DESTINATION. (5 LIGHTS PER CRATE). .625"-75" WIDE X .017" THICKNES STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES, WITH A BAND STRAPPED TO	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS	68421013 **** PART NO. NOT AVAILABLE ****
				NYCTA	3048-MATL-89 REV. E 301-7200 SHEET 481 REVA
				PRELCO INCORPORATED	PPN42-1013
68-42-2073	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 BI-PARTING DOOR,	57	37	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC	CM68-42-2073 GS-40752-ML44

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	31.50"H X 7.88"W, SEMICIRCLE ENDS DIAMETER 7.88", STEPPED EDGE			MINNESOTA, MINING & MANUFACTUR	SCOTCHGUARD 100470-0063-3303-6
68-42-2074	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 UPPER VENT WINDOW, 7.95"H X 52.60"W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS	38	9	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2074 GS-40753-ML44 SCOTCHGUARD 100470-0004-6295-5
68-42-2075	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 LOWER VENT PICTURE WINDOW, 20.35"H X 53.80"W, ROUNDED EDGES, UPPER RIGHT AND	137	110	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2075 GS-40737-ML44 SCOTCHGUARD 100470-0063-3309-3
68-42-2076	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 DISTINATION PICTURE WINDOW, 19.20"H X 53.80"W, ROUNDED EDGES, UPPER RIGHT AND	104	117	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2076 GS-40453-ML44 SCOTCHGUARD 100470-0063-3310-1
68-42-2077	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 END WINDOW, 32.00" H X 14.90" W, ROUNDED EDGES, RADIUS 4.375", STEPPED EDGE LOCATED ON	159	68	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2077 GS-40754-ML44 SCOTCHGUARD 100470-0063-3304-4
68-42-2078	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 MOTORMAN CAB DOOR WINDOW, 31.19" H X 18.13" W, ROUNDED EDGES, RADIUS 4.000",	272	130	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2078 GS-40755-ML44 SCOTCHGUARD 100470-0063-3306-9
68-42-2079	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142 FIXED SIDE SMALL WINDOW, 31.40" H X 19.50" W, ROUNDED EDGES, RADIUS 4.000",	55	24	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2079 GS-40497-ML44 SCOTCHGUARD 100470-0063-3307-7
68-42-2080	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A SIDE DOOR WINDOW, 31.91" H X 15.88" W, ROUNDED EDGES, RADIUS 4.250", STEPPED EDGE	559	240	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2080 GS-40745-ML44 SCOTCHGUARD 100470-0063-3282-2
68-42-2081	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A BI-PARTING DOOR,	41	39	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC	CM68-42-2081 GS-40746-ML44

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	31.96" H X 8.10" W, SEMICIRCLE ENDS DIAMETER 8.10", STEPPED EDGED			MINNESOTA, MINING & MANUFACTUR	SCOTCHGUARD 100470-0063-3281-4
68-42-2082	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A UPPER VENT WINDOW, 7.61" H X 52.51" W, ROUNDED EDGES, UPPER RIGHT	14	3	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2082 GS-40747-ML44 SCOTCHGUARD 100470-0063-3286-3
68-42-2083	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A LOWER VENT PICTURE WINDOW, 19.85" H X 53.36 W, ROUNDED EDGES, UPPER RIGHT AND	93	65	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2083 GS-40463-ML44 SCOTCHGUARD 100470-0063-3287-1
68-42-2084	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A DESTINATION PICTURE WINDOW, 20.68" H X 53.34" W, ROUNDED EDGES, UPPER RIGHT AND	83	62	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2084 GS-40748-ML44 SCOTCHGUARD 100470-0063-3288-9
68-42-2085	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A END WINDOW, 31.66" H X 14.68" W, ROUNDED EDGES, RADIUS 4.125", STEPPED EDGE	64	58	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2085 GS-40749-ML44 SCOTCHGUARD 100470-0063-3283-0
68-42-2086	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A MOTORMAN CAB DOOR WINDOW, 31.44" H X 18.17" W, ROUNDED EDGES, RADIUS 4.125",	176	84	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2086 GS-40750-ML44 SCOTCHGUARD 100470-0063-3284-8
68-42-2087	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R142A FIXED SIDE SMALL WINDOW, 30.97" H X 19.13" W, ROUNDED EDGES, RADIUS, 3.750",	30	10	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-42-2087 GS-40751-ML44 SCOTCHGUARD 100470-0063-3285-5
68-43-0021	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 END PARTITION PANEL, 32.10" H X 19.70" W, ROUNDED EDGES, RADIUS 3.900", STEPPED EDGE	65	44	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0021 GS-40738-ML44 SCOTCHGUARD 100470-0063-3301-0
68-43-0022	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 END DOOR WINDOW,	0	0	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC	CM68-43-0022 GS-40739-ML44

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	34.02" H X 19.52" W, ROUNDED EDGES, RADIUS 2.1000". STEPPED EDGE			MINNESOTA, MINING & MANUFACTUR	SCOTCHGUARD 100470-0063-3300-2
68-43-0023	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 SIDE DOOR WINDOW, 31.80" H X 13.81" W, ROUNDED EDGES, RADIUS 4.100", STEPPED EDGE	0	0	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0023 GS-40740-ML44 SCOTCHGUARD 100470-0063-3302-8
68-43-0024	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 MOTORMAN CAB DOOR WINDOW, 31.60" H X 18.53" W, ROUNDED EDGES, RADIUS 4.000"	0	0	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0024 GS-40741-ML44 SCOTCHGUARD 100470-0063-3299-6
68-43-0025	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 UPPER VENT WINDOW, 7.24" H X 44.10" W, ROUNDED EDGES, UPPER RIGHT AND UPPER LEFT RADIUS	4	5	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0025 GS-40742-ML44 SCOTCHGUARD 100470-0063-3298-8
68-43-0026	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 LOWER VENT PICTURE WINDOW, 19.90" H X 45.40" W, ROUNDED EDGES, UPPER RIGHT AND	71	0	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0026 GS-40743-ML44 SCOTCHGUARD 100470-0063-3297-0
68-43-0027	SHIELD, WINDOW PROTECTION, 4-PLY, USED ON R143 DESTINATION PICTURE WINDOW, 18.40" H X 45.33" W, ROUNDED EDGES, UPPER RIGHT AND	97	62	COLE MOTORSPORTS, INC. GRAFFITI SHIELD INC MINNESOTA, MINING & MANUFACTUR	CM68-43-0027 GS-40744-ML44 SCOTCHGUARD 100470-0063-3296-2
68-44-1050	GLAZING_ASSEMBLY,_COMPLETE,_WIT H OPTICAL FILTER (NOTE: 3M OPTICAL FILTER VIKUITI 98-0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING; USE COMMODITY NO. 68-44-	0	0	DYNAMIC METALS LLC G. E. PLASTICS LAIRD PLASTICS NYCTA	S13A00157 ***PART NO. NOT AVAILABLE*** 68-44-1050 303-4010 REV. E
68-44-1051	GLAZING, CLEAR SCRATCH RESISTANT PANEL, 26-19/32" X 15-19/32" X 2- 25/32", USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-44- 1050. (10 LIGHTS PER CONTAINER). ALL	0	0	DYNAMIC METALS LLC G. E. PLASTICS NYCTA	***PART NO. NOT AVAILABLE*** ***PART NO. NOT AVAILABLE*** 303-4010 REV. E
68-44-1052	GLAZING, SUBWAY CAR, TRAPEZOID-	0	0	CUSTOM GLASS CO.	68441052

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	SHAPED, 11-5/16" X 14-7/32" X 31-15/32" X .350 - .360" THK., USED ON WINDSCREEN. (10 LIGHTS PER CONTAINER). ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS:			NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	**** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200, SHEET 459 REV. B PPN44-1052
68-44-1053	GLAZING, 55-3/32" X 30-9/16", .350 TO .360" THICK, USED ON SIDE DESTINATION SIGN, SUBWAY CAR. (5 LIGHTS PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED	36	29	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68441053 ****PART NO. NOT AVAILABLE**** 3048-MATL-89 REV. E 301-7200, SHEET 460, REV. B PPN44-1053
68-44-1054	GLAZING, 55-3/32" X 20-11/32, .350 TO .360" THICK, USED ON LOWER SIDE VENT, SUBWAY CAR (5/LIGHTS PER CONTAINER) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED	123	72	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68441054 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200, SHEET 461 REV. B PPN44-1054
68-44-1055	GLAZING, 54-5/8" X 7-13/16", .350 TO .360" THICK, USED ON SIDE VENT WINDOW UPPER, SUBWAY CAR (5 LIGHTS PER CRATE). .625"-75" WIDE X .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED	1	1	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68441055 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200, SHEET 462, REV. B PPN44-1055
68-44-1061	GLAZING, WINDSCREEN FIVE (5) LIGHTS PER CRATE. .625"-.75" WTHICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS MUST BE	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68441061 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHT. 467A PPN44-1061

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
68-46-1050	GLAZING ASSEMBLY, POLY CARBONATE, COMPLETE WITH OPTICAL FILTER (NOTE: 3M OPTICAL FILTER VIKUITI 98-0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING, USED COMMODITY NO. 68-46-1051 FOR	60	26	DYNAMIC METALS LLC G. E. PLASTICS LAIRD PLASTICS NYCTA	S13A00156 ***PART NO. NOT AVAILABLE*** **** PART NO. NOT AVAILABLE **** 303-4010 REV. E
68-46-1051	GLAZING, POLYCARBONATE 27-11/16" X 20- 3/16" X 1/8" THICK, USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-46-1050. (10 LIGHTS PER CONTAINER). ALL	1	0	DYNAMIC METALS LLC G. E. PLASTICS NYCTA	***PART NO. NOT AVAILABLE*** ***PART NO. NOT AVAILABLE*** 303-4010 REV. E
68-62-1150	GLASS, SAFETY, HIGH STRENGTH, 15-23/32" X 29-1/16" X .350 - .360" THICK, MOTORMAN'S CAB, HORIZONTAL, R44 GOH, CAB, SLIDING WINDOWS (5 LTS PER CONTAINER). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING	7	9	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68621150 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 464A PPN62-1150
68-62-1205	GLASS, .350 TO .360" THICK, SIDE DOOR PANEL, "FRA TYPE II", (5 LIGHTS PER CONTAINER). 625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET.	118	43	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68621205 ***PART NO. NOT AVAILABLE*** 3048-MATL-89 REV. E 301-7200 SHEET-463 REV. B PPN62-1205
68-62-1300	GLASS, SLOPED, MOTORMAN'S WINDSHIELD FOR R 40 CARS. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY,			GLOBAL SECURITY GLAZING	RG4210900
68-62-1301	WINDSHIELD ASSEMBLY, MOTORMAN'S, COMPLETE WITH	0	0	ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	IMPACT RESISTANT GLASS, MOUNTING FRAME AND INSTALLATION			GLOBAL SECURITY GLAZING	**** PART NO. NOT AVAILABLE ****
	HARDWARE FOR R10 CARS (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED.			GRAHAM WHITE	**** PART NO. NOT AVAILABLE ****
				NYCTA	R10-854 LAT. ISSUE 1149-C-80
68-62-1303	WINDSHIELD ASSEMBLY, MOTORMAN'S, COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME, AND INSTALLATION	0	0	ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****
				NYCTA	SPEC #1149-C-80 R33-717 LATEST
68-62-1304	WINDSHIELD, SAFETY, MOTORMAN'S, 5 LIGHTS PER CONTAINER. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL	3	0	ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****
				GLOBAL SECURITY GLAZING	**** PART NO. NOT AVAILABLE ****
				NORTH AMERICAN SPECIALTY GLASS	NYCT68621304
				NYCTA	304-7004 REV. A
				PRELCO INCORPORATED	2032-PROD-80 REV. D PPN62-1304
68-62-1308	WINDSHIELD, SAFETY, MOTORMAN'S. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO	0	1	ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****
				GLOBAL SECURITY GLAZING	**** PART NO. NOT AVAILABLE ****
				NORTH AMERICAN SPECIALTY GLASS	NYCT68621308
				NYCTA	304-7004 REV. A
				PRELCO INCORPORATED	2032-PROD-80 REV. D PPN62-1308
68-62-1310	WINDSHIELD, SAFETY, MOTORMAN'S. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C"	0	0	ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****
				GLOBAL SECURITY GLAZING	**** PART NO. NOT AVAILABLE ****
				NORTH AMERICAN SPECIALTY GLASS	NYCT68621310

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO			NYCTA	304-7004 REV. A
				PRELCO INCORPORATED	2032-PROD-80 REV. D PPN62-1310
68-62-1314	WINDSHIELD, SAFETY, MOTORMAN'S. "ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER, PALLETIZE ACCORDINGLY TO	0	0	ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****
				GLOBAL SECURITY GLAZING	916CRG1-1
				NORTH AMERICAN SPECIALTY GLASS NYCTA	NYCT-68621314 304-7004 REV. A
				PRELCO INCORPORATED	2032-PROD-80 REV. D PPN62-1314
68-62-1316	WINDSHIELD, SAFETY MOTORMAN'S, PACKAGED 5 LGTS PER CRATE SHRINK- WRAPPED OR BANDED.	13	2	ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****
				NORTH AMERICAN SPECIALTY GLASS NYCTA	NYCT68621316 PALLET SPEC. 304-7004, REV. A
				PRELCO INCORPORATED	2032-PROD-80 REV. D PPN62-1316
68-62-1317	WINDSHIELD ASSEMBLY, MOTORMAN'S, COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME AND INSTALLATION HARDWARE, FOR R21, 22, 26, 28 AND			ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****
				GLOBAL SECURITY GLAZING	**** PART NO. NOT AVAILABLE ****
				NYCTA	1149-C-80
68-62-1325	WINDSHIELD ASSEMBLY, MOTORMAN'S COMPLETE WITH IMPACT RESISTANT GLASS, MOUNTING FRAME AND INSTALLATION HARDWARE, FOR R40 SLOPE END CARS. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE			ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****
				GLOBAL SECURITY GLAZING	**** PART NO. NOT AVAILABLE ****
				NYCTA	R40-761, LATEST 1149-C-80
68-62-1330	WINDSHIELD, SAFETY, MOTORMAN'S, (10 LIGHTS PER CONTAINER.) ALL	50	36	ELLCON NATIONAL, INC.	**** PART NO. NOT AVAILABLE ****

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL			GLOBAL SECURITY GLAZING	**** PART NO. NOT AVAILABLE ****
				NORTH AMERICAN SPECIALTY GLASS NYCTA	NYCT68621330 304-7004 REV. A
				PRELCO INCORPORATED	2032-PROD-80 REV. D PPN62-1330
68-62-1340	WINDSHIELD, MOTORMANS, 36.718" +.000"/-.062" LONG X 26.562" +.000"/- .062" SLOPED X 0.563" +.035"/-.035" THICK. FOR R40 O/H SLANT. CAR NUMBERS 4150-4449. ALL SHIPMENT MUST BE PALLETIZED. PALLET	0	0	GLOBAL SECURITY GLAZING	**** PART NO. NOT AVAILABLE ****
				NORTH AMERICAN SPECIALTY GLASS NYCTA	NYCT68621340 304-7004 REV. A
				PRELCO INCORPORATED	2032-PROD-80 REV. C PPN62-1340
68-62-1600	GLASS, 26.62" LONG X 19.12" WIDE X .350 TO .360" THICK, 2.25" RADIUS, CLEAR LAMINATE, FRA TYPE II, USED ON END DOOR WINDOW ASSEMBLY. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY .017"	113	60	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA	68621600 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 458 REV. B
				PRELCO INCORPORATED	PPN62-1600
68-62-1601	GLASS, WINDOW, 53.764" X 8.976", .350 TO .360" THICK, 3.76" RADIUS, HIGH STRENGTH LAMINATED SAFETY. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE	6	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA	68621601 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 454 REV. B
				PRELCO INCORPORATED	PPN62-1601
68-62-1602	GLASS, 54.945" X 21.441" X .350 TO .360" THICK, 4.35" RADIUS, HIGH STRENGTH LAMINATED SAFETY GLASS, FIXED BOTTOM, (5 EACH PER CRATE,	85	99	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA	68621602 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY .017" THICKNESS			PRELCO INCORPORATED	301-7200 SHEET 455 REV. B PPN62-1602
68-62-1603	GLASS WINDOW, 31.910" X 14.53 X .350 TO .360" THICK, 3.23" RADIUS, SIDE DOOR, HIGH STRENGTH LAMINATED SAFETY. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS) .625"-.75" WIDE BY	343	228	CUSTOM GLASS CO. NASG HOLDING NYCTA	68621603 68-62-1603 3048-MATL-89 REV. E 301-7200 SHEET 456 REV. C
68-62-1604	GLASS, 54.945" LONG X 32.583" WIDE X .350 TO .360" THICK, 4.35" RADIUS, FOR SIDE FIXED WINDOW, HIGH STRENGTH LAMINATED SAFETY. (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS). .625"-.75" WIDE BY .017" THICKNESS	73	99	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA	68621604 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 457 REV. C
68-62-1605	GLASS, SAFETY, HIGH STRENGTH, 0.350"-360" THICK, USED ON R62 & R62A CAB PARTITION WINDOW. ***ALL SHIPMENTS MUST BE PALLETIZED. PALLET (5 EACH PER CRATE, WITH PROTECTIVE SHEETS BETWEEN GLASS),	0	0	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA	68621605 ****PART NO. NOT AVAILABLE**** 3048-MATL-89 REV. E 301-7200 SHT. 466A
68-68-1004	WINDSHIELD, SAFETY, MOTORMAN'S. ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS: PALLETS, 48" X 40" WITH FOUR-WAY ENTRY, SOUND CLASS "C" HARDWOOD. IF MATERIAL IS LARGER,	15	11	ELLCON NATIONAL, INC. NORTH AMERICAN SPECIALTY GLASS NYCTA	12658 NYCT68681004 304-7004 REV. A
68-68-1030	GLAZING_ASSEMBLY,_COMPLETE,_WITH OPTICAL FILTER (NOTE: 3M OPTICALFILTER VIKUTI 98-0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING; USE COMMODITY NO. 68-68-	67	40	DYNAMIC METALS LLC G. E. PLASTICS LAIRD PLASTICS	2032-PROD-80 REV. D PPN68-1004 S13A00159 ***PART NO. NOT AVAILABLE*** **** PART NO. NOT AVAILABLE ****

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	1051 FOR GLAZING REPLACEMENT			NYCTA	303-4010 REV. E
68-68-1035	GLAZING ASSEMBLY, COMPLETE, WITH OPTICAL FILTER (NOTE: 3M OPTICAL FILTER VIKUTI 98-0440-2657-7, LCF-P MAY BE USED) AND TWO PIECES GLAZING; USE COMMODITY NO. 68-68-1050 FOR GLAZING REPLACEMENT ONLY. SUBJECT TO FIRST	9	5	DYNAMIC METALS LLC	**** PART NO. NOT AVAILABLE ****
				G. E. PLASTICS	**** PART NO. NOT AVAILABLE ****
				LAIRD PLASTICS	68-68-1035LP
				NORTH AMERICAN	68681035
				NYCTA	303-4010 REV. E
68-68-1050	GLAZING, 36.15" X 19.93" X 2.65", CLEAR SCRATCH RESISTANT PANEL, USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-68-1035 (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED.	10	0	DYNAMIC METALS LLC	***PART NO.NOT AVAILABLE***
				G. E. PLASTICS	***PART NO.NOT AVAILABLE***
				LAIRD PLASTICS	68-68-1050
				NYCTA	303-4010 REV. E
68-68-1051	GLAZING, CLEAR SCRATCH RESISTANT PANEL, 31-11/16" X 18-3/4" X 3-5/32", USED ON CAB DOOR GLAZING ASSEMBLY, COMMODITY NO. 68-68-1030 (10 LIGHTS PER CONTAINER.) ALL	8	0	DYNAMIC METALS LLC	***PART NO. NOT AVAILABLE***
				G. E. PLASTICS	***PART NO. NOT AVAILABLE***
				NYCTA	303-4010 REV. E
68-68-1060	GLAZING, 57.940" WIDE X 20.560" HIGH, HIGH STRENGTH SAFETY GLASS, USED ON SIDE VENT WINDOW. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH	30	15	CUSTOM GLASS CO.	68681060
				NORTH AMERICAN SPECIALTY GLASS	**** PART NO. NOT AVAILABLE ****
				NYCTA	3048-MATL-89 REV. E
					301-7200 SHEET 487 REVA
				PRELCO INCORPORATED	PPN68-1060
68-68-1061	GLAZING, 33.25" HIGH X 57.940" WIDE, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DESTINATION. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH	9	15	CUSTOM GLASS CO.	68681061
				NORTH AMERICAN SPECIALTY GLASS	**** PART NO. NOT AVAILABLE ****
				NYCTA	3048-MATL-89 REV. E
					301-7200 SHEET 488 REVA
				PRELCO INCORPORATED	PPN68-1061

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
68-68-1062	GLAZING, 32" HIGH X 14.593" WIDE, HIGH STRENGTH SAFETY GLASS, USED ON SIDE DOOR WINDOW. GLASS MUST BE CRATED, 5 EACH PER CRATE, WITH PROTECTIVE SHEET BETWEEN GLASS. .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE	40	6	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68681062 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 485 REVA PPN68-1062
68-68-1063	GLAZING, GLASS, 32.188" X 14.5" W, HIGH STRENGTH SAFETY GLASS, OPPOSITE CAB. (10 LIGHTS PER CONTAINER.) ALL SHIPMENTS MUST BE PALLETIZED. PALLET SPECIFICATIONS ARE AS FOLLOWS:	1	3	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68681063 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET 486 REVA PPN68-1063
68-68-1064	GLAZING, WINDOW, OPPOSITE #2 CAB FOR R68 CARS. (5 LIGHTS PER CONTAINER.) .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE PALLET.	15	5	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68681064 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET #482 REVA PPN68-1064
68-68-1065	GLAZING, SIDE DESTINATION, WINDOW, BOTTOM, R68 CARS (5 LIGHTS PER CONTAINER.) 625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING MUST BE WRAPPED AROUND EVERY THREE CRATES WITH A BAND STRAPPED TO THE ENTIRE	16	28	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA PRELCO INCORPORATED	68681065 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E 301-7200 SHEET #483 REVA PPN68-1065
68-68-1066	GLAZING, SIDE VENT, BOTTOM WINDOW FOR R68 CARS. FIVE (5) LIGHTS PER CRATE .625"-.75" WIDE BY .017" THICKNESS STEEL STRAPPING	67	38	CUSTOM GLASS CO. NORTH AMERICAN SPECIALTY GLASS NYCTA	68681066 **** PART NO. NOT AVAILABLE **** 3048-MATL-89 REV. E

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	MUST BE WRAPPEED AROUND EVERY THREE CRATES WITH BAND STRAPPED TO THE ENTIRE PALLET. ALL SHIPMENTS			PRELCO INCORPORATED	301-7200 SHEET #484 REVA PPN68-1066
70-64-0980	RUST PREVENTATIVE/INHIBITOR, LIQUID, FOR USE IN RAMCO RINSE TANKS FOR METAL PARTS; TO HAVE A DILUTION RATE OF 1 PART PRODUCT TO 50 PARTS WATER; MUST HAVE PH OF 10.5-11.5; ACTIVE INGREDIENTS NOT LESS THAN 20%; PACKED			COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. NYCTA	ZODIAC ANTI-RUST #10 ZODIAC ANTI-RUST # 10 NCL ANTIRUST #232 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9- 11, LABEL
70-66-0585	COMPOUND, SAFETY TREAD, EPOXY SURFACING GRAY WITH ACCELERATOR ADDED TO HASTEN CURING IN COLD WEATHER FOR REPAIRS TO STAIRWAYS			NPI FOR GARON NYCTA	TREFLITE 42015W T&S SECTION 50, REVISED 12/17 CCSS-003 REV E 9/11/17 RESTR SUB CCSS-001, REV I, 3-9- 11, LABEL
83-32-7127	WASHER, CARBON, USED ON CARRIER COMPRESSOR 5D SERIES (HVAC)	0	0	CARRIER STONE SAFETY SERVICE CORP.	17-44131-01 T-11793
83-32-7131	OIL PUMP AND BEARING HEAD ASSEMBLY - CARRIER A/C 05D SERIES	4	0	CARRIER	17-40200-02
83-32-7143	PISTON AND PIN, STANDARD, CARRIER A/C, 05D COMPRESSOR	1232	288	CARRIER	17-44045-01
83-32-7149	CRANKSHAFT ASSEMBLY, CARRIER A/C, 05D COMPRESSOR, R42 CARS	115	64	ALBERTINI MFG CARRIER NYCTA STONE AIR	CSF-326 17-40326 PALLET SPEC. T-11511-1
83-36-9505	BRUSH, CARBON, FOR A/C COMPRESSOR MOTOR	0	0	NATIONAL CARBON NATIONAL ELECTRICAL CARBON	GRADE DE 2 01-23963 GRADE EG- 801

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
				STONE SAFETY SERVICE CORP.	T-19286
83-36-9578	TIP, CONTACT, MAIN MOVABLE, USED WITH SAFETY CONTACTOR #T-16093-4, & G.E. CONTACTOR #IC 28001607AD55Z8, MUST BE CADMIUM	0	0	CONTACTOR MANUFACTURING CO. GENERAL ELECTRIC CO. HOYT POWERMET PRODUCTS STONE SAFETY SERVICE CORP.	MEI-107 6974772G1 Z607 S-7564-23
83-36-9710	BRUSH, FRINGE, FIBRE GRADE IM-26 USED WITH FAN MOTOR, OVERHEAD	0	0	MORGANITE STONE SAFETY SERVICE CORP.	01-23788 T-19289-1
83-38-0326	CONTACT, MOVABLE, FOR TYPE MC-2 & MC-3 CONTACTOR, R40 CARS	0	0	HOYT POWERMET PRODUCTS	R490
83-38-0612	CYLINDER HEAD, CENTER BANK, A/C- 05D COMPRESSOR	0	0	CARRIER SAFETY EQUIP. CO.	17-40016 T-9256
83-38-0617	OIL RELIEF VALVE, FOR A/C COMPRESSOR	405	100	CARRIER STONE SAFETY SERVICE CORP.	17-44011 T-9262
83-38-0619	ASSEMBLY, OIL LEVEL SIGHT GLASS FOR T-11490-1 CRANKCASE ASSEMBLY	0	0	CARRIER SAFETY CORP.	17-10218 T-13004
83-38-0622	OIL RETURN CHECK VALVE ASSEMBLY- CARRIER A/C 05D COMPRESSOR	0	0	CARRIER STONE SAFETY SERVICE CORP.	17-40320 T-11520
83-38-0651	RING, COMPRESSION, FOR SAFETY EQUIP. AIR COND. COMPRESSORS,	2310	600	CARRIER SAFETY EQUIP. CO.	17-40055 T-9288
83-38-0652	CONNECTING ROD & CAP ASSEMBLY, STANDARD A/C-05D COMPRESSOR	1206	329	CARRIER MOBILE CLIMATE CONTROL INC. STONE SAFETY SERVICE CORP.	17-40056-02 17-40056-02 T-11492
83-38-0660	VALVE, CAPACITY CONTROL, FOR PURCHASING PURPOSES ONLY. (THE FOLLOWING INFORMATION IS FOR NYCT USE ONLY: USE 83-38-3006 FOR FIRST STAGE UNLOADING, COLOR CODED BLUE, PRE-SET. USE 83-38-3007	1535	536	CARRIER FLXIBLE ORION STONE SAFETY SERVICE CORP.	17-10363-00 97-4732-151 E1349549JZ T-14246D
					**** PART NO. NOT AVAILABLE ****
83-38-0670	BEARING, HEAD & OIL PUMP PACKAGE, FOR SAFETY EQUIPMENT AIR COND.	0	0	CARRIER SAFETY EQUIP. CO.	17-40200 T-1148-4
83-38-0690	VALVE PLATE ASSEMBLY, INCLUDING VALVE PLATE & SUCTION VALVE,	118	30	CARRIER STONE SAFETY SERVICE CORP.	17-44106-00 T-9422
83-38-0699	VALVE PLATE, CENTER BANK, FOR	58	25	CARRIER	17-44107-00

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	SAFETY EQUIPMENT AIR CONDITIONER			SAFETY EQUIP. CO.	T-9421
83-38-3001	FILTER, A/C, NOMINAL SIZE 18-1/8" X 13-3/8" X 1-3/4" USED ON OVERHEAD FRAME ASSEMBLY, 6 PER CAR. THE CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS FURNISHED IN ACCORDANCE WITH THE REQUIREMENTS OF THIS SPECIFICATION.	248	200	CLARK FILTER	DP8-NYC-2 DP40-NYC-2
				FARR INC NYCTA	97515-011-R40XL PALLET SPEC.
				PUROLATOR TRI-DIM FILTER CORP.	2061-PROD-89, REV. F FME-40-L 23213CE18AE208Q
83-38-7026	GASKET, COVER PLATE, FOR SAFETY #B-2694-1 CONDENSER AND COMPRESSOR	0	0	CARRIER	17-44004
				STONE SAFETY SERVICE CORP.	T-11519
83-40-0807	BRUSH, CONTURED, COMPLETE, FOR COMPRESSOR MOTOR # T-8179-1, R38, R40, R42, R44 CARS	93	90	NATIONAL ELECTRICAL CARBON	01-22123 GRADE EG-801
				STONE SAFETY SERVICE CORP.	T-11539-2
83-42-0973	CONTACT, STATIONARY, FOR BLOWER FAN CONTACTOR SAFETY #T-14582-2 & G.E.# IC28001617P2, USED ON MOTOR START AND CONTROL PANEL SAFETY #B-3426-1, MUST BE CADMIUM FREE.	0	3	CONTACTOR MANUFACTURING CO.	MEI-09
				GENERAL ELECTRIC CO.	6973075G1
				HOYT POWERMET PRODUCTS	R337
				NYAB	758566
				STONE SAFETY SERVICE CORP.	S-6795-25
83-42-0978	FINGER, MOVABLE CONTACT, FOR SAFETY MOTOR START CONTROL PANEL #B-3246-1, #B-3247-1, #M-4608-1 & G.E. BLOWER FAN CONTACTOR #1C2800-1617	0	0	BRM INDUSTRIES INC.	8067076G1
				GENERAL ELECTRIC CO.	8067076G1
				HORNE	806
				HOYT POWERMET PRODUCTS	R340
				NYAB	758567
				STONE SAFETY SERVICE CORP.	S-6795-31
83-42-1098	BRUSH, ASSEMBLY, GROUNDING, USED ON COMPRESSOR/CONDENSOR MOTOR. NOTE: "EACH ASSEMBLY MUST BE PACKAGED INDIVIDUALLY".	0	0	GENERAL ELECTRIC CO.	
					36A291177ABG01
83-42-1232	CONTACTOR MC1 FOR MOTOR CONTROL CIRCUIT, THERMOKING A/C	0	0	THERMO KING VAPOR	1309030606 3603000210

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
83-42-1301	CONTACTOR, LC, USED ON HVAC SYSTEM	0	0	STONE SAFETY CORPORATION	S-11862-5
83-42-1302	CONTACTOR, AC, USED ON HVAC SYSTEM	0	0	STONE SAFETY CORPORATION	S-11862-4
83-42-1314	RESISTOR, 20 OHMS, A/C MOTOR CONTROL CIRCUIT, (BBR & BSCR2), USED WITH HVAC AND CONTROL SYSTEM	0	0	STONE SAFETY SERVICE CORP.	S-12582-3
83-42-1315	RESISTOR, 25 OHMS., A/C MOTOR CONTROL CIRCUIT, (BSCRI), USED WITH HVAC AND CONTROL SYSTEM	0	0	STONE SAFETY SERVICE CORP.	S-12582-6
83-42-1325	SWITCH ASSEMBLY, THERMAL, U/W R42 HVAC SYSTEM.	0	0	STONE SAFETY SERVICE CORP.	S-9805-5
83-42-1370	VALVE, LINE SOLENOID, U/W R42 HVAC SYSTEM.	0	0	STONE SAFETY SERVICE CORP.	S-11841-10
83-42-1379	RESISTOR ASSEMBLY, U/W R42 HVAC SYSTEM.	0	0	STONE SAFETY SERVICE CORP.	B-6510-1
83-42-1526	MOTOR, BLOWER, HVAC	0	0	AMETEK ROTRON	640210
83-42-2100	FILTER, AIR, FRESH, NOMINAL SIZE 6" X 21" X 1-3/4"	28764	17154	CLARK FILTER FARR INC NYCTA PUROLATOR TRI-DIM FILTER CORP.	DP-NYC-5 400814-001 2061-PROD-89 REV. F DMK80-6 X 21 X 2 23206E21E208Q
83-42-2101	FILTER, AIR MIXED, NOMINAL SIZE: 9" X 21-1/2" X 1-3/4"	28814	16650	CLARK FILTER FARR INC NYCTA PUROLATOR TRI-DIM FILTER CORP.	DP-NYC-6 400814-002 2061-PROD-89 REV. F DMK80-9 X 21-1/2 X 2 23209E21DE208Q
83-42-2117	FILTER, RETURN AIR, NOMINAL SIZE: 12-1/4" X 15-3/8" X 1-3/4"; USED WITH HVAC	32519	18449	CLARK FILTER FARR INC NYCTA	DP-NYC-7 402129-001 2061-PROD-89 REV. F

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
				PUROLATOR	DMK80-12-1/4 X 15-3/8 X 2
				TRI-DIM FILTER CORP.	23212BE15CE208Q
83-42-2118	FILTER, FRESH AIR, NOMINAL SIZE: 6-3/8" X 20-3/8" X 7/8"; USED WITH HVAC	21385	12925	CLARK FILTER	DP-NYC-8
				FARR INC	402135-001
				NYCTA	2061-PROD-89 REV. F
				PUROLATOR	DMK80-6.38 X 20.38 X 1
				TRI-DIM FILTER CORP.	23206CE20CE108Q
83-42-2123	COMPRESSOR, 6.5 TON	0	0	HARTFORD COMPRESSORS	75PHFSE16730EMAN30
83-42-2180	BLOWER MOTOR, EVAPORATOR, INCLUDING JUNCTION BOX ASSEMBLY	0	0	MELCO	EY255257G01
				WESTCODE	EY311295H01
83-42-2181	HVAC CONTROL UNIT	0	0	MELCO	C6G7672
83-42-2182	INVERTER, FOR HVAC	0	0	mitsubishi	CJ51503G01
83-42-2238	CAPACITOR, 400V 10000MFD, USED ON INVERTER MODULE ASSEMBLY, LVPS	2303	1084	EPCOS	B43456S9109M002
				TOSHIBA	PC42003P003
83-42-2244	HVAC UNIT, ROOF MOUNTED FOR R142A/R188 CONVERTED CARS(MODEL NO. EU 72). REFRIGERANT USED IS R22	0	0	MELCO	EY201846G01
83-42-2245	EVAPORATOR BLOWER ASSEMBLIES	0	0	MELCO	EY204427G01
83-42-2246	COMPRESSOR U/W HVAC SYSTEM	0	0	MELCO	RCS3001K27
83-42-2248	CONTACTOR, SD-2XN35WY, 35 AMP	0	0	MELCO	C6H9221H02
83-42-2257	INSULATOR, VIBRATION	106	0	MELCO	CY19166H03
83-42-2258	VIBRATION ELIMINATORS (LOWER)	320	0	KAWASAKI RAIL CARS	7245-001446
				MELCO	CX22439-H01
83-42-2269	EVAPORATOR COIL ASSEMBLIES	0	0	MELCO	EY205665G01
83-42-2277	PRINTED CIRCUIT BOARD (M-NCP01A)	0	3	MELCO	CJ51504H16

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
83-42-2278	PRINTED CIRCUIT BOARD (M-LON0-1-1), IN ABSENCE OF STOCKS, IS INTERCHANGEABLE AND INTEROPERABLE WITH M-LONO1A (EY104092H17- 14-60-0051)OR M- LONO1-2 (EY102081H17- 83-43-5035).	0	0	MELCO	CJ51504H17
83-42-2279	PRINTED CIRCUIT BOARD (CDV01B)	0	0	MELCO	CJ51482H26
83-42-2280	BOARD, PRINTED CIRCUIT (R-DCD01)	0	0	MELCO	EY107543H27
83-42-2281	PRINTED CIRCUIT BOARD (T-POW05A)	2	1	MELCO	EY107543H28
83-42-2282	PRINTED CIRCUIT BOARD (T-POW15B)	3	1	MELCO	EY107543H29
				MITSUBISHI	EY104199H30
83-42-2283	PRINTED CIRCUIT BOARD (T-POW6A-S1)	0	2	MELCO	EY107543H30
				MITSUBISHI	EY104199H29
83-42-2557	CAPACITOR, FILTER, 8200UF, 450V (C1 TO C6)	36	0	EPCOS	B43456-S5828-M004
83-42-2582	PRINTED CIRCUIT BOARD (POW16B)	2	0	MELCO	EY107543H31
83-42-2666	CIRCUIT BREAKER, MODEL # NF63-SV, 3P, 50A, AC, 600V	0	0	MELCO	C6H9222H07
83-42-2675	CAPACITOR, 450 VOLTS D.C, 8200 MICROFARAD	0	0	EPCOS	B43564-S5828-M001
				NICHICON	LNKZW822MSMAML
				WESTCODE	C6H9220H07
83-42-2695	CONDENSER COIL #1 ASSEMBLY	12	0	MELCO	EY201642H01
				WESTCODE	EY201642H01
83-42-2696	CONDENSER COIL #2 ASSEMBLY	12	0	MELCO	EY201642H02
				WESTCODE	EY201642H02
83-42-2708	CONTACTOR	0	0	MELCO	C6H9222H06
				WESTCODE	C6H9222H06
83-42-2756	POWER SUPPLY RECEIVES THE 37.5 VOLTS SUPPLY FROM THE TRAINLINE	0	0	MELCO	CJ51504H15
				WESTCODE	CJ51504H15

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
83-42-2889	MODULE, POWER SUPPLY	0	0	MELCO	EY107543H18
83-42-2891	MOTOR, CONDENSER FAN (WESTCODE)	302	90	MELCO WESTCODE	EY250033H01 WC14079
83-42-3598	CONDENSER FAN ASSEMBLY, STAINLESS STEEL	0	0	MELCO WESTCODE	EY226128G03 WB24940/001
83-43-5001	FILTER, RETURN AIR, NOMINAL SIZE: 19- 1/2" X 14-1/2" X 1-3/4", USED WITH HVAC	59160	36184	CLARK FILTER FARR INC MELCO NYCTA PUROLATOR TRI-DIM FILTER CORP.	DP-NYC-9 49880-011 EY320550H01 2061-PROD-89 REV. F DMK80-19-1/2X14- 1/2X2 23214DE19DE208Q
83-43-5002	FILTER, FRESH AIR, NOMINAL SIZE: 19- 1/2" X 9-1/2" X 1-3/4", USED WITH HVAC	46474	28324	CLARK FILTER FARR INC MELCO NYCTA PUROLATOR TRI-DIM FILTER CORP.	DP-NYC-10 49880-008 EY320417H01 2061-PROD-89 REV. F DMK80-19-1/2 X 9-1/2 X 2 23209DE19DE208Q
83-44-0681	BEARING, CRANK END, FOR SAFETY A/C COMPRESSOR #T-15347, R44 CARS	0	0	CARRIER STONE SAFETY SERVICE CORP.	17-40025 T-23409
83-46-0475	BRUSH, CARBON, 8 X 10 X 32	0	0	MERSEN USA BN CORP NATIONAL ELECTRICAL CARBON	E-KSR-2 GRADE BG540 01-24914 GRADE IM-26
83-46-0483	BRUSH, 12.5 X 25 X 48 U/W COMPRESSOR MOTOR GS 2007, FOR R46 CARS.	0	0	KAISER MERSEN USA BN CORP	BG-540 E-KSR-1 GRADE BG540
83-46-0625	FILTER, A/C, NOMINAL SIZE 44-3/4" X 17-3/4" X 1-3/4", USED ON OVERHEAD FRAME ASSEMBLY, 2 PER CAR. THE CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS	8396	5724	CLARK FILTER FARR INC NYCTA	DP8-NYC-3 DP40-NYC-3 110126-001 PALLET SPEC 2061-PROD-89 REV. F

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
	FURNISHED IN ACCORDANCE WITH THE REQUIREMENTS OF			PUROLATOR TRI-DIM FILTER CORP.	FME-40 G 23217GE44GE208Q
83-46-1382	MOTOR, BLOWER, SHAFTS ARE EQUAL LENGTH, USED WITH HVAC SYSTEM,	0	0	BALDOR ROTRON INC.	35S771R559G1 641405000
83-46-1509	CONNECTOR, 1" LIQUID TIGHT FLEXIBLE METAL STRAIGHT INSULATED FOR R46 SMS PROJECT.	50	0	T & B	5334-TB
83-46-1510	CONNECTOR, 1" 45 DEGREE LIQUID TIGHT, R46 SMS PROJECT (SEPSA MODIFICATION).	0	0	T & B	5344
83-46-1511	CONNECTOR, 1" 90 DEGREE LIQUID TIGHT, R46 SMS PROJECT (SEPSA MODIFICATION)	50	0	T & B	5354
83-46-1512	SINGLE GANG DEEP WEATHER PROOF BOX. USED FOR R46 SMS (SEPSA MODIFICATION)	2	0	T & B	IHD3-3
83-46-1513	EXTENSION, USED ON SINGLE GANG (IHD3-3) BOX. USED FOR R46 SMS	0	0	T & B	IHE
83-46-1514	COVER, USED ON SINGLE GANG WEATHER PROOF BOX (IHD3-3). USED FOR R46 SMS MODIFICATION	0	0	T & B	DCCB
83-46-4000	COMPRESSOR, HVAC, R46	0	0	HARTFORD COMPRESSORS	1520SE1697OEM0010
83-60-0002	AIR CONDITIONING UNIT, ROOF MOUNTED, EU73 7.5 TON	1	0	mitsubishi	EY209782G01
83-62-0805	BRUSH, COMPRESSOR MOTOR, FOR SAFETY ELECTRIC COMPRESSOR &	0	0	NATIONAL ELECTRICAL CARBON STONE SAFETY SERVICE CORP.	01-24285 T-23166-1
83-62-0968	BUFFER RESISTOR, USED WITH SAFETY MOTOR CONTROL BOX, R62 CARS	11	0	STONE SAFETY SERVICE CORP.	S-11382-1
83-62-1225	TIP ASSEMBLY, STATIONARY, USED WITH CONTACTOR DC SIZE 2	0	0	BRM INDUSTRIES INC. CONTACTOR MANUFACTURING CO. GENERAL ELECTRIC CO.	P259A5615G1 MEI-30 259A5615G1

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
				HOYT POWERMET PRODUCTS	Z630
				STONE SAFETY SERVICE CORP.	S-11725-10
83-62-1340	BRUSH, BLOWER MOTOR, PACKAGED 1000 EACH PER CARTON.	0	0	MERSEN USA BN CORP	10804-10126-00
				NATIONAL ELECTRICAL CARBON	01-2428-1
				STONE SAFETY SERVICE CORP.	20267-5
83-62-1410	FILTER, A/C USED WITH R62 AND R62A NOMINAL SIZE R40XL 20-1/4" X 14" X 2". CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS FURNISHED IN ACCORDANCE WITH THE REQUIREMENTS OF THIS	43791	28003	CLARK FILTER	DP8-NYC-1 DP40-NYC-1
				FARR INC	403366001
				NYCTA	2061-PROD-89 REV. F
				PUROLATOR	DMK80-20-1/4X14X2
				TRIDIM FILTER CORP.	23214E20BE208Q
83-62-3000	MOTOR, BLOWER, AC, 3 PHASE, 230V, 76 HZ, 1950 RPM MAX., AMB: 60	0	0	ABC ELECTRIC	ABC01
				ROTRON INC.	350212
83-62-4000	COMPRESSOR, HVAC, R62			HARTFORD COMPRESSORS	2280SE1697OEM0010
83-62-4132	CAPACITOR, 15000 UF, 400V	132	170	EPCOS	B43456-S9159-M003
83-62-4179	MOTOR, HVAC ALTERNATING CURRENT, FOR HVAC COMPRESSOR	0	0	LETAG S.A.	BGKMH-200LEB
				SEPSA SISTEMAS ELECTRICOS	562012
83-68-0654	CONTACTOR, BLOWER FAN, USED WITH HEATING AND AIR CONDITIONING.	0	0	STONE SAFETY SERVICE CORP.	S-11860-1
83-68-0655	CONTACTOR, BLOWER FAN, USED WITH HEATING AND AIR CONDITIONING.	0	0	STONE SAFETY SERVICE CORP.	S-11860-4
83-68-0656	CONTACTOR, LC, LINE, U/W HEATING AND AIR CONDITIONING.	0	0	STONE SAFETY SERVICE CORP.	S11862-2
83-68-0872	FILTER, A/C, NOMINAL SIZE: 19-1/2 X 13- 1/2" X 1-3/4" FOR R62 AND R62A USE 83-62-1410 USED ON OVERHEAD FRAME ASSEMBLY, 6 PER CAR. THE CONTRACTOR IS RESPONSIBLE FOR INSPECTING ALL MATERIALS	34272	23080	CLARK FILTER	DP8-NYC-4 DP40-NYC-4
				FARR INC	97515-004
				NYCTA	PALLET SPEC
				TRIDIM FILTER CORP.	2061-PROD-89 REV. F 23213DE19DE208Q
83-68-0894	MOTOR, ALTERNATING CURRENT, FOR HVAC COMPRESSOR	0	0	SEPSA SISTEMAS ELECTRICOS	562019

QUALIFIED PRODUCTS LISTING
CAR EQUIPMENT SUPPORT BUYING UNIT (100) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
83-68-1001	SHAFT SEAL PACKAGE, ZINC PLATED, GOLD COLOR, FOR 05D CARRIER COMPRESSOR ASSEMBLY	83	58	CARRIER	17-57025-00Z
83-68-2001	MOTOR, BLOWER, HVAC	0	0	AMETEK ROTRON	350297
83-78-0072	FILTER, A/C, RETURN AIR, ACTUAL SIZE: 19-1/2" X 15-1/2" X 1-3/4". 2 PER HVAC UNIT. THE CONTRACTOR IS	6694	4406	CAMFIL FARR NYCTA	049880-001 2061-PROD-89 LATEST REV.
98-46-1516	REFURBISHED, ALTERNATING CURRENT MOTOR, FOR R46 HVAC COMPRESSOR. NOTE: FOR NEW UNIT USE 83-46-1516			K&G POWER SYSTEMS SEPSA SISTEMAS ELECTRICOS SHERWOOD ELECTROMOTION INC WALCO	562023-R 562023-R 562023-R 562023-R
98-62-4179	REFURBISHED, ALTERNATING CURRENT MOTOR FOR R62/R62A HVAC COMPRESSOR NOTE: FOR NEW UNIT USE 83-62-4179			K&G POWER SYSTEMS SEPSA SISTEMAS ELECTRICOS SHERWOOD ELECTROMOTION INC WALCO	562012-R 562012-R 562012-R 562012-R
98-68-0894	REFURBISHED, ALTERNATING CURRENT MOTOR, FOR R68/R68A HVAC COMPRESSOR NOTE: FOR NEW UNIT USE 83-68-0894			K&G POWER SYSTEMS SEPSA SISTEMAS ELECTRICOS SHERWOOD ELECTROMOTION INC WALCO	562019-R 562019-R 562019-R 562019-R