

Table of Contents

Table of Contents	1
MS4 Annual Report/Interim Progress Certification 2025	2
(Submission #: HQ9-V47K-MJW12, version 1)	2
Details	2
Form Input	2
MS4 Operator Information	2
Part IV	3
Part V	3
Part VII	4
Part VIII	11
Part IX	15
Interim Progress Status	16
Certification	16
Attachments	16

MS4 Annual Report/Interim Progress Certification 2025

version 1.0

(Submission #: HQ9-V47K-MJW12, version 1)

Details

Submitted 4/1/2025 (0 days ago) by Edward Ecock

Alternate Identifier NYR20A479

Submission ID HQ9-V47K-MJW12

Status Submitted

Form Input

MS4 Operator Information

Municipality Name or Legal Entity Name
New York City Transit

Permit ID #:
NYR20A479

MS4 Operator Type
Traditional non-land use control

Traditional Non-Land Use or Non-Traditional

Traditional non-land use and non-traditional MS4 Operator requirements are found in Part VII of the MS4 General Permit.

Legal Municipal/Entity Mailing address
2 BROADWAY, 27TH FLOOR
New York, NY 10004
New York

Ranking Official

Official Title	First and Last Name	Phone	Email
Other: VP, Office of System Safety	Timothy J. Doddo	646-252-5777	timothy.doddo@nyct.com

Report Preparer

Report Preparer Title	First and Last Name	Phone	Email
Stormwater Program Coordinator	Edward Ecock	646-252-5777	ENVIRONMENTALPROTECTIONNYCT@NYCT.COM

Stormwater Program Coordinator

Coordinator Title	First and Last Name	Phone	Email
Stormwater Program Coordinator	Edward Ecock	646-252-5777	ENVIRONMENTALPROTECTIONNYCT@NYCT.COM

Part IV

Was the information in this section completed as part of a coalition/group?

No

MS4 General Permit Resources

Use the following webpages for more information on the permit and fact sheet:

[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

SWMP Plan

Annually: Have the alternative implementation agreements in the SWMP Plan been updated? (Part IV.A.1.e.)

Yes

Annually: Has the SWMP been updated? (Part IV.B.3.)

Yes

Mapping

Annually: Has the comprehensive system mapping been updated? (Part IV.D.)

Yes

What tools are used to satisfy the comprehensive system mapping requirements? (e.g. paper maps, GIS, web mappers, etc.)

paper maps and web mappers

Within three (3) years of the EDC: Has Phase I of the comprehensive mapping been completed? (Part IV.D.2.a.)

No

Please clarify the reason for selecting "No" for this item.

Item is not due this year.

Within five (5) years of the EDC: Has Phase II of the comprehensive mapping been completed? (Part IV.D.2.b.)

No

Please clarify the reason for selecting "No" for this item.

Item is not due this year.

Legal Authority

Within three (3) years of the EDC: For newly designated MS4 Operators, has adequate legal authority been developed and implemented? (Part IV.E.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

New York City Transit is not a newly designated MS4 operator.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Part V

In Year 5: Has the SWMP Plan been evaluated? (Part V.C.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Part VII

Which MCMs in this Part were completed as a coalition/group, if any?

NONE PROVIDED

Minimum Control Measure 1

Within three (3) years of the EDC: Have the focus areas been identified? (Part VII.A.1.a.)

Yes

What focus areas were identified?

Sewersheds for impaired waters listed in Appendix C (subject to Part VIII. requirements; mapped in accordance with Part IV.D.1.c. for MS4 Operators continuing coverage and Part IV.D.2.a.ii. for newly designated MS4 Operators)

Areas with construction activities

Residential, commercial, and industrial areas (mapped in accordance with Part IV.D.1.e.iii.)

Areas with illicit discharges

Within three (3) years of the EDC: Have the target audience(s) and associated pollutant generating activities been identified? (Part VII.A.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

item is not due yet.

Within three (3) years of the EDC: Have the education and outreach topics been identified and how the education and outreach topics will reduce the potential for pollutants explained? (Part VII.A.1.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due yet.

In Year 5: Has the method(s) used for distribution of educational messages been identified? (Part VII.A.2.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due yet.

In Year 5: Has one educational message been delivered to each target audience(s) for each focus area based on the education and outreach topic(s)? (Part VII.A.2.b.)

Yes

In Year 4 and Year 5: Have target audiences, focus areas, and/or education and outreach topics been updated? (Part VII.A.2.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due yet.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 2

Annually: Has an opportunity for public involvement/participation in the development and implementation of the SWMP been provided? (Part VII.B.1.a.)

Yes

What was the opportunity for public involvement/participation in the SWMP?

Reporting concerns about activities or behaviors observed

Annually: Has the public been informed about the opportunity for their involvement in the development and implementation of the SWMP and how they can get involved? (Part VII.B.1.b.)

Yes

What is the method(s) used for distribution to inform the public of the opportunity for involvement?

Electronic materials (e.g., websites, email listservs)

Annually: Has an opportunity to review and comment on the publicly available SWMP Plan been provided? (Part VII.B.2.a.)

Yes

Annually: Has an opportunity to review and comment on the draft annual report been provided? (Part VII.B.2.b.i.)

Yes

What opportunity for review and comment on the draft annual report has been provided?

Posting of draft Annual Report on a public website

Annually: Have the comments received on the SWMP Plan been summarized? (Part VII.B.2.c.i.)

Yes

How many comments were received on the SWMP Plan?

0

Annually: Have the comments received on the draft annual report been summarized? (Part VII.B.2.c.i.)

Yes

How many comments were received on the draft annual report?

0

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 3

Within three (3) years of the EDC: Has an inventory of monitoring locations been developed? (Part VII.C.1.c.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due yet.

In Year 4 and Year 5: Has the monitoring location inventory been updated? (Part VII.C.1.c.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Have monitoring locations been prioritized? (Part VII.C.1.d.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 4 and Year 5: Has the monitoring location prioritization been updated? (Part VII.C.1.d.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within two (2) years of the EDC: Has a monitoring locations inspection and sampling program been developed and implemented? (Part VII.C.1.e.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 5: Have all the monitoring locations been inspected? (Part VII.C.1.e.i.a))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

How many monitoring locations have been inspected?

25

In Year 5: Has training on the MS4 Operator's monitoring locations inspection and sampling procedures been provided? (Part VII.C.1.e.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received monitoring locations inspection and sampling training been updated? (Part VII.C.1.e.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 3, Year 4, and Year 5: Have the monitoring locations inspection and sampling procedures been updated? (Part VII.C.1.e.iv.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within two (2) years of the EDC: Has an illicit discharge track down program been developed and implemented? (Part VII.C.2.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 5: Has training on the MS4 Operator's illicit discharge track down procedures prior to conducting illicit discharge track down been provided? (Part VII.C.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge track down procedures training been updated? (Part VII.C.2.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 3, Year 4, and Year 5: Have the illicit discharge track down procedures been reviewed and updated? (Part VII.C.2.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within two (2) years of the EDC: Has an illicit discharge elimination program been developed and implemented? (Part VII.C.3.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 5: Has training on the MS4 Operator's illicit discharge elimination procedures prior to conducting illicit discharge elimination been provided? (Part VII.C.3.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge elimination procedures training been updated? (Part VII.C.3.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 3, Year 4, and Year 5: Have the illicit discharge elimination procedures been reviewed and updated? (Part VII.C.3.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 4

Within one (1) year of the EDC: Has a construction oversight program been developed and implemented? (Part VII.D.3)

Yes

In Year 5: Has training on the MS4 Operator's construction oversight procedures prior to conducting construction oversight been provided? (Part VII.D.3.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 2, Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received construction oversight procedures training been updated? (Part VII.D.3.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 2, Year 3, Year 4, and Year 5: Have the construction oversight procedures been reviewed and updated? (Part VII.D.3.e.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Annually: Has the inventory of construction sites been updated? (Part VII.D.4.b.)

Yes

How many construction sites are on the inventory?

2

Within one (1) year of the EDC: Have construction sites been prioritized? (Part VII.D.5.a.)

Yes

How many high priority construction sites are on the inventory?

1

In Year 2, Year 3, Year 4, and Year 5: Has the construction site prioritization been updated? (Part VII.D.5.c.)

Yes

Within three (3) years of the EDC: Have the individuals responsible for reviewing SWPPPs for acceptance received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting SWPPP reviews and/or approvals? (Part VII.D.6.a.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for reviewing SWPPPs been updated? (Part VII.D.6.d.)

Yes

Are pre-construction meetings conducted prior to the commencement of construction activity? (Part VII.D.7.)

Yes

Within three (3) years of the EDC: Have the individuals responsible for construction site inspections received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting construction site inspections? (Part VII.D.8.a.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Annually: Have all sites with construction activity identified in the inventory been inspected during active construction after the pre-construction meeting, or sooner if deficiencies are noted that require attention? (Part VII.D.8.c.)

Yes

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for construction site inspections been updated? (Part VII.D.8.d.)

Yes

Are final construction site inspections conducted? (Part VII.D.9.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Construction projects are still in progress.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 5

Annually: Has the inventory of post-construction SMPs been updated? (Part VII.E.2.c.)

Yes

How many post-construction SMPs are on the inventory?

7

Within five (5) years of the EDC: Have the required components been included in the post-construction SMP inventory? (Part VII.E.2.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within one (1) year of the EDC: Has a post-construction SMP inspection and maintenance program been developed and implemented? (Part VII.E.4.)

Yes

Has each post-construction SMP identified in the inventory been inspected at the required frequency? (Part VII.E.4.a.)

Yes

In Year 5: Has training on the MS4 Operator's post-construction SMP inspection and maintenance procedures prior to conducting post-construction SMP inspection and maintenance been provided? (Part VII.E.4.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Annually: Have names, titles, and contact information for the individuals who have received post-construction SMP inspection and maintenance procedures training updated? (Part VII.E.4.c.)

Yes

In Year 2, Year 3, Year 4, and Year 5: Have the post-construction SMP inspection and maintenance procedures been reviewed and updated? (Part VII.E.4.d.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 6

Within three (3) years of the EDC: Have best management practices (BMPs) been incorporated into the municipal facility program and municipal operations program? (Part VII.F.1.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Has a municipal facility program been developed and implemented? (Part VII.F.2.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 5: Has training on the MS4 Operator's municipal facility procedures prior to conducting municipal facility procedures been provided? (Part VII.F.2.a.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal facility procedures training been updated? (Part VII.F.2.a.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 4 and Year 5: Have the municipal facility procedures been updated? (Part VII.F.2.a.iv.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within two (2) years of the EDC: Has a municipal facility inventory been developed? (Part VII.F.2.b.i.)

Yes

How many municipal facilities are on the inventory?

5

In Year 3, Year 4, and Year 5: Has the municipal facility inventory been updated? (Part VII.F.2.b.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Have the municipal facilities been prioritized? (Part VII.F.2.c.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 4 and Year 5: Has the municipal facility prioritization been updated? (Part VII.F.2.c.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within five (5) years of the EDC: Has a municipal facility specific SWPPP for each high priority municipal facility been developed? (Part VII.F.2.d.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

How many municipal facility specific SWPPPs for high priority municipal facilities have been developed?

0

In Year 5: Has all wet weather visual monitoring of the monitoring locations at all high priority municipal facilities been conducted? (Part VII.F.2.d.ii.a))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

At how many high priority municipal facilities was wet weather visual monitoring completed?

0

At how many monitoring locations was wet weather visual monitoring completed?

0

In Year 5: Has a comprehensive site assessment for each high priority municipal facility been completed? (Part VII.F.2.d.ii.c))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

At how many high priority municipal facilities was a comprehensive site assessment completed?

0

In Year 5: Has a comprehensive site assessment for each low priority municipal facility been completed? (Part VII.F.2.e.ii.c))

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

At how many low priority municipal facilities was a comprehensive site assessment completed?

0

Within three (3) years of the EDC: Has a municipal operations program been developed? (Part VII.F.3.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 5: Has training on the MS4 Operator's municipal operations procedures prior to conducting municipal operations been provided? (Part VII.F.3.a.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal operations procedures training been updated? (Part VII.F.3.a.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 4 and Year 5: Have the municipal operations procedures been reviewed and updated? (Part VII.F.3.a.iv.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Have catch basins in need of inspection been identified? (Part VII.F.3.c.i.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Has catch basin inspection information been inventoried? (Part VII.F.3.c.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 5: Have all streets, bridges, parking lots, and right of ways been swept? (Part VII.F.3.d.i.a))

Yes

Annually: Have all streets in business districts and commercial areas been swept (Part VII.F.3.d.i.b))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Streets and Business districts are outside our operated area. We maintain our bus and subway facilities. This includes all parking lots for public and NYCT use.

Within five (5) years of the EDC: Have roads, bridges, parking lots, and right of way maintenance specific BMPs been implemented? (Part VII.F.3.d.ii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within five (5) years of the EDC: Have winter road maintenance specific BMPs been implemented? (Part VII.F.3.d.iii.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Please enter any comments related to the questions in this section below:

During this reporting period 50.63 acres of parking lots were swept.

Part VIII

Does the MS4 Operator discharge to an impaired water listed in Appendix C of GP-0-24-001?

Yes

For which pollutant(s) is the waterbody impaired? Select the pollutants for all the impaired waters listed in Appendix C of GP-0-24-001 to which the MS4 Operator discharges.

Floatables
Pathogens
Nitrogen
Phosphorus

Which requirements in this Part were completed as a coalition/group, if any?

NONE PROVIDED

Phosphorus

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a phosphorus impaired water listed in Appendix C? (Part VIII.A.1.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include the listed items for each MS4 outfall discharging to a phosphorus impaired water listed in Appendix C? (Part VIII.A.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a phosphorus impaired water listed in Appendix C? (Part VIII.A.1.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 1

Twice a year, in Year 4 and Year 5: Have educational messages with information specific to phosphorus been provided? (Part VIII.A.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 3

Within five (5) years of the EDC: Has the number of each item listed in Part VIII.A.1.b. been included on the MS4 outfall inventory for each associated MS4 outfall? (Part VIII.A.4.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 4

How many high priority construction sites discharge to the phosphorus impaired water(s)?

0

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to phosphorus impaired segments been swept? (Part VIII.A.7.a.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

The streets are swept and maintained by DSNY in NYC. MTA handles sweeping in our employee and public parking lots.

Pathogens

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a pathogens impaired water listed in Appendix C? (Part VIII.C.1.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include the listed items for each MS4 outfall discharging to a pathogens impaired water listed in Appendix C? (Part VIII.C.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a pathogens impaired water listed in Appendix C? (Part VIII.C.1.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 1

In Year 4 and Year 5: Have educational messages with information specific to pathogens been provided? (Part VIII.C.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 3

Within five (5) years of the EDC: Has the number of each item listed in Part VIII.C.1.b. been included on the MS4 outfall inventory for each associated MS4 outfall? (Part VIII.C.4.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to pathogens impaired segments been swept? (Part VIII.C.7.a.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

The streets are swept and maintained by DSNY in NYC. MTA handles sweeping in our employee and public parking lots.

Within one (1) year of the EDC: Has the effectiveness of deterrents, population controls, and other measures that may reduce bird related pathogen contributions been evaluated? (Part VIII.C.7.b.iv.)

Yes

Within one (1) year of the EDC: Have dog waste receptacles been made available in areas where pets/domestic animals may frequent? (Part VIII.C.7.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

NYCT facilities are not publicly accessible.

Nitrogen

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a nitrogen impaired water listed in Appendix C? (Part VIII.D.1.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include the listed items for each MS4 outfall discharging to a nitrogen impaired water listed in Appendix C? (Part VIII.D.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a nitrogen impaired water listed in Appendix C? (Part VIII.D.1.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 1

Twice a year, in Year 4 and Year 5: Have educational messages with information specific to nitrogen been provided? (Part VIII.D.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 3

Within five (5) years of the EDC: Has the number of each item listed in Part VIII.D.1.b. been included on the MS4 outfall inventory for each associated MS4 outfall? (Part VIII.D.4.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 4

How many high priority construction sites discharge to the nitrogen impaired water(s)?

1

Have high priority construction sites that discharge to the nitrogen impaired water(s) been inspected by the MS4 Operator at the required frequency? (Part VIII.D.5.)

Yes

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to nitrogen impaired segments been swept? (Part VIII.D.7.a.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

The streets are swept and maintained by DSNY in NYC. MTA handles sweeping in our employee and public parking lots.

Floatables

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a floatables impaired water listed in Appendix C? (Part VIII.E.1.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a floatables impaired water listed in Appendix C? (Part VIII.E.1.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 1

Twice a year, in Year 4 and Year 5: Have educational messages with information specific to floatables been provided? (Part VIII.E.2.b.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to floatables impaired segments been swept? (Part VIII.E.7.a.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

The streets are swept and maintained by DSNY in NYC. MTA handles sweeping in our employee and public parking lots.

Please enter any comments related to the questions in this section below:

50.63 acres of NYCT parking lots were swept during the reporting period.

Part IX

Does the MS4 Operator discharge to a TMDL listed in Table 3 of GP-0-24-001?

No

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Interim Progress Status

Interim Progress Resources

Use the following webpages for more information on the permit and fact sheet:
[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

Have you reviewed compliance items due within two years of EDC?
Yes

Have you reviewed compliance items due within three years of EDC?
Yes

Have you reviewed compliance items due within four years of EDC?
Yes

Have you reviewed compliance items due within five years of EDC?
Yes

Have you reviewed compliance items which need to be completed routinely (annually, every five (5) years, etc.)?
Yes

Please enter any comments related to the questions in this section.
NONE PROVIDED

Certification

The ranking elected official or Principal Executive Officer for the MS4 Operator will be signing the form.
No

Attach completed certification form.
[ms4 Certification Form_NYCT_signed.pdf - 04/01/2025 01:48 PM](#)
Comment
NONE PROVIDED

[Duly Authorized Form](#)

Attach completed duly authorized form or written authorization.
[dulyauthorizedrepform_NYCT SIGNED.pdf - 04/01/2025 01:48 PM](#)
Comment
NONE PROVIDED

Attachments

Date	Attachment Name	Context	User
4/1/2025 1:48 PM	dulyauthorizedrepform_NYCT SIGNED.pdf	Attachment	Edward Ecock
4/1/2025 1:48 PM	ms4 Certification Form_NYCT_signed.pdf	Attachment	Edward Ecock

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Water, Bureau of Water Permits

625 Broadway, Albany, New York 12233-3505

P: (518) 402-8111 | F: (518) 402-9029

www.dec.ny.gov

Duly Authorized Representative Form

for SPDES MS4 General Permit, GP-0-24-001

(40 CFR 122.22(b) and (c) and Part X.J.b. of GP-0-24-001)

MS4 Operator Name: _____

Permit ID: NYR20A_ _ _

With respect to all reports required by GP-0-24-001, the following person
_____ (name/title of person described in Part X.J.b.
of GP-0-24-001) is the duly authorized representative.

Only the person listed on this form is a duly authorized representative. This authorization is effective until the submission of a notification to the NYS DEC Bureau of Water Compliance of a new duly authorized representative.

Signed by:

Signature of person described in Part X.J.a. of GP-0-24-001



Department of
Environmental
Conservation

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Water, Bureau of Water Permits
625 Broadway, Albany, New York 12233-3505
P: (518) 402-8111 | F: (518) 402-9029
www.dec.ny.gov

MS4 Operator Certification Form for eReports SPDES General Permit for Stormwater Discharges From Municipal Separate Storm Sewer Systems (GP-0-24-001)

Instructions

As required by Part V.B.2. and Part V.B.3. of GP-0-24-001, the MS4 Operator must submit the Annual Report and the Interim Progress Certification, respectively. As stated in Part V.B.5. of GP-0-24-001, all reports must be signed in accordance with Part X.J. of GP-0-24-001.

MS4 Operator Name: New York City Transit

Permit ID: NYR20A 479

eReport Submission Number: HQ9-V47K-MJW12

MS4 Operator Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name (please print or type)

Doreen Boatswain

Title

Chief Officer - Environmental Protection & Industrial Hygiene

Signature



Date

1 April 2025



Department of
Environmental
Conservation